Scour Report sent out		
Noted in the NID File		
Docation map pinned	Ę.	
Approval or Disapproval Letter		
Pate Completed, P. & A. or operations suspended 8-2	7-56	
Pin changed on location map	П	
Affidavit and Record of A & P	ח	
Water Shut-Off Test		f
Gas-Oil Ratio Test		,
Well Log Filed	. 7	
(6)	•	
	~	
		\sim
FILE NOTATIONS	Milliante augusticonate anno e e e e e e e e e e e e e e e e e e	
Enterod in NID File	Charlest to make	
Ende Wild (2.7.0%)	en de la composition de la composition La composition de la	1/
Local - It - Mant		
Carlo and Carlo	7.7	**************************************
8- 21 -56	· Dan Comment of the Comment	
	E. T. A. Was Leading	
The state of the s	· · · · · · · · · · · · · · · · · · ·	F-C No. Printer April - British April April -
Diff of Long 1-14-57	in the second se	
Electric Lags (500.)		
E L	GR. V GT N. V Micro	
	C.bors	-
		-

```
UTAH OIL AND GAS CONSERVATION COMMISSION
         WELL LOG " X
                                                WATER SANDS
                      ELECTRIC LOGS
                                                                                         SUB. REPORT/abd
                                                               LOCATION INSPECTED
670810 Converted to Water Injection Well
3-8-68 Subsequent Report of Shooting or Acidizing
650226 Oper Chg. From the Texas Co.
910611 Texaco Inc. to Texaco E & P Inc. Eff. 1-1-91
                                                                         HOWIWEH!
                                              *alions Heturned
**RE-ENTRY DUAL HORIZONTAL LATERALS
DATE FILED
         6-29-56
LAND: FEE & PATENTED
                    STATE LEASE NO.
                                                        PUBLIC LEASE NO.
                                                                                            INDIAN I-149-IND-8838
DRILLING APPROVED 6-29-56
                       **2-23-95
                                                                  *8-10-67 Commenced WIW
SPUDDED IN
          7-13-56
                        **3-19-95
                                                                  *1-27-65
COMPLETED 8-27-56 **4-16-95 POW PRODUCING:
                                         **4-16-95
                                                                  *2-3-65
INITIAL PRODUCTION: 370 BOP/11 hrs, test ½" ck.
                                                    *40 BO & 14 BW
                                                                                **796 BOPD; 93MCF; 646 BWPD
GRAVITY A.P.I.
              40°
                     **42
GOR:
              623:1 **116
PRODUCING ZONES:
              5742-5802 (PRDX)
                                      ** 5562-6656 (DSCR)
 TOTAL DEPTH:
              5829'
                      **SE LATERAL 6656' MD; 5688' TVD;
                                                                NW LATERAL 6467' MD; 5644' TVD
              4558'
WELL ELEVATION:
                     DF **4859 KB
DATE ABANDONED:
FIELD:
              GREATER ANETH
UNIT:
              ANETH
COUNTY:
              SAN JUAN
WELL NO.
              ANETH UNIT H423
                                                               API NO.
                                                                        43-037-16128
```

450' FEL

SEC. 26

FT. FROM (E) (W) LINE

TWP

NW LATERAL 1277'

RGE.

SE SE

SEC

FSL 1209' FEL

OPERATOR

1/4 - 1/4 SEC.

SEC. 23

23

LOCATION

BHL:

TWP.

40S

820' FSL

RGE.

24E

FT. FROM (N) (S) LINE,

OPERATOR

TEXACO E&P INC.

SE LATERAL 100' FNL 37' FEL

SEC

23

GEOLOGIC TOPS:

	GEOEDGIC TOI 3.		
QUATERNARY	Star Point	Chinle	Molas
Alluvium	Wahweap	Shinarump	Manning Canyon
Lake beds	Masuk	Moenkopi	Mississippian
Pleistocene	Colorado	Sinbad	Humbug
Lake beds	Sego	PERMIAN	Brazer
TERTIARY	Buck Tongue .	Kaibab	Pilot Shale
Pliocene	Castlegate	Coconino	Madison
Salt Lake	Mancos	Cutler	Leadville
Oligocene	Upper	Hoskinnini	Redwall
Norwood	Middle	DeChelly	DEVONIAN
Eocene	Lower	White Rim	Upper
Duchesne River	Emery	Organ Rock	Middle
Uinta	Blue Gate	Cedar Mesa	Lower
Bridger	Ferron	Halgaite Tongue	Ouray
Green River	Frontier	Phosphoria	Elbert
	Dakota	Park City	McCracken
	Burro Canyon	Rico (Goodridge)	Aneth
	Cedar Mountain	Supai	Simonson Dolomite
	Buckhorn	Wolfcamp	Sevy Dolomite
	JURASSIC	CARBON I FEROUS	North Point
Wasatch	Morrison	Pennsylvanian	SILURIAN
Stone Cabin	Salt Wash	Oquirrh	Laketown Dolomite
Colton	San Rafeal Gr.	Weber	ORDOVICIAN
Flagstaff	Summerville	Morgan	Eureka Quartzite
North Horn	Bluff Sandstone	Hermosa	Pogonip Limestone
Almy	Curtis		CAMBRIAN
Paleocene	Entrada	Pardox	Lynch
Current Creek	Moab Tongue	Ismay ** 5490	Bowman
North Horn	Carmel	Desert Creek ** 5636	Tapeats
CRETACEOUS	Glen Canyon Gr.	Akah	Ophir
Montana	Navajo	Barker Creek	Tintic
Mesaverde	Kayenta	**Gothic Shale 5624'	PRE - CAMBRIAN
Price River	Wingate	Cane Creek	
Blackhawk	TRIASSIC		-
	ACME VISIBLE CROZE	T VIRGINIA 100730	

<u>U</u> TAH OIL AND GAS CONSERVATION COMMISSION	
WARKT WELL LOG X ELECTRIC S 5 FILE X WATER SANDS LOCATION ECTED	SUB. REPORT/abd.
Bushaguent Report of Shooting or Acidizing to Stimulate oil producti	ion 2-26-65.
MO Vacconverted to Water Injection Well. #910/01 Texacolog to Texacol	A47 - A
State Suprement Kepist of Shooting or acceling	
Starte Signer cha from the Texas Co. o	
MERS COTTEN DUAL HORIZONTAL LATERALS	
re eilen 6-29-56:	I-149-IND 28%
ND: FEE & PATENTED STATE LEASE NO. PUBLIC LEASE NO.	, INDIAN 146028
ILLLING APPROVED: 6-29-56 44 2-23-95 # 8-10-67 Communic	red WIW
UDDED IN: 7-13-56 90 3-19-95 *1-27965	
MPLETED: 8-27-56 PUT TO PRODUCING: *2-3-65 * (SMOV) 4-11	95 POW M RILLS POOL 4-11-19
rial Production: 370 BOP/11 hrs. test 3" ck. *240 BO & 14 BW per 24 h	r. test 4473903000.
AVITY A.P.I. 40° XX 4Q	93 MF 1046 BUFD
in: 623:1 - KK \\\ 0	
ODUCING ZONES: 5742-5802' 2 5500- NO FOR (DSCR)	
TAL DEPTH: 5829' # SE LAKORAL WUTLO MD, 5W8 TVD; NI	WHE CONTUND BOOK IN
ELL ELEVATION: 4558 DF 48 48 4	
TE ABANDÔNED:	
Greater Aneth Area	
ANETH	
unty: San Juan	
ELL NO. NAVAJO TRIBE C-3 (ANETH - H 423) API NO. 43-037-161	28
CATION, 820' FT. FROM (N) (S) LINE, 450' FT. FROM (E) (W) LINE. SE SE	
SELEMENT 100 FIL 37 FEL SEC. 26 17 BHC. NW LAWA 1277 FSL	1909' FEL /
	PERATOR:
	TEXADO E E PING

GEOLOGIC TOPS

QUATERNARY	Star Point	GEOLOGIC TOPS:	
Alluvium		Chinle	Molas
Lake beds	Wahweap	Shinarump	Manning Canyon
Pleistocene	Masuk	Moenkopi	Mississippian
Lake beds	Colorado	Sinbad	Humbug
TERTIARY	Sego	PERMIAN	Brazer .
Pliocene	Buck Tongue	Kaibab	Pilot Shale
	Castlegate	Coconino	Madison
Salt Lake	Mancos	Cutler	Leadville
Oligocene	Upper	Hoskinnini	Redwall
Norwood	Middle	De Che I I y	DEVONIAN
Eocene	Lower	White Rim	Upper
Duchesne River	Emery	Organ Rock	Middle
Uinta	Blue Gate .	Cedar Mesa	Lower
Bridger	Ferron	Halgaite Tongue	Ouray
Green River	Frontier	Phosphoria	Elbert
	Dakota	Park City	McCracken
	Burro Canyon	Rico (Goodridge)	Aneth
<u> </u>	Cedar Mountain	Supai	Simonson Dolomite
	Buckhorn	Wolfcamp	Sevy Dolomite
	JURASSIC	CARBONIFEROUS	North Point
Wasatch	Morrison	Pennsylvanian	SILURIAN
Stone Cabin	Salt Wash	Oquirrh	Laketown Dolomite
Colton	San Rafeal Gr.	Weber	ORDOVICIAN
Flagstaff	Summerville	Morgan	Eureka Quartzite
North Horn	Bluff Sandstone	Hermosa	Pogonip Limestone
Aimy	Curtis		CAMBRIAN
Pa le ocene	Entrada	Pardox	Lynch
Current Creek	Moab Tongue	Vismay 5490'	Bowman
North Horn	Carmel	Desert Creek	
CRETACEOUS	Glen Canyon Gr.	Akahl	Tapeats
Montana	Navajo	Barker Creeki	Ophir
Mesaverde			Tintic
Price River	Wingate	Cothic Shale 56241	PRE-CAMBRIAN
Blackhawk	TRACIC	carre greek	
	ATIVE VISIBLE CHOZET V	#GINIA #100730-8	

Request approval to drill <u>Texas Co. NAVAJO INDIAN</u>

TRIBAL LANDS "C" LEASE, WELL NO. 3 -- at a location

450 feet from the East line and 820 feet from the South line of Section 23, Township 40 South, Range 24 East, San Juan County, Utah.

Approval of this exception to spacing rule is requested because of extremely rough and rocky surface conditions. (Normal location is on edge of Mesa.)

Notice of Intention to Drill and Plat will follow.

Please wire your answer to this office collect, and if approved, please wire. (USGS, Farmington, New Mexico, P. O. Box 965 at our expense.

TEXAS COMPANY J. J. VETEN Division Civil Eng.

Approved Friday, June 29, 1956, by Herbert F. Smart ---- telegram sent. //:45 an

TELEGRAM from Fermington, New Mexico Recent 2:45 PM.

Frm. P. T. Mc Grath

The Texas Well 3-C, 820 feet from the South line and 450 feet from the East line, Section 23, Township 40 South, Range 24 East approved by USGS, subject to your approval of unorthodox location.

STATE OF UTAH OIL AND GAS CONSERVATION COMMISSION NOTICE OF INTENTION TO DRILL


Lease No. 146028 Navajo Indian Tribal Lands "C"

OIL AND GAS CON	SERVATION COMMIS	BSION	Fort W	orth, T	exas, J	<u>une 29.</u>	19 56
In complian	nce with Rule C-	-4, notice is he	reby given ti	at it is	our inte	ention to	Commence
the work of dri	lling Wall No	2 zahalah da	T4-3 900		(N)		
(E) from () line of	f Sec. 23,	Twp. 40-S, R.	24-E	SLM	Ar.	neth	
San Juan			(116	ridian)	(F 1 6	eld or Un	it)
San Juan (County)	:	on or about	day	of	July		19_56
LAND: Fee and I	Patented (X)	Nam	e of Owner of	patent	or lease_	T he Tex	as Compan
	00	Add	ress			P. O. E	3ox 1720
Public Do Lease No	main ()	·					orth, Texas
			ai a				
Is location a re						rety bon	d been
filed? Yes	_ With whom? Inc	d. Land Feder tate or Federal	alarea in dri	lling un	it		
Elevation of gro	und above sea 1	evel is Not Av) ailable x e	L LIA	epth mean	urements	teken from
(Derrick	Floor, Rotary	Table or Kelley	Bushing)	en 18		it above	ground
• • • • • • • • • • • • • • • • • • • •			ad deelline be		30 🚓		
	•	· Propos	ed drilling d	epth_590	00 ft.	Objective	e formation
	•	rropos	ed drilling d	epth_590	00_ft。	Ob jectiv e	of formation
is Lower	Hermosa .	PROPOSED C.	ASING PROGRAM		00_ft。	Obj ectiv e	e formation
is Lower Size of Casing	Hermosa	PROPOSED C	ASING PROGRAM	Тор	Bottom	Cement	ng Deuths
Lower Size of Casing Inches A.P.I. 9-5/8"	Hermosa Weight Per Foot 36#	PROPOSED C. Grade and Type New	ASING PROGRAM Amount Ft. In 1200	Тор	Bottom	Cement	ng Deuths
Lower Size of Casing Inches A.P.I.	Hermosa Weight Per Foot	PROPOSED C	ASING PROGRAM	Тор	Bottom	Cement	ing Depths
Lower Size of Casing Inches A.P.I. 9-5/8"	Weight Per Foot 36# 23#	PROPOSED C. Grade and Type New New R E M	ASING PROGRAM Amount Ft. In 1200 5900 A R K S:	Top O	Bottom	Cementi	ing Depths
Lower Size of Casing Inches A.P.I. 9-5/8"	Weight Per Foot 36# 23#	PROPOSED Control of the Control of t	ASING PROGRAM Amount Ft. In 1200 5900 A R K S:	Top O	Bottom	Cementi	ing Depths
Lower Size of Casing Inches A.P.I. 9-5/8"	Weight Per Foot 36# 23#	PROPOSED C. Grade and Type New New R E M	ASING PROGRAM Amount Ft. In 1200 5900 A R K S:	Top O	Bottom	Cementi	ing Depths
Lower Size of Casing Inches A.P.I. 9-5/8"	Weight Per Foot 36# 23#	PROPOSED C. Grade and Type New New R E M OO sacks of c	ASING PROGRAM Amount Ft. In 1200 5900 A R K S:	Top O	Bottom	Cementi	ing Depths
Lower Size of Casing Inches A.P.I. 9-5/8" 5-1/2"	Weight Per Foot 36# 23# 70	PROPOSED C. Grade and Type New New R E M OO sacks of c	ASING PROGRAM Amount Ft. In 1200 5900 A R K S: ement to be	Top O O O	Bottom 1200' 5900'	Cement; 1200' 5900'	ing Depths
is Lower Size of Casing Inches A.P.I. 9-5/8" 5-1/2"	Weight Per Foot 36# 23# 70	PROPOSED C. Grade and Type New New R E M OO sacks of c	ASING PROGRAM Amount Ft. In 1200 5900 A R K S: ement to be	Top O O O	Bottom 1200' 5900'	Cement; 1200' 5900'	ing Depths
Size of Casing Inches A.P.I. 9-5/8"	Weight Per Foot 36# 23# 70	PROPOSED C. Grade and Type New New R E M OO sacks of c	ASING PROGRAM Amount Ft. In 1200 5900 A R K S: ement to be	Top O O O	Bottom 1200' 5900'	Cement; 1200' 5900'	ing Depths
Size of Casing Inches A.P.I. 9-5/8" 5-1/2" I hereby certify herein made are	Weight Per Foot 36# 23# 70 under the penal to the best of n	PROPOSED C. Grade and Type New REM OO sacks of c AFFI Ty of perjury, my knowledge and	ASING PROGRAM Amount Ft. In 1200 5900 A R K S: ement to be DAVIT that the inferior belief, ture	Top O O used.	Bottom 1200' 5900' contained and con	Cementi 1200' 5900'	ing Depths
Size of Casing Inches A.P.I. 9-5/8" 5-1/2" I hereby certify herein made are Approved Date 2	Weight Per Foot 36# 23# 70	PROPOSED C. Grade and Type New REM OO sacks of c AFFI Ty of perjury, my knowledge and	ASING PROGRAM Amount Ft. In 1200 5900 A R K S: ement to be DAVIT that the inferior belief, ture	Top O O used.	Bottom 1200' 5900' contained t and contained the stand contained	i and stamplete.	ing Depths
Size of Casing Inches A.P.I. 9-5/8" 5-1/2" I hereby certify herein made are Approved Date 2	Weight Per Foot 36# 23# 70 under the penal to the best of n	PROPOSED C. Grade and Type New REM OO sacks of c AFFI Ty of perjury, my knowledge and	ASING PROGRAM Amount Ft. In 1200 5900 A R K S: ement to be DAVIT that the infel belief, ture	Top O O used.	contained the co	i and stamplete. J. J. Vineer	ing Depths tements
Size of Casing Inches A.P.I. 9-5/8" 5-1/2" I hereby certify herein made are Approved Oate 2	Weight Per Foot 36# 23# 70 under the penalto the best of n	PROPOSED C. Grade and Type New REM OO sacks of c AFFI Ty of perjury, my knowledge and	ASING PROGRAM Amount Ft. In 1200 5900 A R K S: ement to be DAVIT that the infel belief, ture	Top O O used.	Bottom 1200' 5900' contained t and con vil Eng	i and stamplete. J. J. Vineer	ing Depths tements
Size of Casing Inches A.P.I. 9-5/8" 5-1/2" I hereby certify herein made are hoproved M. Oate 2.2	Weight Per Foot 36# 23# 70 under the penalto the best of n	PROPOSED C. Grade and Type New REM OO sacks of c AFFI Ty of perjury, my knowledge and	ASING PROGRAM Amount Ft. In 1200 5900 A R K S: ement to be DAVIT that the inference of the second of the seco	Top O O used. ormation correct final (Ti Texas (Co	contained the co	l and stamplete. J. J. Vineer osition) Operator	ing Depths tements
Size of Casing Inches A.P.I. 9-5/8" 5-1/2" I hereby certify herein made are Approved M. Date 2	Weight Per Foot 36# 23# 70 under the penalto the best of n	PROPOSED C. Grade and Type New REM OO sacks of c AFFI Ty of perjury, my knowledge and	ASING PROGRAM Amount Ft. In 1200 5900 A R K S: ement to be DAVIT that the inference of the second of the seco	Top O O used. ormation e, correct (Ti Texas (Co	contained that and contained the and contained the and contained the and contained the and company ampany or one of the company or one of the contained the	l and stamplete. J. J. Vineer osition) Operator 720	ing Depths tements
Size of Casing Inches A.P.I. 9-5/8" 5-1/2" I hereby certify herein made are Approved M. Date 2	Weight Per Foot 36# 23# 70 under the penalto the best of n	PROPOSED C. Grade and Type New REM OO sacks of c AFFI Ty of perjury, my knowledge and	ASING PROGRAM Amount Ft. In 1200 5900 A R K S: ement to be DAVIT that the inference of the second of the seco	Top O O used. ormation e, correct (Ti Texas (Co	contained that and contained the or Polyment or Polyme	l and stamplete. J. J. Vineer osition) Operator 720	ing Depths tements

- Complete this form in duplicate and mail both copies to the Oil and Cas Conservation
- Commission, Room 105, Capitol Building, Salt Lake City 14, Utah.

 A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules,
- regulations and orders.

 Any information required by this form that cannot be furnished at the time said form is submitted must be forwarded to the commission as soon as available.
- Use back of form for remarks.



SAN JUAN COUNTY, UTAN

J. J. 18Um

CLASS OF SERVICE
This is a fast message

unless its deferred character is indicated by the

proper symbol.

WESTERN UNION

TELEGRAM

ADQUALI DEFENDENT

SYMBOLS

DL=Day Letter

NL=Night Letter

LT=International Letter Telegram

The filing time shown in the date line on domestic telegrams is STANDARD TIME at point of origin. Time of receipt is STANDARD TIME at point of destination

EA515

DULL MATE OF TELEPHIONED TELEGRAM

FRA 077 PD=FARMI NGTON NMEX 29 152 MM=

1956 JUN 2 PM 2

1201

UTAH OIL AND GAS CONSERVATION COMMISSION-

ROOM 105 CAPITOL BEDG SALT LAKE CITY UTAH

THE TEXAS COMPANY WELL #36 820 FEET FROM SOUTH LINE AND 450 FROM EAST LINE SECTION 23 TOWNSHIP 40 SOUTH RANGE 24 EAST APPROVED BY USGS SUBJECT TO YOUR APPROVAL OF THE UNOTHORDOX LOCATION=

P T MCGRATHE

1 2721 C/9 1 Cor 7427 Sr

#3C 820 450 23 40 24 EAST=

CLASS OF SERVICE

This is a full-rate Telegram or Cable-gram unless its de-ferred character is indicated by a suitable symbol above or preceding the address.

VESTERN

DL=Day Letter

NL=Night Letter

LT=Int'l Letter Telegram

SYMBOLS

(55)

The filing time shown in the dat-LB 19 1 DC 138 DUPLICATE OF TELEPI IONED TELETANA


B FW A423 LONG PD AR=FAX FORT WORTH TEX 29 1146 AMC= OIL AND GAS CONSERVATION COMMISSIONS

BROOM 105 CAPITOL BLDG SALTLAKECITY UTAHE

REQUEST APPROVAL TO DRILL THE TEXAS COMPANY'S NAVAJO INDIAN TRIBAL LANDS "C" LEASE, WELL NO. 3 AT A LOCATION 450 FEET FROM THE EAST LINE AND 820 FEET FROM THE SOUTH LINE OF SEC. 23, T. 40 S, R. 24 E, SAN JUAN COUNTY, UTAH.

9 APPROVAL OF THIS EXCEPTION TO THE SPACING RULES IS REQUESTED BECAUSE OF EXTREMELY ROUGH AND ROCKY SURFACE CONDITIONS (NORMAL LOCATION IS ON THE EDGE OF A MESA) ! NOTICE OF INTENTION TO DRILL AND PLAT WILL FOLLOW. PLEASE WIRE YOUR ANSWER TO THIS OFFICE COLLECT AND IF APPROVED, PLEASE WIRE U S G S P O BOX 965 FARMINGTON. NEW MEXICO AT OUR EXPENSE=

THE TEXAS CO J J VELTEN DIVISION CIVIL ENGINEER=



THIEGRAM sent to Texas Company, Fort North, Texas on June 29, 1956, with copy to Phil Mc Grath, Farmington, New Mexico.

APPROVAL TO DRILL Well Navajo 3-C, 320 feet from North line and 450 feet from South line, Section 27, Township 40 South, Range 24 East, San Juan County, hereby granted.

H.7. Smart

et Bureau No. 42-R-355,3. oval expires 12-31-55.

U. S. LAND OFFICE Navajo Tribal SERIAL NUMBER I-149-IND-3838 LEASE OR PERMIT TO PROSPECT

UNITED STATES

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

LOG OF OIL OR GAS WEI

Compa	ny The	CORRECTLY Texas Col	noanv			Address	Box 1221,	Pampa	, Texa	
Lessor	or Tract	Navajo II Tribal-L	ndian ands-n	Gu		Field	Aneth	State	utak	
Well N	To3_	Sec. 23_	г. 40-3	. 24-BM	eridi	an SIM	Co	unty Sa	n Juar	
Locati	on _a&v he inform:	It. $\{S.\}$ of M	Line a erewith is	nd 4.2V	it. (W	y.} of _E and correct	Line of Section record of the w	on 23	Eleve	tion 4558.
so far	as can be	determined f	rom all av	zailable r	ecor	is. \mathcal{O}	Z/	en and a		one tnereon
Date_	Octobe	r 4. 1950	5		Sign	ed			אר	endent
		Tarana and the same of the sam	11	he condi	tion	of the well	at above date.		ertik mile	endent.
							ed drilling Aug	ust 21		, 19.56
			OI			SANDS O	R ZONES			
No. 1,	from _57	42	_ to5	the second of the contract of		No. 4,	from	t	0	
No. 2,	from		_ to			No. 5,	from	t	o	
No. 3,	from			A 18 18 18 18 18 18 18 18 18 18 18 18 18			from	to	o	
No. 1.	from N	one		and the second of		WATER No. 3	SANDS from			
	And the second second			. 6.5	40.00		from		0	
				CA	SIN	G RECOR				
Size casing	Weight per foot	Threads per inch	Make	Amoun	t 1	Kind of shoe	Cut and pulled from	Perfo From—	rated To	Purpose
9-5/8	36	- 8R	Smls	1013			None	None		
9 -5/8 7	32.30 23	38 38	Smls.	1663		laker		None None		
7	- 20 - 415	<u> </u>	Smls	4005	E	ON Co	None	5523	5592	Prod.
			1						11 1. 1. 1. 1. 1. 1. 1. 1.	FREEZE SEFER
-	<u> </u>		MUDI	DING A	VD (CEMENTI	NG RECORD			
casing	Where se		er sacks of e			lethod used	Mud gravity		mount of m	ud used
9 - 5/3- 7"	1175 5630	1000 500			Hal Hal	liburto liburto				
					4.73	ND ADAP	to the Maria Salata of the Company			
						the state of the s		Depth set		-
Adapte	ers—Mate	rial	******************************			NG RECO				
Size	Sh	ell used	Explosive u	sed	Qua	antity Da	te Depth shot		Depth clear	ned out
None				1,779						
Datam	- 4	J-6				LS USED				
Cable t	tools were	re used from . used from	0	feet	to	5 6 80	feet, and from feet, and from		feet to	<u></u> - feet
					D	ATES				
Oct	ober -	4	, ¹⁹ 56			Put to 1	producing Test	ed Aug	ust ź	7, ¹⁹ -56
		tion for the f 6 water; and 6			3	70 barre	ls of fluid of wh			oil; -0 %
		cu. ft. per 24	~.			Gallons	Gravity, °B gasoline per 1,00			
		ıre, lbs. per s								
					ЕМР	LOYEES				•
	N. Ma						5. S. E	xan		, Driller Driller
Bu	ster C	opeland			1: 4.1	ION RECO				, Diffici
FR(ом-	то-	1	OTAL FEE	r		FOR	MATION		
0		76		76			& Red Bed			
76 946	,	946 1221		870 275	gasina Çut y n	Sand Red E	& Shale Sed	, the		
1221 1468		1468 2165		247 597			& Shale			
2165		2282		117		Red B	ed & Sand			
2232 2550)	2560 2669		278 109		Red B	led, Sand & & Shale	Shale	71	
2669 2729		2729 2880		60 151		Sand,	Shale & C led & Sand	hert		
2830)	3060		130		Shale	& Lime			
2060 3561		3561 3647		501 86		Anhy	& Shale & Shale			
364 7 3905		3905 39 7 1		258 66		Sand,	Shale & A & Lime	nhy		
3971 4104		4104		133		Lime	& Shale			
4152		4152 4383		4 8 23 1		Lime	& Shale & Shale			
4383 4 547		4547 4705		164 158		Shale				
4705 4796		4796 487 4		91		Lime,	Dolo & Ch	ert		
4874		4914		78 40		Lime Shale	, Lime & D	olo		
4914 5018		5018 5032		104 14		Lime Chert	& Dolo & Dolo			
5032	7021	5085		.53	5.1.		& Shale	208.5 35.3		16-43094-8

FROM—	то	TOTAL FEET	FORMATION
5085	5117	32	Lime & Dolo
117	5599	482	Lime & Shale
5599	5620	21	Lime & Chert
620	5710	90	Lime & Shale
710	5324	114	Lime & Dolo
5824	5829	5	Shale
Pluge	Total Depth ed Back Dept	5829 h 5721	O to 1221'-12-1/4"; 1221' to 5829'-3-3
			<u>Deviation Tests</u>
			4091 - 10 355/1 - 70
			けっしょう 全国主要 はいまた あんしゅう しゅうしょう カングラ マー・ディー・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・
			1027' - 1 4300' - 10
			1820' - 1-1/2° 4874' - 3/4° 2090' - 1-3/4° 5195' - 1°
			2441' - 1° 3060' - 1-1/4° 5512' - 1°
ll measu	rements from	derrick flo	oor, 11: above ground.
ore #1 -	56201-56701	Recovered	501 3 002
ore #2 -	56701-57101	Recovered	39.5. 99%
ore #3 -	5670' -5710' 5710' -5760' 5760' -5810'	Recovered	501. 100%.
ore #4 -	57601-58101	Recovered	191. 98%
ore #5 -	58101-58291	Recovered	
cm #1 _	EE701_67101	The Tank	യിലായ നിന്നു അവരെ അവർ അവരെ അവരെ അവരെ വിവാഗം വിവ
ST #1 -	5570'-5710'	. Tool oper	h 3 hours with gas to surface in 12
)ST #1 -	minutes. (ABS TESTED 30	DINCK Der det Norfluid to sumforce
)ST #1 -	Recovered 4	ABS TESTED 30	MCF per day. No fluid to surface. e oil and 90' of oil and gas cut mud.
	Recovered 4	000' of free	e oil and 90° of oil and gas cut mud.
)ST #2 -	Recovered 4 No water. 5714'-5829'	OOO' of free	oil and 90° of oil and gas cut mud. 4 hours with gas to surface in 9
)ST #2 -	Recovered 4 No water. 5714'-5829'	OOO' of free	oil and 90° of oil and gas cut mud. 4 hours with gas to surface in 9
)ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3	OOO' of free	e oil and 90° of oil and gas cut mud.
)S T #2 -	Recovered 4 No water. 5714'-5829'	. Tool oper as tested 50	oil and 90° of oil and gas cut mud. hours with gas to surface in 9 l MCF per day. No fluid to surface. oil and 1050° of oil and gas cut mud.
S T #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	OOO' of free . Tool oper as tested 50	oil and 90° of oil and gas cut mud. h hours with gas to surface in 9 l MCF per day. No fluid to surface. oil and 1050° of oil and gas cut mud.
S T #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	OOO' of free . Tool oper as tested 50	oil and 90° of oil and gas cut mud. 4 hours with gas to surface in 9 1 MCF per day. No fluid to surface. oil and 1050° of oil and gas cut mud.
S T #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	OOO' of free . Tool oper as tested 50	oil and 90° of oil and gas cut mud. h hours with gas to surface in 9 l MCF per day. No fluid to surface. oil and 1050° of oil and gas cut mud.
S T #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	OOO' of free . Tool oper as tested 50	oil and 90' of oil and gas cut mud. 4 hours with gas to surface in 9 1 MCF per day. No fluid to surface. 2 oil and 1050' of oil and gas cut mud.
ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	ocion of the control	oil and 90' of oil and gas cut mud. 4 hours with gas to surface in 9 1 MCF per day. No fluid to surface. 2 oil and 1050' of oil and gas cut mud.
ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	as tested 30 000' of free . Tool open as tested 50 000' of free	oil and 90° of oil and gas cut mud. 4 hours with gas to surface in 9 1 MCF per day. No fluid to surface. 2 oil and 1050° of oil and gas cut mud.
)ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	as tested 30 000' of free . Tool open as tested 50 000' of free	oil and 90' of oil and gas cut mud. 4 hours with gas to surface in 9 1 MCF per day. No fluid to surface. 2 oil and 1050' of oil and gas cut mud.
ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	as tested 30 000' of free as tested 50 000' of free	oil and 90° of oil and gas cut mud. 4 hours with gas to surface in 9 1 MCF per day. No fluid to surface. 2 oil and 1050° of oil and gas cut mud.
ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	as tested 30 000' of free as tested 50 000' of free	oil and 90° of oil and gas cut mud. 4 hours with gas to surface in 9 1 MCF per day. No fluid to surface. 2 oil and 1050° of oil and gas cut mud.
ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	as tested 30 000' of free as tested 50 000' of free	oil and 90° of oil and gas cut mud. 4 hours with gas to surface in 9 1 MCF per day. No fluid to surface. 2 oil and 1050° of oil and gas cut mud.
ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	as tested 30 000' of free as tested 50 000' of free	oil and 90° of oil and gas cut mud. 4 hours with gas to surface in 9 1 MCF per day. No fluid to surface. 2 oil and 1050° of oil and gas cut mud.
)ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	. Tool open as tested 50 000' of free	oil and 90' of oil and gas cut mud. 4 hours with gas to surface in 9 1 MCF per day. No fluid to surface. oil and 1050' of oil and gas cut mud.
)ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	. Tool open as tested 50 000' of free	oil and 90° of oil and gas cut mud. 4 hours with gas to surface in 9 1 MCF per day. No fluid to surface. 2 oil and 1050° of oil and gas cut mud.
)ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	as tested 30 open as tested 50	oil and 90' of oil and gas cut mud. 4 hours with gas to surface in 9 1 MCF per day. No fluid to surface. oil and 1050' of oil and gas cut mud.
)ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	as tested 30 open as tested 50	oil and 90' of oil and gas cut mud. 4 hours with gas to surface in 9 1 MCF per day. No fluid to surface. oil and 1050' of oil and gas cut mud.
)ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	as tested 30 open as tested 50	oil and 90' of oil and gas cut mud. 4 hours with gas to surface in 9 1 MCF per day. No fluid to surface. oil and 1050' of oil and gas cut mud.
)ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	as tested 30 open as tested 50	oil and 90' of oil and gas cut mud. d thours with gas to surface in 9 0.1 MCF per day. No fluid to surface. e oil and 1050' of oil and gas cut mud.
)ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	as tested 30 oper as tested 50 of free	oil and 90' of oil and gas cut mud. the hours with gas to surface in 9 0.1 MCF per day. No fluid to surface. oil and 1050' of oil and gas cut mud.
)ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	as tested 30 oper as tested 50 of free	MCF per day. No fluid to surface. oil and 90' of oil and gas cut mud. d hours with gas to surface in 9 0.1 MCF per day. No fluid to surface. oil and 1050' of oil and gas cut mud.
)ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	as tested 30 oper as tested 50 of free	oil and 90° of oil and gas cut mud. A hours with gas to surface in 9 O.1 MCF per day. No fluid to surface. oil and 1050° of oil and gas cut mud.
)ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	as tested 30 oper as tested 50 of free	oil and 90' of oil and gas cut mud. the hours with gas to surface in 9 0.1 MCF per day. No fluid to surface. oil and 1050' of oil and gas cut mud.
)ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	as tested 30 oper as tested 50 of free	oil and 90' of oil and gas cut mud. the hours with gas to surface in 9 0.1 MCF per day. No fluid to surface. oil and 1050' of oil and gas cut mud.
)ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	as tested (000' of free as tested 50 000' of free	e oil and 90' of oil and gas cut mud. A hours with gas to surface in 9 O.1 MCF per day. No fluid to surface. e oil and 1050' of oil and gas cut mud.
)ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	as tested (000' of free as tested 5000' of free as tes	oil and 90' of oil and gas cut mud. 1 hours with gas to surface in 9 0.1 MCF per day. No fluid to surface. 2 oil and 1050' of oil and gas cut mud.
)ST #2 -	Recovered 4 No water. 5714'-5829' minutes. Accovered 3 No water.	as tested (000' of free as tested 50 000' of free	oil and 90' of oil and gas cut mud. thours with gas to surface in 90.1 MCF per day. No fluid to surface. oil and 1050' of oil and gas cut mud.

HISTORY OF OIL OR GAS WELL

U. S. GOVERNMENT PRINTING OFFICE

16-43094-2

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.


After drilling to 5796' and cementing 7" casing, top of cement plug was found to be at 5806' (PBTD). Casing was jet perforated from 5742'-5768' and 5776'-5802' with 4 shets per foot and perforated zone was treated with 500 gallons acid. Well flowed 133 barrels of oil in 7 hours and died. Reacidized with 2000 gallons of acid and after recovering load oil, well flowed 370 barrels of 40° gravity oil in 11 hours through 1/2" choke with GOR 623.

U. S. LAND OFFICE Navajo Tribal SERIAL NUMBER I-149-IND-8838

LEASE OR PERMIT TO PROSPECT

UNITED STATES

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY



LO	CATE WELL	- CORRECTLY		LC	G OF (OII	ORC	SAS I	VEL	
Compa	ny The	Texas (ompany ndian		Addre	ss	Box 12:	21, Par	pa, T	exas
TOSSOT	or rrace	-+LfDST1	.ands"	G.11	Field	An	eth	State	eUta	h
Well N	o 3	Sec23.	T405. R	. 24EM	eridian S .	LM	Co	unty Sa	in Jua	n
Location	on _820_	ft. of _	Line a	nd 450 f	$\left\{ egin{aligned} ar{\mathbf{k}} & \mathbf{k} \\ ar{\mathbf{W}} & \mathbf{k} \end{aligned} ight\} ext{ of } \mathbf{E}$	_ Line	of Secti	on 23	Eleva	ation 4558
11	ne informa	ation given h determined f	erewith is	s a compl vailable r	lete and corre	ct rec	ord of the w	vell and a	ll work d	lone thereon
		or 21, 1						st. Di	st. S	upt.
					tion of the we				0.7	
Соши	encea arn	nng au.			19. 56 . Finis			August	21	, 19 5. 5
				The property	AS SANDS (Denote gas by G)				
					No. 4					
No. 2,	from		- to		No. 5	, fron	ı	t	o	
No. 3,	from		10 miles (1944) (1944)	The Section of	No. 6			t(·	
No. 1	from &	lone	The second second	* 1	ANT WATE					
		one								
					SING RECO	green and		, U	,	
Size	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut	and pulled from	Perfo	rated	Purpose
			G-3-	1012		-		From—	То—	Lurpose
		8R 8R	Smls			- No	and the second s		tor Luc	
7	23 & 20 °			1663 4179	and the state of t	-Ae				(* 1000 kg) - Wilderstein jacobile Wilderstein 1000 jacobile Laggistein 1000 miljanose
						,	ne			4.00
- (Me	sureme	ents excl	ude th	reads,	D CEMENT	L		2014 10	a Anti-Market	Sur mine ensiger
Size	Where set	, N				ING				
casing	 		er sacks of cer		Method used		Mud gravity	A	nount of m	ud used
-5/8 7"	- 1175 - - 535 4-	1 -) 500		Hallibur Hallibur	on-				
	g plug—N rs—Mater		None		Length Size OTING REC			Depth set		
Size	She	ll used	Explosive us	sed	Quantity 1	Date	Depth shot		Depth clean	ed out
10 11	1 e							100		
Rotary	tools were	e used from		foot d	OOLS USED	.				Wales and the
Cable to	ools were i	e useu mom . ised from	•	feet 1	to5854 to	feet,	and from		feet to	
				1660 (DATES	1666,	and from		reet to _	leet
		21,			Put to	prod	ucing Tes	ited Au	eust.	27., 1956
${ m Th}$	e product	ion for the f	irst 247 Kd	drs was	370 barr	els of	fluid of wh	ich 100 -	% was o	ii),0%
		water; and.				7 1 10	Gravity, °B	10		
					Gallons	gasol	ine per 1,00	0 cu. ft.	of gas	
Ко	ck pressu	re, lbs. per so	q. 16	E	MPLOYEES					
М	N. Ma	ıdden	·•	Driller	. 19 At 2 2		BS.	- Exan-		, Driller
B1	ster C	opeland		Driller					×	, Driller
		**************************************		FORM	ATION REC	ORD				
FRO	M-	TO-	TO	TAL FEET			FOR	MATION		
						1				
76		76		76	Sand &					
946		946 1221	27	70 7 5	Sand & Red Be		3.1.6			
1221		1468 2165	69	•7 97	Sand & Red Be	. Sha	ale			
2165		2282	13	17	Red Be	d &				
2282 2560		2560 2669	27 10			d, 3	Sand & S	hale .		
2669		2729	6	60	Sand,	Shal	le & Che	rt		
2729 2880		2880 3060	15		Red Be Shale	d &	Sand			
2060 3561		3561	50)1	Sand &	Sha	ile _			
3647		3647 3905	25	16 13	Anhy & Sand.		le & Anh	7		

3971 4104 4152 4333 4547 3905 3971 4104 Anhy & Lime 66 133 Lime & Shale 48 Sand & Shale 4152 4383 4547 4705 4796 4874 231 Lime & Shale Shale 164 Shale Lime & Shale Lime, Dolo & Chert 4705 158 91 78 4796 4374 Lime Shale, Lime & Dolo Lime & Dolo 4914 40 4914 104 5013 5018 5032 LANGE DESTRICT Whert & Dolo 16-43094-4

FROM-	то-	TOTAL FEET	FORMATION
5032	5085	53	Lime & Shale
5085	5117	32	Lime & Dolo
5117	5599	482	Lime & Shale
5599	5620	21	Lime & Chert
5620	5710	90	Lime & Shale
5710	5824	114	Lime & Dolo
5824	5854	30	Shale
Plugged	back depth	58061	Hole Size
			0' to $1\overline{221'} - 12 - 1/4"$;
			1221' to 5854'=8-3/4"
			Deviation Tests
			1027' - 10 1027' - 10 4300' - 10
			1027' - 10 $4300' - 10$
			$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
			2090'-1-3/4
			2090'-1-3/4° 5195' - 1° 2441' - 1° 5512' - 1°
			3060' -1-1/4°
All meas	rements from	derrick fl	or, 11' above ground.
of the contract of the second			
Core #1 .	56201-56701	. Recovere	d 50', 100%
Core #2 .	5670'-5710'	Recovere	d 39.5°, 99%
Core #3 .	5710'-5760'	. Recovere	50', 100%.
Core #4 ·	- 5760 - 5810!	. Recovere	d 49! . 98%
Core #5	5810'-5829'	. Recovere	50', 100% 39.5', 99% 50', 100%. 49', 98%
	1		▲●▼ - 본위 한 기료 - 그는 그 없는 사고 그 많은 그녀는 그래는 그 작은 그 그림을 즐겁는 것이 되었다.
DST #1 -	55701-57101.		3 hours with gas to surface in 12
	222	minutes.	Gas tested 36 MCF per day. No
		fluid to	surface. Recovered 4000' of free
ing age in or		oil and 9	of oil and gas cut mud. No
		water.	
DST #2 -	57141-58291		4 hours with gas to surface in 9
Marine Company	A 1847 . 2007 - 1	minutes.	Gas tested 50.1 MCF per day. No
		Iluid to	surface. Recovered 3000' of free
		oil and 1	50' of oil and gas cut mud. No
		water.	
and the second of the second o			
다 14명 전 15명 (1997) 	# 175 6 0 (2014)		
ti i maja maja a	KI (क्षणपुरुकार का		
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		Control of the contro	
	المالية المنطقة المشهر المنطقة المالية المنطقة المالية المنطقة المنطقة المنطقة المنطقة المنطقة المنطقة المنطقة		
salah Tegingan I.			
7.76	and and	99. V 10. 493	
Committee Commit	the an extraction of the		
A Inplant - In			
grow of mod		,	E. F. Commission of the Commis
		الله الأولى الموقع الإنسية كان الله الله المستخدمات المستخدمات المستخدمات المستخدمات المستخدمات المستخدمات الم المواجعة المستخدمات	
and the second s			
	إعداء والأناسات الحريات أليسالي كأ	The second secon	
the second of th	Maria Carata and a series of the series of t	العابليك المراطعة فالمعاونة والمحاد والمجاد الأوارات	Note: The second of the contract of the contra
100 mg	TRANSPORT		100 March 1980 100 Ma
American A American American American American American American American American American American American A American American A American American American American American American American Americ			

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

After drilling to 5854! and cementing 7" casing, top of cement plug was found to be at 5806! (PBTD). Casing was jet perforated from 5742! - 5768! and 5776!-5802! with 4 shots per foot and perforated zone was treated with 500 gallons acid. Well flowed 133 barrels of oil in 7 hours and died. Re-acidized with 2000 gallons of acid and after recovering load oil, well flowed 370 barrels of 40° gravity oil in 11 hours through 1/2" chake with GOR 623

0

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR

-	W.	

Budget Bureau No. 42-R359.4. Approval expires 12-31-60.

India	n	Ag	ency	Navejo
e Pales	_		_	

Tribal

Lease No. I-149-IND-8818

GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO CHANGE PLANS	 SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO PULL OR ALTER CASING	 SUBSEQUENT REPORT OF ABANDONMENT	
I .		1

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo Indian Tribal Landa "C"	•	Fampa,	Texas, December	21 , 1956
Well No3 is locate	ed 820	ft. from $\binom{\square}{S}$ line	and 450 ft. from $\{E\}$	ine of sec. 23
JE 1/4 Sec. 23	40-S	24-£	3LK	
(14 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)	
(Field)		(County or Subdivision)	(State or T	erritory)

The elevation of the derrick floor above sea level is 4558 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled 8-3/4" hole to 5854' and cemented 5842' of 7" OD casing at 5854' with 500 sacks cement. Job complete 9:00 AM 8-21-56. Casing tested 0.K. with 1500# pressure for 30 minutes. Top of cement 42651.

I understand th	at this plan of work must receive approval in writing	by the Geological S	urvey before operations may be commenced.	
Company	The Texas Company			
Address	Box 1221,			
~~~~~~~~~~	Fampa, Texas	Bv		
			asst. Dist. Supt.	



### (SUBMIT IN TRIPLICATE)

# UNITED STATES DEPARTMENT OF THE INTERIOR

SUNDRY NOTICES AND REPORTS ON WELLS  NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. SUBSEQUENT REPORT OF WATER SHUT-OFF. SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. NOTICE OF INTENTION TO REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE. SUBSEQUENT REPORT OF REPORTING OR REPAIR. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. SUBSEQUENT REPORT OF REPORTING OR REPAIR. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPO		GEOLOGIC	CAL SURVEY	Lease No. 1-149	-INU-88
SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING  SUBSEQUENT REPORT OF ALTERING CASING  SUBSEQUENT REPORT OF REPRILLING OR REPAIR  SUBSEQUENT REPORT OF REPRILLING OR  SUBSEQUENT REPORT OF REPRILLING  SUB		NOTICES AN	D REPORT	S ON WELLS	That
ell No. 3 is located \$20 ft. from S line and 450 ft. from line of sec. 23  1/4 Sec. 23 40-3 24-3 SLM  (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian) (State or Territory)  The elevation of the derrick floor above sea level is 4558 ft.  DETAILS OF WORK  ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement ing points, and all other important proposed work)  Ital depth 5854. Flugged back depth 5806'.  For at ed 7" from 5742 to 5768 and 5776 to 5802' with 4 jets per set. Treated with 500 gallons acid. Flowed 133 barrels of oil 7 hours and died. Netreated with 2000 gallons acid and well	OTICE OF INTENTION TO CHANGE INTENTION TO TEST WAT OTICE OF INTENTION TO REDRILL OTICE OF INTENTION TO SHOOT OF OTICE OF INTENTION TO PULL OR	PLANS  ER SHUT-OFF  OR REPAIR WELL  R ACIDIZE  ALTER CASING	SUBSEQUENT REPORT ( SUBSEQUENT REPORT ( SUBSEQUENT REPORT (	OF SHOOTING OR ACIDIZING OF ALTERING CASING OF REDRILLING OR REPAIR OF ABANDONMENT	
ell No. 3 is located \$20 ft. from \$\begin{array}{c}\{\text{Sec. 23}\} &\text{40-3} &\text{24-3} &\text{32-3}	(INDICA	TE ABOVE BY CHECK MARK NAT	URE OF REPORT, NOTICE,	OR OTHER DATA)	
ell No. 3 is located \$20 ft. from \$\begin{array}{c} \text{ line and } \text{450 ft. from } \text{E} \\ \text{ line of sec. 23 } \text{ located } \text{ line of sec. } \text{ 23 } \\ \text{ (M Sec. and Sec. No.)} \text{ (Twp.) } \text{ (Range) } \text{ (Meridian) } \text{ (Meridian) } \\ \text{ (Bate or Territory)} \text{ (State or Territory)} \text{ (State or Territory)} \text{ are elevation of the derrick floor above sea level is \frac{4558}{558} ft. \text{ DETAILS OF WORK} \text{ are names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coment ing points, and all other important proposed work) \text{ tal depth } 5854. Flugged back depth 5806  . From 5742 to 5708 and 5776 to 5802 with 4 jets per set. Treated with 500 gallons acid. Flowed 133 barrels of cil 7 hours and died. Netreated with 2000 gallons acid and well		bal <u>P</u> a	ampa, Texas,	December 26	, 19. <b>56</b>
(Field) (County or Subdivision) (State or Territory)  e elevation of the derrick floor above sea level is	1/4 Sec. 23 (1/4 Sec. and Sec. No.)	40-3 24- (Twp.) (B	ange) (	S List Meridian)	ec
DETAILS OF WORK  the names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement ing points, and all other important proposed work)  tal depth 5854. Flugged back depth 5806'.  rforated 7" from 5742 to 5768 and 5776 to 5802' with 4 jets per et. Freated with 500 gallons acid. Flowed 133 barrels of oil 7 hours and died. Retreated with 2000 gallons acid and well	• • • •	(County or St	abdivision)		p. in in 1880 in 189, gp
tal depth 5854. Flugged back depth 5806'.  rforated 7" from 5742 to 5768 and 5776 to 5802' with 4 jets per ot. Treated with 500 gallons acid. Flowed 133 barrels of oil 7 hours and died. Retreated with 2000 gallons acid and well	e elevation of the derrick	floor above sea level	isft.	•	
tal depth 5854. Flugged back depth 5806'. rforated 7" from 5742 to 5768 and 5776 to 5802' with 4 jets per et. Treated with 500 gallons acid. Flowed 133 barrels of oil 7 hours and died. Retreated with 2000 gallons acid and well					
tal depth 5854. Flugged back depth 5806'.  rforated 7" from 5742 to 5768 and 5776 to 5802' with 4 jets per et. Freated with 500 gallons acid. Flowed 133 barrels of cil 7 hours and died. Retreated with 2000 gallons acid and well	ite names of and expected depths t	o objective sands; show sizes, w ing points, and all other	eights, and lengths of pr important proposed wo	oposed casings; indicate mudding rk)	z jobs, cement-
	rforated 7" from	5742 to 5768 a	and 5776 te	5802' with 4 ie	ts per
	7 hours and die	d. Notreated :	vith 2000 ga	llone acid and	well

I understan	The	Taxas	COR NA MY	pproval in writin	ng by the Geological	Survey befor	re operations	may be comm	ienced.
Address		1221							
	i an	pa, Te	Ka <b>s</b>	die Militaria (d. 19)	Bv_				
~					Title_	ÁSSt.	Vist.	Supt.	

0



Budget Bureau No. 42-R359.4. Approval expires 12-31-60.

ndian	Agency	<u>Navajo</u>

lian Agency	<u>Navajo</u>
	Tribal

COLTE	WEDI	зеу	 2234	У.	23	.54.	
			rp_		<b>.</b> .	. 3	
			 Tr	4	Uê	4	

### UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

(SUBMIT IN TRIPLICATE)

Lease N	. I-149-IND-4838

### SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL  NOTICE OF INTENTION TO CHANGE PLANS  NOTICE OF INTENTION TO TEST WATER SHUT-OFF  NOTICE OF INTENTION TO REDRILL OR REPAIR WELL  NOTICE OF INTENTION TO SHOOT OR ACIDIZE  NOTICE OF INTENTION TO PULL OR ALTER CASING  NOTICE OF INTENTION TO ABANDON WELL	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING SUBSEQUENT REPORT OF ALTERING CASING SUBSEQUENT REPORT OF REDRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT.
(INDICATE ABOVE BY CHECK MAR	K NATURE OF REPORT, NOTICE, OR OTHER DATA)

Nevajo Tribe "C"		*************	June 26	
Well No3 is locat	ted <b>820</b> ft.	from $\{S\}$ line a	and 450 ft. from $\stackrel{[E]}{\longrightarrow}$ line	of sec. 23
SE of Sec. 23 (14 Sec. and Sec. No.)	40-S (Twp.)	Z4-E (Range)	(Meridian)	
Aneth (Field)		an Juan inty or Subdivision)	(State or Territ	ory)

The elevation of the derrick floor above sea level is _4558 ft.

### DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement-ing points, and all other important proposed work)

Pulled tubing and perforated 7" casing from 5636' to 5660' and 5676' to 5706' with 4 jet shots per foot. Reran tubing with packer and set packer at 5541'. Acidized all perforations (5636' to 5660', 5676' to 5706', 5772' to 5768' and 5776' to 5802') with 10,000 gellons regular 15% acid in 4 stages using 1500 gallons of fix-a-frac. On test ending 4-11-58, flowed at the rate of 1,488 barrels of 39.60 gravity oil per day.

I understand	that this plan of work must receive approval in writing b	y the Geological Survey before operations may be commenced.
	The Texas Company	
Address	Box 817	AND
	Famington, New Mexico	By Frague
		Title //1st. Supp.

Form 9-331 (May 1963)

# U TED STATES SUBMIT IN TRI DEPARTMENT OF THE INTERIOR (Other instructions verse side)

Form approved.

Budget Bureau No. 42-R1424.

LEASE DESIGNATION AND SERIAL NO.

	GEOLOGICAL SURVEY				
SUNDRY 1 (Do not use this form for Use "AI	NOTICES AND REPORTS proposals to drill or to deepen or plug PELICATION FOR PERMIT—" for such	ON WELLS g back to a different reservoir. proposals.)	6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
I			7. UNIT AGREEMENT NAME		
WELL GAS WELL OT	HER		Aneth Unit		
2. NAME OF OPERATOR			8. FARM OR LEASE NAME		
TEXACO INC.					
3. ADDRESS OF OPERATOR			9. WELL NO.		
Box 810. Farming	gton, New Mexico 87	401	н423		
4. LOCATION OF WELL (Report location)	ation clearly and in accordance with an		10. FIELD AND POOL, OR WILDCAT		
See also space 17 below.) At surface			Aneth		
820' from South	Line and 450' from	West Tine			
OSO, TLOM BORGIS	Title office 430 - 11.00	Torse Tire	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA		
			23. 40-S. 24-E. SI		
14. PERMIT NO.	15. ELEVATIONS (Show whether	DF, RT, GR, etc.)	12. COUNTY OR PARISH 13. STATE		
	4558' DF		San Juan Utah		
16. <b>Ch</b>					
Chec	k Appropriate Box To Indicate	Nature of Notice, Report, or C	Other Data		
NOTICE OF	INTENTION TO:	SUBSEQ	UENT REPORT OF:		
TEST WATER SHUT-OFF	PULL OR ALTER CASING	W. 1885 AVV 000			
FRACTURE TREAT	MULTIPLE COMPLETE	WATER SHUT-OFF	REPAIRING WELL		
SHOOT OR ACIDIZE	ABANDON*	FRACTURE TREATMENT	ALTERING CASING		
REPAIR WELL	CHANGE PLANS	SHOOTING OR ACIDIZING	ABANDONMENT*		
(Other)	CHANGE FUANS	(Other) (Note: Report results	of multiple completion on Well		
	TED OPERATIONS (Closuly state all posterior	Completion or Recomp	letion Report and Log form )		
proposed work. If well is nent to this work.) *	directionally drilled, give subsurface loc	ent details, and give pertinent dates, cations and measured and true vertice	, including estimated date of starting any al depths for all markers and zones perti-		
nem work.					
Reason for work	over was to stimula	te oil production.			
Commenced works	ver on 1-27-65. Pu	mped 1000 gallons	ME regular 15% acid		
down casing ann	ulus with an inject	ion rate of four b	arrels per minute.		
On 24 hour test	ending 8:00 AM, 2- 14 barrels of water	3-05, well pumped	40 barrels of 40.1		
gravity oil and	14 barrels of wate	r. Length of pump	stroke 100" with		
12 strokes per	minute.				
-	•				

18. I hereby certify that the foregoing is true and correct District Superintendentare TITLE (This space for Federal or State office use) APPROVED BY ______CONDITIONS OF APPROVAL, IF ANY: DATE

### **ED STATES** SUBMIT IN DEPARTMENT OF THE INTERIOR (Other Instru GEOLOGICAL SURVEY

ATE* on re-

Form approved. Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

I-149-IND-8838 6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY I	NOTICES	AND	<b>REPORTS</b>	ON	<b>WELLS</b>
----------	---------	-----	----------------	----	--------------

(Other) Convert to water injection

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals.) Mava.10 7. UNIT AGREEMENT NAME GAS WELL WELL X Aneth Unit OTHER 2. NAME OF OPERATOR 8. FARM OR LEASE NAME TEXACO Inc. 3. ADDRESS OF OPERATOR 9. WELL NO. Box 810, Farmington, New Mexico H423 LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface 10. FIELD AND POOL, OR WILDCAT Aneth 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 820'from South line and 450' from East line 23, T40S, R24E, SLM 15. ELEVATIONS (Show whether DF, RT, GR, etc.)

14. PERMIT NO. 12. COUNTY OR PARISH | 13. STATE 4558 DF San Juan 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF : TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF REPAIRING WELL FRACTURE TREAT MULTIPLE COMPLETE FRACTURE TREATMENT ALTERING CASING X SHOOT OR ACIDIZE ABANDON* SHOOTING OR ACIDIZING ABANDONMENT* REPAIR WELL CHANGE PLANS

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

Reason for remedial work is to convert well from oil producing status to water injection status. Procedure will be as follows:

Pull rods and tubing. Run 2-3/8" plastic lined tubing with Baker Model "N" packer and set packer at 5585'. Connect wellhead and put on water injection until rate stabilizes. Acidize all perforations (5636' to 5660', 5676' to 5706', 5742' to 5768' and 5776' to 5802') in three stages, with 9,000 gallons of 28% NE-HCL acid, 18,000 gallons of fresh water and 1,500 gallons of temporary plugging agent (gelled water and rock salt). Return well to injection.

CONSERVATION COMMISSION

APPROYED BY UTAH OIL AND GAS

PETROLEUM ENGINEER

18. I hereby certify that the foregoing is true and correct SIGNED: C. P. FARMER	TITLE District	Superintendent DATE	6/22/67
(This space for Federal or State office use)			
APPROVED BYCONDITIONS OF APPROVAL, IF ANY:	TITLE	DATE	

# DEPARTMENT OF THE INTERIOR (Other instruction of the interior of the interior

GEOLOGICAL SURVEY

Form approved. Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

### I-149-IND-8838

<u> </u>	LOLOGICAL SURVET		T=T4A=TWN=0030
(Do not use this form for propos Use "APPLICA	CES AND REPORTS ( als to drill or to deepen or plug I TION FOR PERMIT—" for such p	ON WELLS back to a different reservoir.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME  Navajo
OIL GAS OTHER	Water Injection		7. UNIT AGREEMENT NAME Aneth Unit
2. NAME OF OPERATOR TEXACO Inc.	lesas		8. FARM OR LEASE NAME
3. ADDRESS OF OPERATOR	Farmington, New	Mexico 87401	9. WELL NO.
4. LOCATION OF WELL (Report location cl See also space 17 below.) At surface	early and in accordance with any	State requirements.*	10. FIELD AND POOL, OR WILDCAT  Aneth
820' from South	line and 450' fr	rom East line	11. SEC., T., E., M., OR ELK. AND SURVEY OR AREA  23, T408, R24E, SLM
14. PERMIT NO.	15. ELEVATIONS (Show whether DF 4558 DF	, RT, GR, etc.)	12. COUNTY OR PARISH 13. STATE San Juan Utah
16. Check Ap	propriate Box To Indicate N	Nature of Notice, Report, or	· · · · · · · · · · · · · · · · · · ·
NOTICE OF INTENT	NOTICE OF INTENTION TO:		
FRACTURE TREAT	ULL OR ALTER CASING ULTIPLE COMPLETE	WATER SHUT-OFF FRACTURE TREATMENT	REPAIRING WELL
A	BANDON*	SHOOTING OR ACIDIZING	ALTERING CASING  ABANDONMENT*

TD 5859' - PB 5839'

Reason for remedial work was to convert well from oil producing status to water injection status. Procedure was as follows:

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

Moved in pulling unit and commenced workover on 8/7/67. Pulled rods and tubing. Ran 177 jts., 5581' - 2-3/8" plastic coated tubing with injection packer and set packer at 5588'. Loaded casing annulus with inhibited water. Hooked up injection line and commenced water injection 8/10/67. On test ending 8/29/67, injected 605 BW in 24 hours. Injection tubing pressure 875 psi.

8. I hereby certify that the foregoing is true and correct		
SIGNED (Signeda) C. P. FARVAER		Superintendent DATE 9/22/67
(This space for Federal or State office use)  APPROVED BY	TITLE	DATE
CONDITIONS OF APPROVAL, IF ANY:		

# TED STATES SUBMIT IN TRI OF THE INTERIOR (Other instruction verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

	GEOLOGICAL SURVEY		1-149-IND-8838
	OTICES AND REPORTS Opposals to drill or to deepen or plug bacalication For PERMIT—" for such proj		6: IF INDIAN, ALLOTTEE OR TRIBE NAME
1. OIL GAS	Water Injection		7. UNIT AGREEMENT NAME
WELL WELL OTHER  2. NAME OF OPERATOR	warer ruleceron	. 3-1,	Aneth Unit
TEXACO Inc.			8. FARM OR LEASE NAME
3. ADDRESS OF OPERATOR			9. WELL NO.
Box 810, Farmingto	on. New Mexico 8740	17	N423
4. LOCATION OF WELL (Report location	on clearly and in accordance with any St		10. FIELD AND POOL, OR WILDCAT
See also space 17 below.) At surface			Aneth
	ine and 450' from Ea	st line	23, T40S, R24E, SLM
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, R	RT, GR, etc.)	12. COUNTY OF PARISH 13. STATE San Juan Utah
16. Charle		. ()	
Notice of in	Appropriate Box To Indicate Na		
NOTICE OF IN	Inition 10.	SUB	SEQUENT REPORT OF:
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABANDONMENT*
REPAIR WELL	CHANGE PLANS	(Other)	ults of multiple completion on Well
(Other)		Completion or Reco	ompletion Report and Log form.) ites, including estimated date of starting any rtical depths for all markers and zones perti-
through tubing as 5676' to 5706', 57 a total of 9,000 g water and 1,500 gg 3,800 psi with an Returned well to i	gallons of 28% NE-HC allons of salt plug. average injection r injection. Injected	ll perforations 76' to 5802'); L acid, 18,000 Treating pres ate of five bas 1,555 barrels	s (5636' to 5660', In three stages with gallons of fresh seure 4,200 psi to rrels per minute.
	mane 1/11/00 ATML T	rifacerous embrid	P brassnie of 1,100 bs
			and the second of the second o
			그 있음식하다 중점한 그 경기 : : : : : : : : : : : : : : : : : :
18. I hereby certify that the foregoin	ng is true and correct		
1.00		And a A. Maria a radio d	
SIGNED	TITLE DIS	rrice Superint	endent DATE 3/7/68
(This space for Federal or State	office use)		
APPROVED BY	MINT TO		
CONDITIONS OF APPROVAL, I	F ANY:		DATE

	. —
Form	9-331
(Mav	1963)

6	. 5	5,	, ,	(	$\omega$	,
Form	ant	move	ħя			

DEPART	MEN	I OF I	HŁ.	INTE
	~	001041	~	

	Budget					
5. LEASE	DESIGN.	ATION	AND	SEI	LIAL	NO.

					SERIAL	
 7	 /	49-	TN	11	-88	38

Z-	144	- IN	0	-88	38
6. IF	INDIAN.	ALLOTTER	OR	TRIBE	NAME

_	G	SEOLOGICAL SURVEY		Z-1.	49-IND-8838
1		ICES AND REPORTS Calls to drill or to deepen or plug b		Na	IAN, ALLOTTEE OR TRIBE NAME
1.	OIL GAS OTHER	Water Inject	ton	7. UNIT A	eth Unit
2.	Teloco Inc - Pio	d Dept - Rocke	mins	8. FARM	OR LEASE NAME
<ol> <li>3.</li> <li>4.</li> </ol>	DOY 810 Farma	leafly and in accordance with any	8740 / State requirements.*		NO. F-423 AND YOOL, OR WILDCAT
	See also space 17 below.) At surface  820 ft. F/So.	+ 450 ft. 5/2	E. Line		th field T., R., M., OR BLK. AND RVEY OR AREA
14.	PERMIT NO.	15. ELEVATIONS (Show whether DF,		23 _{12000N}	7405-R24E, S TY OR PARISH 13. STATE
		4558	DF	San	Juan Utah
16.	Check Ap	opropriate Box To Indicate N	ature of Notice, Report, o	or Other Date	g
	NOTICE OF INTEN	TION TO:	SUB	SEQUENT REPOR	T OF:
	TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF		REPAIRING WELL
	FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT		ALTERING CASING
	SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	$\bowtie$	ABANDONMENT*
	REPAIR WELL	CHANGE PLANS	(Other)		
	(Other)	- North Control	(NOTE: Report res Completion or Rec	sults of multiple empletion Repor	e completion on Well rt and Log form.)
17	DESCRIPE DRODOCER OF COMPLETED OF	marrova (Alloculu atota all mantin and	4 4 4 4 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		

proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

10/71 - Back flowed approx, 75 BW & acidyed w/ 750 gal. reg. acid u/ L-41, Desplaced w/ 880 gal inj. wtr. via they. Inj. Test (BWPD) Before After MAX MIN acid 2800 2000 Flust 2900 2800 Treated w/ 25 gal. biocide.

18.	I hereby certify that the foregoing is true and correct	) + · + 0 · + 0		0
	SIGNED X. Calen 1988	TITLE Vistuet Superintendent	DATE _	2-13-72
	(This space for Federal or State office use)			
	APPROVED BY	TITLE	DATE	

*See Instructions on Reverse Side

4565(3) OGEC(2) NAVAjo Tribie-Superior Oil Co- HNB-GLE-WLW Farm, See Window Rock Cortez

Form	9-331
(May	1963)
12	-II

16.

### UNITED STATES SUBMIT IN TRIPLICATE* Other instructions on reverse side) UNITED STATES

Form approved. Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO.

GEOLOGICAL SURVEY

### I-149-IND-8838

G. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  Use "APPLICATION FOR PERMIT—" for such proposals.)				
Water Triestics		ME		
water injection	Aneth Unit			
	8. FARM OR LEASE NAM	(E		
	9. WELL NO.			
ez. Colorado 81321		H423		
clearly and in accordance with any State requirements.*				
	Aneth Fie	l <b>d</b>		
FEL	23-T40S-R24	E-SLM		
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4558 DF	12. COUNTY OF PARISH	13. STATE Utah		
	water Injection  Water Injection  Eez. Colorado 81321 clearly and in accordance with any State requirements.*  FEL	Part of the proposals.  Navajo  7. UNIT AGREEMENT NA  Water Injection  Raneth Unit  8. FARM OR LEASE NAM  9. WELL NO.  Pez. Colorado  21. Sec., T., R., M., OR J.  Survey or AREA  FEL  15. ELEVATIONS (Show whether DF, RT, GR, etc.)  17. UNIT AGREEMENT NA  Aneth Unit  8. FARM OR LEASE NAM  9. WELL NO.  23. TAOS—R24		

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:				SUBSEQUE	NT REPORT OF:
	1		r		<del></del>
TEST WATER SHUT-OFF		PULL OR ALTER CASING		WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT		MULTIPLE COMPLETE		FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE		ABANDON*		SHOOTING OR ACIDIZING XX	ABANDONMENT*
REPAIR WELL		CHANGE PLANS		1	77 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
(Other)				(Note: Report results of Completion or Recomplet	f multiple completion on Well ion Report and Log form.)

Commenced workover 8-9-74. Rigged up and pumped 35,000 SCF nitrogen from surface to T.D. Treat perfs with 700 gal. 15% HCL @ \ BPM. 25,000 SCF nitrogen. Shut in for 15 min. Released pressure. Put back on injection.

Injection increased after workover by 221 BWIPD.

18.	I hereby certify that the foregoing is true and correct SIGNED Aven R. Mary	TITLE Field Foreman	DATE 2-27-75
			Harris Harris
	APPROVED B. CONDITIONS OF APPROVAL, IF ANY:	TITLE	DATH

^{17.} DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

### FORM NO. DOGM-UIC-1

### STATE OF UTAH DIVISION OF OIL, GAS, AND MINING ROOM 4241 STATE OFFICE BUILDING SALT LAKE CITY, UTAH 84114 (801) 533-5771

		(RULE 1-5)		
IN THE MATTER OF THE APPLICA  Texaco Inc	TION OF		•	
ADDRESS P. O. Box	<u>E</u> E	_	AUSE NO	
Cortez, Colorado ZIP 8132		2] IBNI	ANCED DECOM	
INDIVIDUALPARTNERSHIP	CORPORTATION X X		ANCED RECOVI OSAL WELL	EXT INJ. WELL
FOR ADMINISTRATIVE APPROVA	TO INSPOSE OF			
INJECT FLUID INTO THE A//	H402	u		
SEC. 23 TWP. 405	RANGE 24 E	_		
	COUNTY, UTA	Н		
		APPLICATION	1	
Comes now the applican	l and shows the Ni	uinina sha 8.81	,	
1. That Rule 1-5 (b) 6 c	otherizes edminis	vision me telle:	ving:	recevery injections or disposal
operations.		upprove	n or ennanced	recevery injections or disposal
2. That the applicant sub	mits the following	information.		
Aneth Unit	Well No.	field	_	16
	H423		Aneth	San Juan
Location of Enhanced Recovery Injection or Disposal Well SE 1/4-SE	14 . 2	2		
New Well To Be Drilled	Old Well To Be Com		Twp. 405	Rgo. <u>24E</u>
Yes 🛘 Ne XX	Yee 🖸	No X	Casing Test	e
Presh Water Within 1/2 Mile 1210	Does Injection Zone	Contain		
	Oil-Gas-Fresh Water	Within 15 Mile YE	5XX NO □	State Whet Oil & Gas
location of Aneth Unit Pr Injection Source(s) Wells & Sa	oducing	Geologic Name(	Desert (	reek & Ismay
R	iver	and Depth of Si	HUPEO(S) +/-	5600'
Geologic Name of Paradox: Injection Zone DESERT CP		Depth of Injection	A	
a. Top of the Perforated Interval: 5636	b. Base of Fresh	Intervel 56	36 n 5802	
ls the intervening thickness sufficients		BIO	c. Intervening Thi	ckness (a minus b) 4426
ls the intervening thickness sufficient to s without additional data?				
Lithology of Intervening Zones Sands	stone, lime	stone & a	nhvdrite	W/intonmittont
njection Rates and Pressures	shale l	avers		w/ intermittent
	Maximum		2,000	
			2,500	8/0 PSI
The Names and Addresses of These To Wi	om Copies of This Appl	lication and Attach	ments Have Been 1	
The Navajo Tribe	2		·	
Box 146		<del></del>		
Window Rock, Ari	70na 86515		·	
	2014 00313			
me of Colorado		1 B	- R. m	1
uniy of Montezuma		L 10-0	Apr	Field Sup
Before me, the understaned authorise	on this day named	A	lvin R. N	lary
therized to invite the person whose name therized to	is subscribed to the abo	ve instrument, wh		The state of the s
	•		erein, and that se	id report is true and correct.
Specified and swern to before me	his 16th day of	Dec. 183	a	
SEAL				8. phylal
1900 S / 5 1			goe !	· Koyba
My committeen expires 10/2	5/87	Neterv	Public in and for	Colorado
5 0 5 6 h 9 % 6 5		728		Cortez, Co. 81321
		(OVER)	·	002, 00. OIJAI

- 1. Attach qualitative and quantitative analysis of fresh water from 2 or more producing wells within 1 mile of injection well showing location of wells and date samples were taken, or statement as to why samples were not submitted.
  - 2. Attach qualitative and quantitative analysis of representative sample of water to be injected. 3. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry
- holes within ½ mile, together and with name of operator. 4. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division.)
  - 5. Attach Electric or Radioactivity Log of Subject well (if released)
- 6. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of coment used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
- 7. The original and 6 copies of application, and one complete set of attachments shall be mailed to the Division.
- 8. Deliver 1 copy of application to landowner on whose land injection well is located and to each operator of a producing leasehold within ½ mile of injection well.
- 9. Affidavit of mailing or delivery shall be filed not later than five days after the application is
- 10. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county in which the well is located. The Division shall file proof of publication before the application is approved. The notice shall include name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application will be approved administratively.
- 11. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed September 1st, each year.
- 12. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
  - 13. If there is less intervening thickness required by Rule I-5 (b) 4 attach sworn evidence and data.

### CASING AND TUBING DATA

NAME OF STRING	SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface	9-5/8"				
Intermediate	73/8	1175'	1000	SURF	CIRC
Production	7"	5854'		1/2/5	
Tubing	2-3/8"	55 <b>7</b> 5′	500 Name	4265	CALEULATED Tubing Packer 5570
Total Depth Geole 5854 DES	ogic Name - Inj. ERT CREEK		- Top of Inj. Int 5 636	erval Depth	• Base of Inj. Interval 5802
	ر اوق				
•	SURFACE CASING			KER	2 \
	<u>"</u>			TUBING PACKER	PRODUCTION CASING
			• .	BING S &	E) HOM
				F	
•					
					•
	•				
					12

PACKERS SET

5570' KB

PORMATION

ORDER NO.

SPACING & SPACING

CLASSIFICATION (Oil; Ges; Dry; Inj. Well)

PERFORATED

INTERVALS

State of Colorado

101AL DEPTH __ 5854

COMPLETION &	TEST DATA BY	PRODUCING	PORMATION
--------------	--------------	-----------	-----------

Desert Creek

40 acre

014

5742-5768

5776-5802

N &	TEST	DATA	BY	PRODUCING	PORMATION
	•				

DESERT CREEK

40 acre

OIL

5636-5660

5676-5706

MATION	

DESERT CREE

40 ACRE

INS

875

Field Supt.

DIVISION OF Room 4241 Soli Lake COUNTY COMPANY O OFFICE ADDR TOWN FARM NAME DRILLING STA DATE OF FIRS WELL LOCATEFI BLEVATION D	OIL GAS, AND Stote Office to City, Unch Bat San SEC. Udit SEC. PERATURO ESS Cortez Aneth MITTED 7-13 ST PRODUCTIO ED NE W SEC. FROM SL OF	MINING olding 114  23 1  Texaco P 0  STA Unit 19 56 DRING 8-27  3E N SE N SE X SE 4558	TINC	0 10 81321 H423 1ED 8-2119 56 LETED 8-27:56
Order (	No		Pond	hy
OR 01	GAS ZONES			
		Name	Fo	em Te
				1 1
CASHO	A CEMENT			
CASING	& CEMENT		Coment	
CASHNO	7	Son	Comont	Тор
	Cog. Test	Sen		
Foot	Cog. Test		Fillup	100 SURF 4265
	DIVISION OF Room 4241 Soft Left COUNTY COMPANY O OFFICE ADDR TOWN FARM NAME DRILLING ST/ DATE OF FRES WELL LOCATE 820 F BLEVATION D GLEVATION D Order Order Order Order To	DIVISION OF OIL, GAS, AND Room 4241 Stote Office in Self Leite City, Unch 84 COUNTY	DIVISION OF OIL, GAS, AND MINING Room 4241 State Office Building Soil Lake City, Useh B4114  COUNTY _San _ sec23 _1  COMPANY OPERATING _ Texaco  OFFICE ADDRESS _ P _ O _  TOWN _ COTTEZ _ STA  FARM NAME _Aneth _Unit _1  DRILLING STARTED _7-13 _19 56 DR  DATE OF FIRST PRODUCTION _8-27  WELL LOCATED NE N _SE _ N _SE	Room 4241 State Office Building Sold Lake City, Utch 84114  COUNTY San sec. 23 TWP. 40  COMPANY OPERATING TEXACO Inc.  OPPICE ADDRESS P. 0 BOX EE  TOWN Corter STATE ZIP C  FARM NAME Aneth Unit WELL NO.  DIRLLING STARTED 7-13 19 56 DRILLING FINISH  DATE OF PRIST PRODUCTION 3-27-56 COMP  WELL LOCATED NEW SEN SEN  820 FT. FROM SLOF XSEC. A 4830 FT. 1  BLEVATION DERRICK PLOOR 4558 GROUN  SEEK Order No.  Order No.  Order No.  Order No.  Pone  OR OR GAS ZONES

(To be filed within 30 days after drilling is completed)  $I-149-\underline{IND-8838}$ 

ACIDIZEDT	2500 GAL.	5436-5802	
•		W/ 10,000 GAL	•
MACTURE TREATED?	NO	15% NO	
MITIAL TEST DATA			
Date	8-27-56	4-11-58	8-29-67
Oll. bbl./day	807	/488	0 = 1 @ 1
Oil Gravity	40	39.6	
Gas. Cu. ft./day	NA a	NA G	σ
Gas-Oil Ratio Co. Pt./Sbi.	623	NA	,
Water-Bbl./day	NA	NA	(00
Pumping or Flowing	FLOWING	FLOWING	605
CHOKE SIZE	1/2"	NA	<del></del>
FLOW TURING PRESSURE	NA	NA	875

A regard of the formations drilled through, and portioent remarks are presented on the reverse.

3, the undipligated, being first duly sween upon eath, state that this well record is true, correct and complete

County of Montezuma 16th day of DEcember 1983

My commission expires 10/25/87 for B. Royle 728 N. Beech, Cortez, Co. 81321

	7 m			•	··· ·
\$100 \$200 A700 \$200 \$200 \$200	San Jua	in, County Utah		THUS-R25E San Juan Con	nty, Wah
\$1307 \$1307 \$1307 \$1309 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300 \$1300	10 10 10 10 10 10 10 10 10 10 10 10 10 1	Halo East Hall Hall	12	7	•
CIN PRO CINS MILE DE CONTROL DE C	214 , 224 , CEN , MARIE CE	100 CIN	(u)		
### PAGE   1910   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917   1917		193 1938 134 134 1354 1354 1354 1354 1354 1354 1	(3)	18	17
## ## ## ## ## ## ## ## ## ## ## ## ##	EASTED IN THE BELL OF THE BELL	22 102 103 103 103 103 103 103 103 103 103 103	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		
Help Advance A	01-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121 0-121	102 (321) (321) (322) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (323) (3	24 6524 6474 h424	+ 100 mm	23
123 123	HIZE HIZE 127	76127 m122	1.15 1925 5715 1921 11245 1121 61224 1921	210 K130 L13 M130	96 0
5123		• • • • • • • • • • • • • • • • • • •	033 25 633 633 143 643 643	(350)	C. M. 20
3:	23	: A :			
		H332	36	31	
3:4	Tables at the same	The Control of the Co	**************************************	1-1/	

	ROUTINE TEMPORARY	BY
	D TEMPORARY	
	(LOCATION)	19
	Subject: What on	analysis from
	1/01/2	o flagifer
	- Introd 1	0 Harris
X N 4 . 11 . 15		
Anoth Unit HALS		
Location- SEYA - SEYA SOCIS	TAUS ROAZ	
Sample Date - 1-17-59		
Depth: Nougjo Aguiller		7
Tomp - 67° F		<u> </u>
Ph - 8.7		
Total Oissolved Solida - 25	73 opm	
•		
5102 - 16ppm CC	D3= - 130 ppm	
Ca+ 700m 400	23 - 156 oon	
Cat - 7ppin HCC Matt - 28ppin SC	23 - 156 ppm	
Na+ - 76 ppm C	21 - 599 ppm	
1/4 = 10 ppm C	1 757 ppm	• •
A > () > C A>>		
Anoth Unit GAZZ	-	
Location- SW/4-SEV4 Sec 3	12, T40S, R24F	
Sample Date- 1-18-59		
Depth- Davajo Aguiter.		
Temp - 670F		
Ph- 9.2		
70201 Orseduce Solido - 282	) 00m	· · · · · · · · · · · · · · · · · · ·
	The state of the s	
5,02-17ppm Cox	= Q75 com	
Cat - 6 cam HCO2	-490 bbm	
m. H o m	- Jld ppm	
119 - 6 ppm 30,	9070bw	
NA - 412 ppm CI-	- 311 ppm	
£1. \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
" Note those numbers were		Texaco Filon
fletter requires reply prepare in triplicate, for-	0.60×3100	
warding original and duplicate; and retain copy.	surer, Clo	30 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -
	80301 By	

# NL Treating Chemicals/NL Industries, Inc. P.O. Box 1675, Houston, Texas 77001

						SHEET NUMBER
TOMPANY						DATE
TEXACO, THE	CORPORA	TED				5 APRIL 1
ANETH				COUNTY OR PARIS		STATE
C SE DA UNIT		ELL SI NAME	OR 40.	SAN JU		UTAH
ANETH	1	NJECTIO	N WATER	,	Charles,	• .
DERTH. FT. BHT. F	PLA		TEMP. F	WATER, SBL 'DAY	OIL, BEL 'DAY	GAS, WMCF/DAY
DATE SAMPLED	TYPE OF NA	TER				
S APRIL 1982	=#00UC	ž C	∑ SU=PLY	₩ ***	2 R F L D C D	SALT WATER IN
O.1 Fe DISSOLVED SOLIDS  CATIONS Total Hardness	(NI)	MASER RESIDENT STATE OF THE PROPERTY OF THE PR	TER ANALYSIS EIGN STABOL INDIA	DISSOLVE Hydrogen	10	337.5 mg/l*  185.0 mg/l*
Calcium, Ca Magnesium, Mg Ton (Total) Ferro		268.0 124.0 0.5	5360. 1519. 10.	O Oxygen, O O PHYSICAI		1.0 mg/1*
Barium, Barry Sodium, Na (calc.)		1035.1	23807.	3 _{pH}	Potential)	6.65 N.D. MV
Chloride, Cl Sulfater SO. T Curboniate, COst Bicarbonate, HCOs T Hydroxyl, OH T Sulfide, S =		360.3 24.5 0.0 4.0 0.0 18.8	45000.0 1175.0 0.0 244.0 3.00.0	O Turbidity, O Total Diss O Stubility II O CaSO4 Soli	JTU Units solved Solids (calc.) ndex 6 77 F 6 140 F billity 6 77 F 2 176 F 4 Possible (calc.)	7.5. 7.D. 81385.3 mg "1" +0.39 +1.32 306.6 Me/1" 306.8 Me/1" 24.5 Me/1"
त्र u	-			Max. BaSO	*Possible (calc.) hydrocarbons	1.0 mg/l* N.D. ppm(V.
Iron Sulfide Iron Oxi  FREMARKS AND RECOMMEN  WATER SHOWS A T  CALCIUM CARBON	de () () DATIONS: ENDENCY	Calcium Carb	_	rid Insoluble□ PRIMARIL	used interchar respectively. used, correcti specific gravi	and mg/l ore commageably for epm and Where epm and ppm ons should be madely.
HARK BROTHERS		12	FARMING?	ron, N.M.	505-325-57	HOME 3-0NE

## CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW

	11 No. aneth Um # 4423
	Sec. 23 API# 43-037-16128
New Well Conversion Disposal Wel	1 Enhanced Recovery Well
	YES NO
UIC Forms Completed	
Plat including Surface Owners. Lea and wells of available record	seholders,
Schematic Diagram	
Fracture Information	
Pressure and Rate Control	
Adequate Geologic Information	
Fluid Source	Disent with - Jean
Analysis of Injection Fluid	Yes No TDS 81385
Analysis of Water in Formation to be injected into	Yes No TDS 81385
" Known USDW in area	Maryo Depth 1210
Number of wells in area of review	11 Prod. 4 P&A /
	Water O Inj. 6
Aquifer Exemption	Yes NA
Mechanical Integrity Test	Yes No
<b>.</b>	Date 7-14-84 Type Brakenfind
Comments: TOC 4265	
	•
Reviewed by:	

# UTAH DIVISION OF OIL, GAS AND MINING CASING-BRADENHEAD TEST

OPERATOR:	TEXACO,	INC.				<del></del>		
FIELD:	ANETH			_LEASE:I	NDIAN			
WELL #	H423			SEC <u>23</u>	_TOWNSHIP_4	10s	RANGE_2	4E
STATE FED.	FEE DEPTH	H 5854	TYPI	E WELLinje	ctionMAX.	INJ.	PRESS.	3500 PS1
TEST DATE	7/19/84	· · · · · ·		•		-		
CASING STRIN	G SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS			FUTURE
SURFACE	9 5/8"	1175'	1000	OPSI				
INTERMEDIATE		· · · · · · · · · · · · · · · · · · ·						without any or the second of t
PRODUCTION	7"	5854	-500	OPSI				
TUBING	_2_3/8"		PAC	2225 PSI				
REMARKS:	Well bl	Lew down	in 1	second -	no fluid	ls -	well O	K
				***************************************				I.
						<del></del>		
						···		
					<del></del>			


rorm 9	STATION OF UTAH	<b>-</b> 2	
	RTMENT OF NATURAL RESOURCE SION OF OIL, GAS AND MININ		Lease Designation and Serial Number
DIVIS	SION OF OIL, GAS AND MININ	IG	7. Indian Allottee or Tribe Name
	TICES AND REPORTS O		
	new wells, deepen existing wells, or to ree LICATION FOR PERMIT— for such prope		8. Unit or Communitization Agreement
COS ALT	CONTROL FERMIT—HIS SUCH Proper	8818	
1. Type of Well	_		9. Well Name and Number
☑ Oil ☐ Gas Well Well	Other (specify)		
2. Name of Operator	d Decimation To		10. API Well Number
Texaco Exploration and Address of Operator	THE FIOGRACIANT THE.	L4 Talanhara Maria	
3300 North Butler, Fa	rmington, NM 87401	4. Telephone Number (505) 325-4397	11. Field and Pool, or Wildcat
5. Location of Well		1(303) 323 1337	
Footage :	•	County	•
	tached	State	: UTAH
12 CHECK APPROPR	IATE BOXES TO INDICATE NA	ATURE OF NOTICE, REPO	ORT, OR OTHER DATA
NOTICE (	OF INTENT Duplicate)	SUBSE	QUENT REPORT Original Form Only)
Abandonment	☐ New Construction	Abandonment *	New Construction
Casing Repair	Pull or Alter Casing	Casing Repair	Pull or Alter Casing
Change of Plans	Recompletion	Change of Plans	Shoot or Acidize
Conversion to Injection	Shoot or Acidize	Conversion to Injection	☐ Vent or Flare
Fracture Treat	☐ Vent or Flare	Fracture Treat	☐ Water Shut-Off
Multiple Completion	Water Shut-Off	X Other Change of	Operator/Operator Name
Other Transfer of	Plugging Bond		The state of the s
Approximate Date Med Mill Char		Date of Work Completion	
Approximate Date Work Will Stan		Report regulte of Multiple Comple	
		on WELL COMPLETION OR REC	tions and Recompletions to different reservoirs OMPLETION AND LOG form.
		* Must be accompanied by a cer	ment verification report.
13. DESCRIBE PROPOSED OR COMPLE	TED OPERATIONS (Clearly state all pertin	ent details, and give pertinent dates	. If well is directionally drilled, give subsurface
rosalions and measured and fine vert	ical depths for all markers and zones pertir	nent to this work.)	(
			<b>&gt;</b>
This submittal is for	a change of operator (	name change) for all	of the attached wells.
The new operator, Tex	aco Exploration and Pro	duction Inc., hereby	accepts operating re-
sponsibility and liab	ility under its good an	d sufficient bond or	other security accepted
by the Department for	proper plugging and su	rface restoration of	the attached wells. All
contact personnel, of	fice addresses and phon	e numbers will remai	n the same.
FORMER OPERATOR: TEX	ACO INC.	NEU ODEDATOD. T	EVACO EVETORANTON AND
TOWNER OF ERATOR: TEA	ACO INC.		EXACO EXPLORATION AND PRODUCTION INC.
	015	Г	A
SIGNED:	XXX ene	SIGNED:	KX X Rail
A. A	torney-in-Fact	Ā	ANAMA Assistant Division Manager
	J		,
DATE:		DATE:	
4. I hereby certify that the foregoing is tru	ie and correct		

(State Use Only)

Name & Signature


Title Asst. Div. Manager Date

# DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING



DIVISIO	N OF OIL, GAS, AND MI	NING	5. LEASE DESIGNATION IND SERIAL NO.
SUNDRY NOTION (Do not use this form for propose Use "APPLICA"	CES AND REPORTS	ON WELLS back to a different reservoir.	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
OIL UAS WELL OTHER			7. UNIT AGREEMENT NAME
Texaco Exploration a:	nd Production Inc.	DIE (ARTO)	S. FARM OR LEAGE NAME
P.O. Box 46510 Denv	er, CO 80201	MAY O O AGO	9. WELL NO.
4. LOCATION OF WELL (Report location closes also space 17 below.) At surface	early and in accordance with any	State redvirementals 177	10. FIELD AND POOL, OR WILDCAT
		DIVISION OF OIL GAS & MINING	11. ESC., T., E., M., OR BLK. AND SURVEY OR AREA
16. PERMIT NO.	18. BLEVATIONS (Show whether of	7. RT. GR. etc.)	12. COUNTY OR PARISH 12. STATE
16. Check Approximate of intent	propriate Box To Indicate N	Nature of Notice, Report, or	
Texaco Incarration of Place of	c. has assigned all: 19'91, Texaco Inc. Exploration and Pro- ity under its good.	WATER SMUT-OFF  FRACTURE TREATMENT  RECOUTING OR ACIDIZING  (Other) Transfer or  (Note: Report result (Completion or Recomp it details, and give pertinent dates tions and measured and true vertic its ownership rights is no longer the Oper oduction Inc. hereby according to the control of the	ator of subject well. ccepts operating
Former Operator:  TEXACO INC.  Signed:  Attorney-In-Fact for Texaco Inc.  Date: 3/1/9/	en :	Signed:	ition and Production Inc.
18. I hereby certify that the forgetting is		Division Manager	
(This space for Federal or State office APPROVAL IS OF APPROVAL IF A	TITLE		DATE

### TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5



MAY 2 8 1991

blall name and numbers	DIVISION OF See Attached Listing OIL GAS & MINING
	API no.
,	ownship range county
Effective Date of Transfer: 6-1-91	
CURRENT OPERATOR	
Transfer approved by:	
	CompanyTexaco Inc.
Signature // Xane	Address _ P. O. Box 3109
TitleAttorney-in-Fact	Midland, TX 79702
Date	Phone ( 915 ) 688-4100
Comments: Correspondence Address: I	
	300 North Butler armington, NM 87401
	505) 325–4397
NEW OPERATOR	(,
Transfer approved by:	
Name R. S. Lane	Texaco Exploration and Company Production Inc.
Signature Rydine	Address P. O. Box 3109
TitleAttorney-in-Fact	Midland, TX 79702
Date	Phone ( 915 ) 688-4100
	exaco Exploration and Production Inc.
F	300 North Butler Farmington, NM 87401
	505) 325–4397
(State use only) Transfer approved by	Title MIC MANAGERE
Approval Date 6-26-91	
Approval Date 6-26-91	



Texaco Exploration and Production Inc Midland Producing Division

P O Box 3109 Midland TX 79702-3109

May 22, 1991



MAY 2 8 1991

DIVISION OF OIL GAS & MINING

Division of Oil, Gas, and Mining Attn: Ms. Lisha Romero 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

#### Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,

Rl. S. Lane

Assistant Division Manager

RKH/KMM-CC

Attachments

	of Oil, Gas and M OR CHANGE HORKS					Routing:
		received by the division then completed. Write N				1- Lek/GIL 2- DTS-DT5 3- VLC 4- RJF
	ge of Operator gnation of Oper		□ Designation <b>XXX</b> Operator Na		У	5- RWM 6- LCR fee
TO (ne	(TEXACO W operator) TEX (address) 330 FAN BRI pho	EXPLORATION AND PROCESSION AND PROCE	DUCTION INC.) FROM (fo	FFECTIVE DATE: rmer operator) (address)	TEXACO INC.	BUTLER  NM 8.7401  ) 325-4397
		al page if needed):				
Name: Name: Name: Name:		API: API: API: API: API: API: API:	Entity: Entity: Entity: Entity: Entity:	Sec	/pRngL /pRngL /pRngL	ease Type: ease Type: ease Type:
J .	operator (Atta	IENTATION  10) Sundry or oth ch to this form). (  0) Sundry or other	5-28-911	• • •		
Set 3.	The Department operating any	s form).  of Commerce has b wells in Utah. I any file number:	een contacted if s company regis	the new oner	aton above i	n not assured la
Lef4.	comments sect	nd Federal Wells ( hone Documentation ion of this form. take place prior t	FORM TO THIS  Management rev	report). Maliew of Federa	ke note of l and Indian	BLM status in well operator
102 5.	Changes have b listed above.	peen entered in the	Oil and Gas Int	formation Syst	em (Wang/IBM)	) for each well
<i>Jot</i> 6.	Cardex file ha	s been updated for	each well liste	d above.	•	
FCE 7.	Well file labe	s been updated for ls have been update	ed for each well	listed above.	(will update whe	n filing.T
Jer 8.	Changes have to for distributi	oeen included on th on to State Lands a	ne monthly "Oper	ator, Address,	, and Account	Changes" memo
fer 9.	A folder has be placed there f	peen set up for the or reference during	Operator Chang prouting and pr	e file, and a ocessing of th	copy of this e original do	page has been ocuments.

## LMING 1. All attachments to this form have been microfilmed. Date:

 $ot \mu$  1. Copies of all attachments to this form have been filed in each well file.

 $\mathcal{L}_2$ . The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.

MMENTS 910/00% BIm / Farming fon N.M. - Duane Spencer (505) 327-5344 will follow up & call back. Bom / Farmington - Approved 4-2-91 "Company Murger" Includes Anith Unit Ismay Flodine Unit. Lands approved 4-15-91 "Merger".

LING

DATE:	05/02	/91			WE	LLS	ВҮ	0	ΡE	RATOR				PAGE:	90
ACCT NUM		COMPANY NAME	FLD NUM		NAME	TOWN SHIP	RANGE	SEC	QTR QTR	API NUMBER	PROD ZONE	WELL STATUS	ENTITY	WELL NAME	
N0980	TEXACO	INC	365	GREATER	ANETH	\$400	E240	7	SESW	A3037.154.15	. PRDX .		99990		(ANETH&
		2.1.5					E240	7	SWNE	4303716308	PRDX	PA	99990	GULF-AZTEC FED. 6 (	(ANETH
			٠			\$400	E240	. 7	NWSE	43037.16.100	"HRMS »	WIW	_99990	NAVAUD FED 6-1 (AN	VETH_G
						\$400	E240	7	SENE	4303716118	«HRMS	s WIW avera	99990	NAVAJOS FEDERAL 7-12	(ANETH
		·				\$400	E240	7	SESE	4303716322	HRMS	WIW	99990	NAVAJO TRIBE FED 5	-1 (ANE
						\$400	E240	8	SESE	43037,16323	HRMS	ي WIW ي	<b>ૂ99990</b> ૂ	NAVAUOZTRIBE L-34(A	ANETH H&
						\$400	E240	8	SWNW	43037.16284	"DSCR。	المستندين WIW	.,99990 .	A) مدانة و NAVAJO ، FED مدور (A)	VETH LE
		•				S400	E240	8	NWSE	V43037.16101	- PRDX	W I W	99990	NAVAJOTRIBEL-6(A	ANETH G
.*						\$400	E240	8	SESW	¥4303716298	PRDX	∍₩I₩∷ş≋∉	99990	≟NAVAJO%TRIBE∞E-19⊗(	(ANETH ₂
						\$400	E240	8	SENW	4303716076	∄HRMS.	WIW	99990	åNAVAJO⊯FED ≈ 8 ±1 å (AN	NETH FS
						\$400	E240	8	NWSW	4303716060	PRDX	WIW	99990 ·	∴NAVAJO∍TRIBE∉E#,15#(	ANETH
						S400	E240	8	SENE	4303716119	HRMS -		99990	NAVAJO "TRIBE. E-16(	ANETH
						5400	E240	8	NWNE,	. 4303716305	DSCR	PA	99998	NAVAJO TRIBE E-17	ANETH
						5400	E240	9	NWSW	4303716061	PRDX	·WIW	"8888O°	».NAVAJO.:TRIBE::E=14.	(ANETH#
						\$400	E240	9	SESW	4303716082	∉PRDX∴	á WIW.azócz	99990	NAVAJO TRIBE E-44(	ANETHAFA
						\$400	E240	10	SESE	4303716125	PRDX	a WIW assista	99990.	NAVAJO TRIBE E 7 7 (4	ANETH. H&
						S400	E240	11	SWSE	4303715944	-PRDX	WIW	99990	- NAVAJO - A-10/34-11-	ANETH
		•				S400	E240	11	SWSW	443037.15940	PRDX	WIW with a	₂ 99990 -	- NAVAUO- A-11/14-11-(	(ANETH&
						S400	E240	11	NESW	<b>43</b> 037.16295.	PRDX:::		99990	NAVAJO A-12/23-11-	ANETH
						5400	E240	13	SWSW	<b>∠4303715941</b>	- PRDX	WIW	99990	NAVAJO A-4/14-13 (A	ANETHAE
				•		\$400	E240	13	SWNW	4303715938	PRDX	√ <b>WIW</b> (2016)	99990	NAV TRIBE A-13/12-1	13 (ANE
						\$400	E240	14	SWNE	44303715943	PRDX 4	WIW	99990	_NAVAJO:A-7/32-14::(A	ANETH G
						S400	E240	14	SWNW	<b>4</b> 303715939.	PRDX	شىنىتىت.₩ I W يى	- 99990 -	NAVAUO A-6/12-14-(4	ANETH E
						S400	E240	14						_NAVAJO_A-5/23_14_(A	ANETH&F
•						5400	E240	14						ANETH F 114	
	•					\$400	E240	14	SWSE	43037.15945.	PRDX 🕾	r.WIW 373-74-	99990 s	NAVAJO A-1/34-14 (4	NETH G.
						S400	E240	14						₃ NAVAJOŞA÷2Ş(ANETH _Ş E	
						\$400	E240	14	NENE	.43037.163.10.	.IS-DC		:99990	NAVAJO: AE9/41=14#.(A	NETHH
						\$400	E240	15	NWSW	4303730213	DSCR	WIW	99990	ANETH&E=315	
						S400	E240	15	'NESE	4303730312	DSCR	· WIW and was	<b>£99990</b> <i>∞</i>	GANETH: H=3.15.	
						S400	E240	21	SENE	48037.16122	PRDX	لونية WIW	"9999O <u> </u>	NAVAJO_TRIBE_D-7_(4	ANETH H
						S400	E240	21	SESE	43037.16330	. PRDX	sWIW negots	.9999O	NAVAJO TRIBE D-24 o	(ANETH&
				•		5400	E240	22	NWNW	43037302.15	LDSCR	ئىنىدىس. W I W يە	ىد،99990 و	ANETH E = 122	
						S400	E240	22	SENW	<b>43</b> 03730373	.DSCR∋∞	.WIW.sefeedile	.99990	ANETH F=222	
·						S400		22	NWSW	<b>4</b> 303716067	PRDX 🧓	WIW - Likely	.99990	NAVAJO TRIBE D-19:	ANELIA
						S400		22	NENE	<del>-4</del> 303716117	PRDX	WIW	99990	NAVAJO TRIBE D-22 (A	ANEIHTH
						S400								ANETH G-122	
						S400		22						ANETH G-322X&	
4.744					, •	S400		22	SENEL	4303730242	DSCR	eWIW wesaned	. 99990	BANETH H=222秦	NETU U **
						S400		23	SENE	4303716123	PRDX .,	WIW	99990	NAVAJO TRIBE C-8 (A	ANEID DA
						\$400		23	SESE.	43037.16128.	PRDX	.W.I.W	99990	NAVAJO TRIBE C-3 (A	ANETH (E.S.
						\$400		23	SENW	L43037.16079	PRDX	, W I W ⊸γέκκα. • O T W	99990	NAVAJO TRIBE C-7 (A	AIVE I DELEGAT
						5400		23	NWNE!	4303716306	DSCR	WIW AND	88880	NAVAJO TRIBE C-14 (A	ANETH
						S400		23	SESW	4303/J16086	<b>LKUX</b> 線	W.L.W.ASSEA		NAVAJO TRIBE/C-17.	, MINIGHT
						S400		23	NENW	<b>4303730235</b>	TS-DC	eW⊥Wysassesie Datha	. 22220 · :	ANETH F-1235	ANETHA

S400 E240 24 SENW 43037 16089 PRDX WIW 99990 NAVAJO TRIBE C-16 (ANETH S400 E240 24 NWSW 43037 16069 PRDX WIW 99990 NAVAJO TRIBE C-10 (ANETH)



Form 3160-5 (June 1990)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED						
Budget Bureau No. 1004-0135						
Expires:	March	31, 1993				

Lease Designation and Serial No.

		J. Lease Designation and Serial No.
SUNDRY NOTICE	I-149-IND-8838	
Do not use this form for proposals to	S AND REPORTS ON WELLS drill or to deepen or reentry to a different reservoir.	6. If Indian, Allottee or Tribe Name
Use "APPLICATION F	FOR PERMIT—" for such proposals	
	To such proposals	Navajo Tribal
SUBM	IIT IN TRIPLICATE	7. If Unit or CA, Agreement Designation
1. Type of Well		
Oil Gas	YYY 11	Aneth Unit
Well Well Well Other Injection  2. Name of Operator	Well	8. Well Name and No.
	. Y.	H423
Texaco Exploration & Production  3. Address and Telephone No.	9. API Weil No.	
	4303716128	
4. Location of Well (Footage, Sec., T., R., M., or Survey	10. Field and Pool, or Exploratory Area	
	Desert Creek	
820' FSL & 450' FEL	477	11. County or Parish, State
SE/4, SE/4, Sec. 23, T40S, R24	4E	·
011501/ 1000000		San Juan, Utah
2. CHECK APPROPRIATE BOX	X(s) TO INDICATE NATURE OF NOTICE, REPOF	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
	THE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
X Subsequent Report	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
Final Abandonment Notice	Casing Repair	Water Shut-Off
Final Adandonment Notice	Altering Casing	Conversion to Injection
	X Other Clean Out	_
3 December December Control of Control		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
give subsurface locations and measured and true ver	e all pertinent details, and give pertinent dates, including estimated date of starting rtical depths for all markers and zones pertinent to this work.)*	any proposed work. If well is directionally drilled.
Texaco E. & P. Inc. has cleaned or	ut the wellbore in the subject well. The follow	ing procedure was fall and 1
	are westere in the subject went. The follow	ing procedure was followed:
MIRUSU TOOH w/ injection equ	inment TIU w/ workstring 0- 1 1	55501
PKR. Circulated. RDMOL. Put 1	nipment. TIH w/ workstring & cleaned out to	5/50'. TIH w/ new TBG. Set
TIM. Circulated. RDWOL. Put 1	back on injection.	
to the second		
		•
		·
		•

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

14. I hereby certify that the foregoing is true and correct

Form 3160-5 (June 1990)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT



FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

Completion or Recompletion Report and Log form.)

	•	Expires:	March	31, 19	993
5.	Lease	Designat	ion and	Seria	l No.

I-149-IND-8838

### SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to dr Use "APPLICATION FO	Navajo Tribal		
SUBMIT	7. If Unit or CA, Agreement Designation		
Type of Well  Oil  Well  Well  Other  Injection  Name of Operator	Aneth Unit 8. Well Name and No. H423		
Texaco Exploration & Production  Address and Telephone No.  3300 N. Butler, Farmington N.M.	9. API Well No.  4303716128  10. Field and Pool, or Exploratory Area		
820' FSL & 450' FEL SE/4, SE/4, Sec. 23, T40S, R241	Desert Creek  11. County or Parish, State  San Juan, Utah		
CHECK APPROPRIATE BOX	s) TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION		
Notice of Intent  Subsequent Report  Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other Clean Out	Change of Plans  New Construction  Non-Routine Fracturing  Water Shut-Off  Conversion to Injection  Dispose Water	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Texaco E. & P. Inc. has cleaned out the wellbore in the subject well. The following procedure was followed:

MIRUSU. TOOH w/ injection equipment. TIH w/ workstring & cleaned out to 5750'. TIH w/ new TBG. Set PKR. Circulated. RDMOL. Put back on injection.

MAY 51994

DIVISION OF OIL GAS & MINING

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3160-5 (June 1990)

#### **UNITED STATES** DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

**FORM APPROVED** 

Budget Bureau No. 1004-0135

Expires: March 31, 1993

#### SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT -- " for such proposals

		I-149-IND-8838
R	If Indian	Alottee or Tribe Name

5. Lease Designation and Serial No.

Use "APPLICATION FOR PERMIT" for such proposals	NAVAJO TRIBE		
SUBMIT IN TRIPLICATE	7. If Unit or CA, Agreement Designation ANETH UNIT		
I. Type of Well: OIL GAS OTHER INJECTION WELL	8. Well Name and Number ANETH UNIT		
2. Name of Operator TEXACO EXPLORATION & PRODUCTION, INC.	H423		
3. Address and Telephone No. 3300 N. Butler Suite 100, Farmington NM 87401 325-4397	9. API Well No. 4303716128		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  Unit Letter P: 820 Feet From The SOUTH Line and 450 Feet From The	10. Field and Pool, Exploaratory Area GREATER ANETH		
EAST Line Section 23 Township 40S Range 24E	11. County or Parish, State SAN JUAN , UTAH		
<ol> <li>Check Appropriate Box(s) To Indicate Nature of Notice, Re</li> </ol>	port, or Other Data		
TYPE OF SUBMISSION TY	PE OF ACTION		
Abandonment Recompletion Plugging Back Subsequent Report Final Abandonment Notice  Abandonment Casing Repair Atlering Casing OTHER: SIDE-TRACK	Change of Plans  New Construction  Non-Routine Fracturing  Water Shut-Off Conversion to Injection Dispose Water  (Note: Report results of multiple completion on Well		
	Completion or Recompletion Report and Log Form.)		

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work,)*.

TEXACO E. & P., INC. PROPOSES TO SIDETRACK AND DRILL TWO HORIZONTAL SECTIONS OF THE DESERT CREEK FORMATION IN THE SUBJECT WELL:


THE PROJECTED BOTTOM-HOLE LOCATIONS WILL BE AS FOLLOWS:

SOUTHEAST SECTION BHL 100' FNL / 20' FEL SEC. 26 T40S/R24E

NORTHWEST SECTION BHL 1278' FSL / 1225' FEL SEC. 23 T40S/R24E

PLEASE SEE ATTACHED WORKOVER PROCEDURE AND WELLBORE DIAGRAMS.

Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY



14. I hereby certify that the foregoing is true SIGNATURE	and correct	TITLE_	Operations Unit Manager	DATE	2/16/95
TYPE OR PRINT NAME	Ted A. Tipton				
(This space for Federal or State office use)					
APPROVED BY		TITLE_		DATE	
CONDITIONS OF APPROVAL, IF	ANY:				
Title 18 U.S.C. Section 1001, makes it a	crime for any person knowingly an	d willfully to m	ake to any department or agency of the United States any	/ false, fictitious or fraudulent sta	tements or

#### ANETH UNIT H-423 HORIZONTAL DUAL LATERAL REENTRY

The subject well is an injection well. It is to be reentered and dual horizontal laterals drilled in the Desert Creek formation. A 40 window will be milled in the casing. The perforations will be squeezed and the kick-off plug will be set at the same time. Short radius horizontal laterals will be drilled in the southeast and northwest directions approximately 1000 long each. The well will be acidized using coiled tubing and then production tested.

#### **WELL PREPARATION:**

- 1) MIRUSU. Kill well with 10 ppg brine. Nipple up 3M BOPE.
- 2) Pressure test 2-7/8Ý x 7Ý annulus to 500 psi.
- 3) TOH and lay down 2-7/8Ý injection tubing and injection packer.
- 4) TIH with 6-1/4Ý bit on 2-7/8Ý work string and clean out to PBTD of 5806.

#### MILL 5 1/2Ý CASING

5) Circulate hole with mud for milling. TOH with tubing and bit.

MUD:

Staflo

Volume:

(5750 * .0238 bbl/ft = 135 bbls + 200 bbls for pit = 335 bbls)

Weight:

8.5 - 8.7

Funnel Visc.: 75-80

- 6) If casing collar log is not available in Area, Run GR-CCL to determine position of collars. (Window may be moved +/- 10 to avoid milling a casing collar).
- 7) TIH with mill for 7Ý casing on 2 7/8Ý workstring. Mill 40 section of casing from +/-5552 5592. Place ditch magnets in return lines to catch metal cuttings. Any time trip is made, make sure the hole is clean and the blades are retracted.
- 8) TOH with mill.

#### SQUEEZE EXISTING PERFORATIONS AND SET KICK OFF PLUG:

9) TIH with cement retainer on tubing and set at 5500 (above perfs and KOP of 5562)

- 10) Space out tubing in neutral position and test tubing to 3000 psi. Rig up squeeze manifold. Establish rate into perforations (2 BPM), note pump in pressure. Pressure up annulus to 500 psi., monitor casing during job.
- Cement squeeze with 100 sx Class GY with 0.4% D156 (fluid loss) and 0.15% D65 (dispersant) to obtain a fluid loss off 200-300 cc/30 min. (determine by lab testing) followed by 50 sx of Class GY neat (15.8 ppg), followed by 50 sx Class GY (densified to 17.5 ppg). Minimum pump time of 150 minutes at 130 F.
- 12) Spot cement to end of tubing. Sting into retainer. When cement reaches perfs, slow rate to 1/2 BPM (maximum squeeze pressure = 3000 psi.). Displace cement to retainer.
- Pull out of retainer, reverse out cement and check for flow. Pull tubing to 3000 and shut in for a minimum of 24 hours. TOH with tubing.
- 14) TIH with 6-1/4Ý bit, drill collars and tubing and drill out retainer. Dress off cement to the KOP at 5562. Cement must drill 1.5-2 min/ft with 10 pts and 50 RPM to insure the plug is hard enough for kickoff. Circulate hole clean.

#### **DRILL 1st CURVE SECTION (SE DIRECTION):**

(Rig up mudloggers at beginning of curve)

15) Displace hole with polymer mud. TOH with bit.

MUD:

Staflo

Volume:

(5680 * .0238 bbl/ft + 200 bbls for pit + 1000 * .0219 bbl/ft)

(135 bbls + 200 bbls + 25 bbls = 360 bbls)

Weight:

9.4

Funel Visc.: 35-40

16) Pick up angle build motor and test on surface. TIH with angle BHA as follows:

43/4Ý bit.

Angle build motor.

Float/ orientation sub.

1 jts 2 7/8Ý flexible monel collars.

Enough P-110 tubing to reach from KOP to end of planned horizontal wellbore.

Drill collars 27/8Ý AOH DP. to surface.

- 17) TIH to KOP (5562). Run GYRO and Orient motor to 1st lateral direction (SE). Break circulation and establish off bottom pressure at operating flow rates.
- 18) Slowly lower motor to bottom, adjusting toolface as necessary to compensate for reactive torque. Continue drilling curve while maintaining proper toolface orientation. Drill curve section to target depth of 5644 TVD for start of horizontal.
- 19) Circulate hole clean. TOH with curve motor.

#### DRILL 1st HORIZONTAL LATERAL (SE DIRECTION):

- 20) TIH with lateral motor BHA. (Same as step 16 but motor has lower build rate.)
- Drill the horizontal lateral adjusting tool face as needed to the target. The end of the horizontal target depth is 5685 TVD. There is a window around the target line which well path is to stay within. (see attached well plan for well path and hardlines.)
- 22) At TD circulate hole clean and TOH.

#### DRILL 2nd CURVE SECTION (NW DIRECTION):

23) Pick up angle build motor and test on surface. TIH with angle BHA s follows:

4 3/4Ý bit.

Angle build motor.

Float/ orientation sub.

1 jts 2 7/8Ý flexible monel collars.

Enough P-110 tubing to reach from KOP to end of planned horizontal wellbore.

Drill collars

27/8Ý AOH DP. to surface.

24) TIH to KOP (5565). Run GYRO and Orient motor to 2nd lateral direction (NW). Break

circulation and establish off bottom pressure at operating flow rates.

- 25) Slowly lower motor to bottom, adjusting toolface as necessary to compensate for reactive torque. Continue drilling curve while maintaining proper toolface orientation. Drill curve section to target depth of 5644 TVD for start of 2nd horizontal.
- 26) Circulate hole clean. TOH with curve motor.

#### DRILL 2nd HORIZONTAL LATERAL (NW DIRECTION):

- 27) TIH with lateral motor BHA. (Same as step 23 but motor has lower build rate.)
- Drill the horizontal lateral adjusting tool face as needed to the target. The end of the horizontal target depth is 5649 TVD. There is a window around the target line which well path is to stay within. (see attached well plan for well path and hardlines.)
- 29) At TD circulate hole clean. Pull up and reenter 1st lateral. TIH to TD and circulate clean. TOH. Release directional equipment.

#### **COMPLETION:**

- TIH with muleshoe, orienting sub, 4 jts P-110 tbg and packer on 2 7/8Ý tubing. TIH to KOP. Run Gyro and orient so P-110 tbg is in 1st lateral and run P-110 across curve section and packer is in the casing. Set the packer.
- 31) Rig up coiled tubing unit. TIH with PERFCLEANÝ jetting sub on 1 1/2Ý coiled tubing to TD. Circulate mud out of hole
- Wash 1st lateral open hole with 10,000 gallons 15% NEFE. Rate 2 BPM. POH with coiled tubing while acidizing so entire open hole is stimulated.
- 33) Displace acid to the end of the tubing. SI for 15 min.
- 34) Flow well until dead. TOH with coiled tubing.
- 35) Pull workstring up into casing.
- 36) Repeat steps #30-35 for the 2nd lateral.


37) TIH with production equipment and test well as needed. Subsequent logging program to be issued.



# ANETH UNIT No. H423 CURRENT COMPLETION

#### LOCATION:

820' FSL & 450' FEL SE/SE, Sec. 23, T40S, R24E San Juan County, Utah




#### PERFORATIONS (6/58):

PERFORATIONS (12/56):

5636' - 60' 5676' - 5706' w/ 4 JSPF

5742' - 68' 5776' - 5802' w/ 4 JSPF

PBTD - 5806' TD - 5854'



## WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 02/21/95	API NO. ASSIGNED: 43-037-16128
WELL NAME: ANETH UNIT H423 (RE-ENTROPERATOR: TEXACO E & P INC (NO.)	
PROPOSED LOCATION: SESE 23 - T40S - R24E	INSPECT LOCATION BY: / /
SURFACE: 0820-FSL-0450-FEL BOTTOM: 0100-FNL-0020-FEL	TECH REVIEW Initials Date
SAN JUAN COUNTY GREATER ANETH FIELD (365)	Engineering
LEASE TYPE: IND	Geology
LEASE NUMBER: I-14-IND-8838	Surface
PROPOSED PRODUCING FORMATION: DSCR	
RECEIVED AND/OR REVIEWED:  N Plat *****   N	LOCATION AND SITING:  R649-2-3. Unit: <u>utu 68 927 A</u> R649-3-2. General.  R649-3-3. Exception.  Drilling Unit. Board Cause no: Date:
comments: Re-ental and a	rill
STIPULATIONS:	



# State of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governer
Ted Stewart
Executive Director
James W. Carter

Division Director

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340 801-359-3940 (Fax) 801-538-5319 (TDD)

February 23, 1995

Texaco Exploration & Production, Inc. 3300 N. Butler, Suite 100 Farmington, New Mexico 87401

Re: Aneth Unit H423 Well, 820' FSL, 450' FEL, SE SE, Sec. 23, T. 40 S., R. 24 E., San Juan County, Utah

#### Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Admin. R. 649-3-1 et seq., and the attached Conditions of Approval, approval to re-enter and drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-037-16128.

Sincerely,

Associate Director

ldc

**Enclosures** 

cc: San Juan County Assessor

Bureau of Land Management, Moab District Office

WAPD



Operator: Texaco Exploration & Production, Inc.					<b>c.</b>		
Well Name &	k Number:	Anet	unit H4	23			
API Number	: 43-0	37-16128					
Lease:I	ndian 1-14-	IND-8838					
Location: _	SE SE	Sec	23T.	40 S.	R	24 E.	

#### **Conditions of Approval**

#### 1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

#### 2. Notification Requirements

Notify the Division within 24 hours following spudding the well or commencing drilling operations. Contact Jimmie Thompson at (801)538-5340.

Notify the Division prior to commencing operations to plug and abandon the well. Contact Frank Matthews or Mike Hebertson at (801)538-5340.

#### 3. Reporting Requirements

All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

Form 3160-4				TED ST							FORM APP		
(October 1990)			PARTME! REAU OF		HE INTERM MANAGEME		গু এ গু	17 777			et Bureau N res: Decem		
SUBMIT ORIGINAL	WITH 5					[ <b>]</b> {	ECE	R A	4	Design	ation and S		
WELL COM	ADI D	TION O		OMD! E	-71011 D	$\Pi\Pi$	T ANIAM 1	A 4001	6 17 19013	Δlo	l-1 ttee or Tribe	149-IND	-8838
WELL COM				·					IVAVAJO	RIB	E		
1a. Type of Well:	V		AS 🗍 I ELL	DRY [] (	OTHER INJE				7. If Unit		Agreement	Designa	tion
1b. Type of Compl	etion RK 🔯	DEEPEN	PLUG 🔲	DIFF.	1 07:150	DIV.	OF OIL,	BAS &	VIANEUR	TINIT	d Number		
WELL OVE	R	DECLEIV	BACK	RESVR.	OTHER SH	DE TI	·		ANETH L		a Number		
			EXPLORA	TION & P	RODUCTION,	, INC.			H423				
3. Address and Te	lephone	No. 3300 N.	Butler Suite	100, Farm	nington NM 87	401	325	-4397	9. API We	il No.	4202716	24.00	
4. Location of Wel	l (Repor	t location clea	rly and in a	cordance	with any State	require	ements.*)		10. Field	and Po	4303716 ol, Exploara		
At Surface Unit Letter P :	820	Feet From	The COLL	TU line -	450		- <del>-</del>		DESERT C		,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•
At proposed prod. zo		reet From	rne SOU	TH Linea	ana 450	reet r	From The EAST	Γ Line	11 SEC	T R	M or Rik	and Su	rvey or Area
74 proposod prod. 20	, 110.		(SOLITHE	ACT! ATE	RAL) # 1				_	3,	Township		Range 24E
At Total Depth /00	14' ,	-111 \$ 20	,	ASI LATER	/	· · · · · · · · · · · · · · · · · · ·							
				_	14. Permit No.		Date Issued		12. Count			13. Sta	ate
15. Date Spudded	` <i>S</i> €€€.	Date T.D. Rea	05 R246		43037161		49 Flouris	(0)		N JUA		40 51	UTAH
3/19/95	udded 16. Date T.D. Reached 17. Date Compl. (Ready to Prod.) 18. Elevations (Sho							1etner DF,R 4859' KB	I, GR, e	etc.)	19. EI6	v. Casinhead 4848' GL	
20. Total Depth, MD	& TVD	21. Plug	Back T.D., M	ID & TVD	22. If Multiple	Compl	., How Many*	23. Inte		агу Тоо	is	CableTo	ols
6656' MD (5638			6' MD (5688'					Drilled	By>	5562' -	6656'		
24. Producing Interval SE LATERAL HOLE:			n Top, Bot	om, Name	(MD and TVD)*						25. Was Di	rectional YES	Survey Made
26. Type Electric and	Other L	ogs Run									 27. Was We		·
FINDER GYRO SUR	VEY										Z7. VVAS VVC	NO.	
28.				CASIN	IG RECORD	(Rer	oort all String	s set in v	well)				
CASING SIZE & GR	ADE	WEIGHT	LB./FT.		EPTH SET	`	HOLE S			ENT F	RECORD	AM	OUNT PULLED
9.6.25"		36#		1175'	· · · · · · · · · · · · · · · · · · ·	1	2.25"		1000 S			CIRC.	
7.0"		23#	.,	5854'			8.75"		500 5			Oii.o.	
									-				
29.			LINER	RECORD				30	' O.		TUBING RI	ECORD	
SIZE		TOP	вот	том	SACKS CEM	IENT	SCREEN	4 .			DEPTH	BA 0//50 055	
31. Perforation rec	ord (inte	erval, size, and	l number)				32. AC	ID, SHOT	, FRACTU	RE. CI	EMENT SO	QUEF7F	ETC
							DEPTH INT	<del></del>	T :		AND KIND		
SOUTEAST LA HORIZONTAL		OLE: 5562' (	MD) - 6656'	(MD)			5562'-6656'		9800 GAL	S 28%	HCL		
							5489'-5562'		CMT EDOS	A DETA	INER TO K	<b>3</b> D	
							5636'-5802'		SQZ PERF		INCA IUK	JF	
33.				· · · · · · · · · · · · · · · · · · ·	PRODU	CTIO	1		- CGE I ENF		<del></del>		· ·
Date First Productio	n 16/95	Production N		ring, gas lit	ft, pumping - si						Well Stat		or Shut-in)
Date of Test 4/17/95	Hours 24	<del>'</del>	Choke Size	1.	Prod'n For Test Period	Oil -		Gas - MCI		Water -			Oil Ratio
Flow Tubing Press.	Cas	sing Pressure	Calc	ulated 24-	Oil - Bbl.	796	Gas - MCF	93	Water - Bbl.	646	Oil Grav	116 rity - API	-(Corr.)
34. Disposition of G	ias (Sol			r Rate	796		93		646		42 /itnessed By		· · ·
SOLD			.,								KRAMER		
35. List of Attachm SUNDRY, FINDER	GYRO F								•				
36. I hereby certify that the	foregoing	is true and correct	~			oral:	na Linit Ma-	2000					
SIGNATURE_		mm	27 = =		TITLE_OP	<b>लावा।</b>	ng Unit Ma	падег			DATE _		6/13/95
TYPE OR PRINT NAI	ME	T	ed A. Tip	ton									

SUMMARY OF PO drill-stem, tests inc recoveries):	DROUS ZONES: (She luding depth interval t	ow all important zones overted, cushion used, tire	of porosity and contents therof, cored intervals, and all me tool open, flowing and shut-in pressures, and	38.	KERS		
FORMATION	TOP	воттом	DESCRIPTION, CONTENTS, ETC.		TOP		
				NAME	MEAS. DEPTH	TRUE VERT DEPTH	
				ISMAY	5490'		
				GOTHIC SHALE	5624'		
				DESERT CREEK	5636'		
						2.1	
				;			

Form 3160-4 (October 1990)

# DEPARTMENDS THE INTERIOR DE LE DE DE BUREAU OF LAND MANAGEMENT JUN 19

FORM APPROVED Budget Bureau No. 1004-0137 Expires: December 31, 1991

Designation	and	Serial	No.	

						1			1 1		J-	149-INC	)-8838
WELL CO	MPL	ETION O	R RE	COMPL	ETION RE	POR	TAND	FOC*	6. If Indi	an, Alot	tee or Trib		
1a. Type of Well:		OIL G	AS 🔲	DRY	OTHER NO	V. OF	<u>Q</u> ĮĻ, G/	<del>\S &amp; M</del> I	NING"	O TRIBI	E		
1b. Type of Compl	etion		/ELL	. D	OTHER MADE	CTION	VVELL		ANETH		Agreemen	t Design	ation
· · · · · · · · · · · · · · · · · · ·	RK 🔯	DEEPEN	PLUG	DIFF.	OTHER SI	DF-TRA	ACK				d Number		
WELL OVE			BACK	RESVR.		DL: IIV	· ·		ANETH				
2. Name of Opera	tor	TEXAC	EXPLO	RATION & F	PRODUCTION,	inc.							
3. Address and Te	lepho	ne No							H423				<del></del>
					mington NM 874			-4397	9. API W	eli No.	430371	6128	
4. Location of Wel	li (Rep	ort location cle	arly and i	n accordance	with any State	requirem	ents.*)		10 Field	and Por	ol, Exploara		
At Surface Unit Letter P:	820	)	The C	OUTH Live			<u>.</u>	_	DESERT		oi, Exploais	itory Are	d
Unit Letter P : At proposed prod. zo		) Feet From	The S	OUTH Line	and 450	reet Fro	m The EAS	T Line	11. SEC	T R	M or BLI	C and Si	urvey or Area
, , , , , , , , , , , , , ,			(NORT	HWEST LATE	ERAL) #2					,,, 23 ,	Township		Range 24E
At Total Depth /2	77	o' FSI &			14. Permit No.		Data lasued				· ·	,	
1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1		f 5€c. 23	120 1.	FEL	43037161	128	Date Issued		12. Cour	•		13. St	ate
15. Date Spudded										N JUA	· · · · · · · · · · · · · · · · · · ·	10 FI	UTAH ev. Casinhead
3/19/95	ļ	4/8/95			4/16/95	,	10. Lievalio		4859' KB	ii, GR, e	eic.)	15. [	4848' GL
20. Total Depth, MD	& TVE	21. Plug	Back T.D	, MD & TVD	22. If Multiple (	Compl., F	low Many*	23. Inte	ervals Ro	tary Too	ls	CableT	
6467' MD (5644	' TVD	) 646	7' MD (56	44' TVD)			-	Drilled		5572' -			
24. Producing Interva				Bottom, Name	(MD and TVD)*						25. Was D	irectional	Survey Made
NW LATERAL HOLE	: 557	2' MD - 6467' MC	)									YES	
26. Type Electric and Other Logs Run											27. Was W	ell Cored	
FINDER GYRO SURVEY										. (		NO	
28.		·			NG RECORD	(Repo	rt all String	gs set in	well)				
CASING SIZE & GRA	ADE	WEIGHT	LB./FT.		EPTH SET		HOLE S	SIZE	CEN	MENT R	ECORD	AM	OUNT PULLED
9.6.25"		36#		1175'		12.	25"		1000	1000 SXS			
7.0"		23#		5854'		8.75"				sxs			
		-											
		-											
29.									1.				
SIZE		TOD		R RECORD							UBING R	RECORD	
- OIZC		ТОР		ОТТОМ	SACKS CEM	ENT	SCREEN	<b>'</b>	SIZE		DEPTH	SET	PACKER SET
	+		-									·	
31. Perforation reco	ord (in	terval size and	l number				Λ. Λ.	ND SHOT	FRACTI	IDE OF	MENT O	011555	
	J. G. (III	101 401, 5120, 0110	i number,	!		3	B2. AC		, FRACTU				
NORTHWEST !			MOVE				5572'-6467'		10,000 G	·	AND KIND	MATER	IAL USED
HOMEONIAL	OFEN	HOLE: 5572' (	MD) - 64	57. (MD)		F			10,000 0	ACO 20	70 FICE		
						5.	489'-5572'		CMT FROM	M RETA	INER TO K	 OP	
						5	636'-5802'	······································	SQZ PERF				
33.					PRODUC								
Date First Productio	n 16/95	Production N PUMPING (E	Method (F SP)	lowing, gas li	ift, pumping - siz	ze and ty	pe pump)				Well Stat		. or Shut-in)
Date of Test	Hour	s tested	Choke S	Size	Prod'n For	Oil - Bb	 I.	Gas - MCI	=	Water -		<del>-</del>	
4/17/95	24		N/A	1	Test Period	796	·	93		646		Gas -	Oil Ratio
Flow Tubing Press.		asing Pressure	I	alculated 24- lour Rate	Oil - Bbl. 796		Gas - MCF		Water - Bbl		1	ity - API	-(Corr.)
34. Disposition of G		· · · · · · · · · · · · · · · · · · ·			/30		93		646	Test W	42 itnessed B	,	
SOLD											KRAMER	7	
35. List of Attachme		PEDORT							-				
SUNDRY, FINDER ( 36. I hereby certify that the											-	-	
SIGNATURE	7	ea 3,			TITLE Ope	erating	Unit Ma	nager			DATE		6/13/95
TYPE OR PRINT NAM	ΛE	т	ed A.	Fipton	<del></del>						_		- 10100

 SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents therof; cored intervals; and all drill-stem, tests including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries).

. .

38.

#### GEOLOGIC MARKERS

FORMATION	ТОР	воттом	DESCRIPTION, CONTENTS, ETC.		TOP			
				NAME	MEAS. DEPTH	TRUE VERT. DEPTH		
				ISMAY	5490'			
				GOTHIC SHALE	5624'			
				DESERT CREEK				
				DESERT CREEK	5636'			
	•							
		·		i.				
						٠.		
						N.		
,								
		.			*.			
				·				
	-							

Form 3160-5 (June 1990)

### DEPARTMENT OF THE INT JUN 19 1995 BUREAU OF LAND MANAGENER

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

5. Lease Designation and Serial No.

Do not use this form for proposals to drill or to deepen or Use "APPLICATION FOR PERMIT " for such proposals	MINING   I-149-IND-8838
- Tor Such proposals	6. If Indian, Alottee or Tribe Name NAVAJO TRIBE
SUBMIT IN TRIPLICATE	7. If Unit or CA, Agreement Designation ANETH UNIT
1. Type of Well: ☐ OIL ☐ GAS ☐ OTHER INJECTION WELL	8. Well Name and Number  ANETH UNIT
2. Name of Operator TEXACO EXPLORATION & PRODUCTION, INC.	H423
3. Address and Telephone No. 3300 N. Butler Suite 100, Farmington NM 87401 325-4397	9. API Well No.
1. Location of Well (Footage, Sec., T., R., M., or Survey Description)	4303716128
Unit Letter P: 820 Feet From The SOUTH Line and 450 Feet From The	10. Field and Pool, Exploaratory Area DESERT CREEK
EAST Line Section 23 Township 40S Range 24E	11. County or Parish, State SAN JUAN , UTAH-
<ol> <li>Check Appropriate Box(s) To Indicate Nature of Notice,</li> </ol>	Report, or Other Data
TYPE OF SUBMISSION	TYPE OF ACTION
Abandonment	Change of Plans
Recompletion	New Construction
☐ Notice of Intent ☐ Plugging Back	Non-Routine Fracturing
Subsequent Report Casing Repair	_
Casing Repair	Water Shut-Off
This Abandonness Notice	Conversion to Injection
OTHER: SIDE-TRAC	K Dispose Water
	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)
TEXACO E. & P., INC. HAS COMPLETED THE HORIZONTAL SECTION INTO THE DESERT OF	DEEK FORMATION OF THE OUR IN-
EXISTING WELL. THE FOLLOWING PROCEDURE WAS FOLLOWED:  3/19/95. GIH WITH BIT AND DRILL PIPE TO 5762'. POH. GIH WITH SECTION MILL AND CU WITH RETAINER AND SET AT 5489'. SQUEEZED BELOW RETAINER WITH 100 SXS LFL COMEIGHTED CEMENT. GIH WITH DRILLING ASSEMBLY. DRLLED SOUTHEAST SHORT RASSEMBLY AND KIND RECTION TO A MD OF 6656'. POH. GIH WITH DRILLING ASSEMBLY AND KIND RILLED SHORT RADIUS. DRILLED HORIZONTAL SECTION TO A MD OF 6467'.  ACIDIZED SOUTHEAST HORIZONTAL WITH 9800 GALLONS 28% HCL. AVG. RATE 0.9 BPM ACIDIZED NORTHWEST HORIZONTAL WITH 10,000 GALLONS 28% HCL. AVG RATE 1.0 BF 4/16/95. PUT WELL ON TEST.	T SECTION FROM 5555' TO 5595'. GIH EMENT, 10 SXS NEAT AND 50 SXS DIUS FROM 5562' TO 5707'. DRILLED CKED OFF NORTHWEST LATERAL.
3/19/95. GIH WITH BIT AND DRILL PIPE TO 5762'. POH. GIH WITH SECTION MILL AND CU WITH RETAINER AND SET AT 5489'. SQUEEZED BELOW RETAINER WITH 100 SXS LFL CI WEIGHTED CEMENT. GIH WITH DRILLING ASSEMBLY. DRLLED SOUTHEAST SHORT RA HORIZONTAL SECTION TO A MD OF 6656'. POH. GIH WITH DRILLING ASSEMBLY AND KICD DRILLED SHORT RADIUS. DRILLED HORIZONTAL SECTION TO A MD OF 6467'.  ACIDIZED SOUTHEAST HORIZONTAL WITH 9800 GALLONS 28% HCL. AVG. RATE 0.9 BPM ACIDIZED NORTHWEST HORIZONTAL WITH 10,000 GALLONS 28% HCL. AVG RATE 1.0 BF	T SECTION FROM 5555' TO 5595'. GIH EMENT, 10 SXS NEAT AND 50 SXS DIUS FROM 5562' TO 5707'. DRILLED CKED OFF NORTHWEST LATERAL.
3/19/95. GIH WITH BIT AND DRILL PIPE TO 5762'. POH. GIH WITH SECTION MILL AND CU WITH RETAINER AND SET AT 5489'. SQUEEZED BELOW RETAINER WITH 100 SXS LFL CI WEIGHTED CEMENT. GIH WITH DRILLING ASSEMBLY. DRLLED SOUTHEAST SHORT RA HORIZONTAL SECTION TO A MD OF 6656'. POH. GIH WITH DRILLING ASSEMBLY AND KICD DRILLED SHORT RADIUS. DRILLED HORIZONTAL SECTION TO A MD OF 6467'.  ACIDIZED SOUTHEAST HORIZONTAL WITH 9800 GALLONS 28% HCL. AVG. RATE 0.9 BPM ACIDIZED NORTHWEST HORIZONTAL WITH 10,000 GALLONS 28% HCL. AVG RATE 1.0 BF 4/16/95. PUT WELL ON TEST.	T SECTION FROM 5555' TO 5595'. GIH EMENT, 10 SXS NEAT AND 50 SXS DIUS FROM 5562' TO 5707'. DRILLED CKED OFF NORTHWEST LATERAL.
3/19/95. GIH WITH BIT AND DRILL PIPE TO 5762'. POH. GIH WITH SECTION MILL AND CU WITH RETAINER AND SET AT 5489'. SQUEEZED BELOW RETAINER WITH 100 SXS LFL CO WEIGHTED CEMENT. GIH WITH DRILLING ASSEMBLY. DRLLED SOUTHEAST SHORT RAY HORIZONTAL SECTION TO A MD OF 6656'. POH. GIH WITH DRILLING ASSEMBLY AND KIND DRILLED SHORT RADIUS. DRILLED HORIZONTAL SECTION TO A MD OF 6467'.  ACIDIZED SOUTHEAST HORIZONTAL WITH 9800 GALLONS 28% HCL. AVG. RATE 0.9 BPM ACIDIZED NORTHWEST HORIZONTAL WITH 10,000 GALLONS 28% HCL. AVG RATE 1.0 BF	T SECTION FROM 5555 TO 5595'. GIH EMENT, 10 SXS NEAT AND 50 SXS DIUS FROM 5562' TO 5707'. DRILLED EXED OFF NORTHWEST LATERAL.  J. AVG. ANNULUS PRESS. 790 PSI.  PM, AVG. ANNULUS PRESS. 490 PSI.
3/19/95. GIH WITH BIT AND DRILL PIPE TO 5762'. POH. GIH WITH SECTION MILL AND CU WITH RETAINER AND SET AT 5489'. SQUEEZED BELOW RETAINER WITH 100 SXS LFL CI WEIGHTED CEMENT. GIH WITH DRILLING ASSEMBLY. DRLLED SOUTHEAST SHORT RA HORIZONTAL SECTION TO A MD OF 6656'. POH. GIH WITH DRILLING ASSEMBLY AND KINDRILLED SHORT RADIUS. DRILLED HORIZONTAL SECTION TO A MD OF 6467'.  ACIDIZED SOUTHEAST HORIZONTAL WITH 9800 GALLONS 28% HCL. AVG. RATE 0.9 BPM ACIDIZED NORTHWEST HORIZONTAL WITH 10,000 GALLONS 28% HCL. AVG RATE 1.0 BF 4/16/95. PUT WELL ON TEST.	T SECTION FROM 5555' TO 5595'. GIH EMENT, 10 SXS NEAT AND 50 SXS DIUS FROM 5562' TO 5707'. DRILLED CKED OFF NORTHWEST LATERAL. A AVG. ANNULUS PRESS. 790 PSI.
3/19/95. GIH WITH BIT AND DRILL PIPE TO 5762'. POH. GIH WITH SECTION MILL AND CU WITH RETAINER AND SET AT 5489'. SQUEEZED BELOW RETAINER WITH 100 SXS LFL CI WEIGHTED CEMENT. GIH WITH DRILLING ASSEMBLY. DRILLED SOUTHEAST SHORT RA HORIZONTAL SECTION TO A MD OF 6656'. POH. GIH WITH DRILLING ASSEMBLY AND KINDRILLED SHORT RADIUS. DRILLED HORIZONTAL SECTION TO A MD OF 6467'.  ACIDIZED SOUTHEAST HORIZONTAL WITH 9800 GALLONS 28% HCL. AVG. RATE 0.9 BPM ACIDIZED NORTHWEST HORIZONTAL WITH 10,000 GALLONS 28% HCL. AVG RATE 1.0 BF 4/16/95. PUT WELL ON TEST.	T SECTION FROM 5555 TO 5595'. GIH EMENT, 10 SXS NEAT AND 50 SXS DIUS FROM 5562' TO 5707'. DRILLED EXED OFF NORTHWEST LATERAL.  J. AVG. ANNULUS PRESS. 790 PSI.  PM, AVG. ANNULUS PRESS. 490 PSI.
3/19/95. GIH WITH BIT AND DRILL PIPE TO 5762'. POH. GIH WITH SECTION MILL AND CU WITH RETAINER AND SET AT 5489'. SQUEEZED BELOW RETAINER WITH 100 SXS LFL CE WEIGHTED CEMENT. GIH WITH DRILLING ASSEMBLY. DRILLED SOUTHEAST SHORT RA HORIZONTAL SECTION TO A MD OF 6656'. POH. GIH WITH DRILLING ASSEMBLY AND KIED SHORT RADIUS. DRILLED HORIZONTAL SECTION TO A MD OF 6467'.  ACIDIZED SOUTHEAST HORIZONTAL WITH 9800 GALLONS 28% HCL. AVG. RATE 0.9 BPM ACIDIZED NORTHWEST HORIZONTAL WITH 10,000 GALLONS 28% HCL. AVG RATE 1.0 BF 4/16/95. PUT WELL ON TEST.  4. I hereby certify that the foregoing is true and correct SIGNATURE TITLE Operating Unit Manage TYPE OR PRINT NAME TED A. Tipton	T SECTION FROM 5555 TO 5595'. GIH EMENT, 10 SXS NEAT AND 50 SXS DIUS FROM 5562' TO 5707'. DRILLED EKED OFF NORTHWEST LATERAL.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

07/07/95 DETAIL WELL api num: DATA menu: opt 00 4303716128 prod zone: DSCR sec twnshp range qr-qr 99999 : DRILLING FILES 23 40.0 S 24.0 E SESE well name: ANETH UNIT H423 (RE-ENTRY) operator: N5700: TEXACO E & P INC meridian: S field: 365 : GREATER ANETH confidential flag: confidential expires: alt addr flag: * *  $\star$  application to drill, deepen, or plug back * * * INDIAN lease number: lease type: 2 well type: OW surface loc: 0820 FSL 0450 FEL unit name: ANETH prod zone loc: 0100 FNL 0037 FEL depth: proposed zone: DSCR elevation: 4859' KB apd date: 950223 auth code: R649-2-3 * * completion information * * date recd: 950619 la/pa date: spud date: 950319 compl date: 950416 total depth: 6656' producing intervals: 5562-6656' bottom hole: 0100 FNL 0037 FEL first prod: 950416 well status: POW 24hr oil: 796 24hr gas: 93 24hr water: 646 gas/oil ratio: 116 * * well comments: direction1: H api gravity: 42.00 (I-149-IND-8838):950707 SE LATERAL TVD @ 5688'; SEC 26; NW LATERAL BHL 1277' FSL 1209' FEL; MD @ 6467'; TVD @ 5644'; DUAL COMPL: SEE ALSO PRDZ PZ:

opt: 21 api: 4303716128 zone: DSCR date(yymm): enty acct:

07/07/95 DETAIL WELL DATA menu: opt 00 api num: 4303716128 prod zone: PRDX sec twnshp range qr-qr 99990 : NO PROD/SERVICE WELL 23 40.0 S 24.0 E SESE well name: NAVAJO TRIBE C-3 (ANETH H-423) N5700 : TEXACO E & P INC operator: meridian: S field: 365 : GREATER ANETH confidential flag: confidential expires: alt addr flag: * * * application to drill, deepen, or plug back * * * lease number: INDIAN lease type: 2 well type: OW surface loc: 0820 FSL 0450 FEL unit name: prod zone loc: 0820 FSL 0450 FEL depth: 5900 proposed zone: HRMS elevation: 4558' DF apd date: 560629 auth code: * * completion information * * 570114 date recd: la/pa date: spud date: 560713 compl date: 560821 total depth: 5854' producing intervals: 5636-5802' bottom hole: 0820 FSL 0450 FEL first prod: 560827 well status: TAZ 24hr oil: 370 24hr gas: 24hr water: gas/oil ratio: 623 * * well comments: direction1: api gravity: (I-149-IND-8838):650226 OPER CHG FR THE TEXAS CO:670810 COMM WIW:910611 OPER FR N0980 EFF 1/1/91(MERGER):930310 ADDED CUM BASE:950707 SEE ALSO DSCR PZ: 2 SCREENS (THIS SCREEN TAZ'D TO ELIMINATE DOUBLE WELL COUNT) opt: 21 api: 4303716128 zone: PRDX date(yymm):

enty

Form 3160-5 (June 1990)

### UNITED STATES

Title 18 U.S.C. Section 1001, makes it a crass for say person knowings, and waituity to make to any department or agency of the United

representations as to any matter within its jurisdiction.

**DEPARTMENT OF THE INTER** BUREAU OF AND MANAGEMENT

FORM APPRO	OVED
Budget Bureau No.	1004 135

Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS se Designation and Serial No. Do not use this form for proposals to drill or to deepen or reently to affect on Crescrati MINING 1-149-18 I-149-IND-8838 Use "APPLICATION FOR PERMIT --" for such proposals **NAVAJO TRIBE** 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE **ANETH UNIT** GAS 8. Well Name and Number 1. Type of Well: WELL OTHER INJECTION WELL **ANETH UNIT** 2. Name of Operator TEXACO EXPLORATION & PRODUCTION, INC. H423 3. Address and Telephone No. 9. API Well No. 3300 N. Butler Ave., Suite 100 Farmington NM 87401 325-4397 4303716128 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 10. Field and Pool, Exploratory Area **Unit Letter** Feet From The SOUTH Line and 450 820 Feet From The DESERT CREEK 11. County or Parish, State **EAST** Line Section 23 Township T40S SAN JUAN , UTAH 12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data TYPE OF SUBMISSION TYPE OF ACTION Abandonment Change of Plans Recompletion **New Construction** Notice of Intent Plugging Back Non-Routine Fracturing Subsequent Report Casing Repair Water Shut-Off Altering Casing Final Abandonment Notice Conversion to Injection OTHER: RETURN TO INJECTION Dispose Water 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work,)*. 12/11/95. TEXACO E. & P., INC. HAS FINISHED TESTING THE PRODUCTIVITY OF THE RECENTLY COMPLETED HORIZONTAL SECTIONS OF THE SUBJECT WELL AND HAS RETURNED THE WELL TO INJECTION. 14. I hereby certify that the foregoing is true and **SIGNATURE** TITLE_ Operating Unit Manager 12/12/95 Ted A. Tipton TYPE OR PRINT NAME (This space for Federal or State office use **APPROVED** CONDITIONS OF APPROVAL, IF ANY:

OPERATOR	TEXACO	E	&	P	INC
OI ENATOR				•	

OPERATOR ACCT. NO. N 5700

ADDRESS	
·	

<del>,</del>	<del></del>	<del></del>										
ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NA	ME	99	sc	WELL	LOCATIO RG	N COUNTY	SPUD DATE	EFFECTIVE DATE
С	99990	7000	43-037-16128	ANETH UNIT H423	(RE-ENTRY)	SESE	23	40s	24E	SAN JUAN	3-19-95	4-16-95
WELL 1 C	OMMENTS: *	RECOMPT. F	R WIW TO POW:	COMPL EFF 4-16-95	<del></del>		<u>!</u>	!	1	<u>!</u>		<u>.i.</u>
i		RECOIL E	a win io ion,	JOIN D. D. T.	•		,					:
WELL 2 C	ONHENTS:	·	<del>!</del>				<u>!</u>	1	!	e de la companya del companya de la companya de la companya del companya de la co	! <u> </u>	
												•
WELL 3 C	OMMENTS:	<del>*</del>						1	·		<u> </u>	<u>-!</u>
									•			
WELL 4 C	UMHENTS:					·						.!
					•							
								·				
WELL 5 C	OHMENTS:									···		I
				. <b>~</b>					•			
A - B - C - D -	- Establish - Add new we - Re-assign - Re-assign	new entity Il to exist well from o well from o	on back of form) for new well (sind) ing entity (group ne existing entity ne existing entity ments section)	or unit well) y to another existing	entity				7 - 24 - 24 - 24 - 24 - 24 - 24 - 24 - 2	L. CORDOVA Signature ADMIN. ANA Title		7-10-9
NOTE: Us	e COMMENT s	ection to e	xplain why each Ac	ction Code was selecte	ed.					Phone No. (	)	
(3/89)					*							

Form 3160-5 (June 1990)

#### **UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT**

FORM APPROVED Budget Bureau No. 1004-0135

5. Lease Designation and Serial No.

DATE

### Expires: March 31, 1993

I-149-IND-8838

#### SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

6. If Indian. Alottee or Tribe Name Use "APPLICATION FOR PERMIT --" for such proposals **NAVAJO TRIBE** 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE ANETH UNIT 8. Well Name and Number 1. Type of Well: OTHER INJECTION WELL WELL **ANETH UNIT** 2. Name of Operator TEXACO EXPLORATION & PRODUCTION, INC. H423 3. Address and Telephone No. Butler Ave., Suite 100 9. API Well No. Farmington NM 87401 325-4397 4303716128 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 10. Field and Pool, Exploratory Area **Unit Letter** Feet From The SOUTH Line and 450 820 Feet From The DESERT CREEK 11. County or Parish, State Line Section 23 Township T40S Range R24E SAN JUAN, UTAH 12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data TYPE OF SUBMISSION TYPE OF ACTION Abandonment Change of Plans Recompletion **New Construction** Notice of Intent Plugging Back Non-Routine Fracturing Subsequent Report Casing Repair Water Shut-Off Atlering Casing Conversion to Injection Final Abandonment Notice OTHER: WORKOVER & ACID Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work,)*. ***** THIS SUNDRY REPORT IS FOR UTAH SEVERANCE TAX CALCULATION INFORMATION PURPOSES ONLY ***** TEXACO E&P INC HAS COMPLETED HORIZONTAL SECTIONS IN THE DESERT CREEK FORMATION IN THE SUBJECT WELL 3/19 - 4/16/95 MIRUSU, MILLED CSG 5555-5595', SET RETAINER @ 5489', SQUEEZED W/ 160 SXS CMT DRILLED HORIZONTAL SECTIONS, BOTTOM HOLE LOCATIONS AS FOLLOWS: NORTHWEST LATERAL: 5572-6466' MD (DISPLACED 886.5') (TVD=5645'), BHL 1277' FSL & 1210' FEL, SEC 23 SOUTHEAST LATERAL: 5562-6656' MD (DISPLACED 1089.5')(TVD=5689'), BHL 100' FNL & 37' FEL, SEC 26 ACIDIZED S/E LATERAL W/ 9800 GALS 28% HCL, N/W LATERAL W/ 10000 GALS 28% HCL, PUT WELL ON TEST 12/11/95. TOOK WELL OFF TEST, RETURNED THE WELL TO INJECTION. DIV. OF OIL, GAS & MINING SIGNATURE Senior Engineer TITLE DATE 3/10/98 TYPE OR PRINT NAME Rached Hindi (This space for Federal or State office use) **APPROVED** CONDITIONS OF APPROVAL, IF ANY:

Credit

representations as to any matter within its jurisdiction.

TITLE

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or

SURFACE LOCATION: 820' FSL & 450' FEL 9-5/8", 32.3 & 36#, H-40 CSG SE/SE SEC 23-40S-24E SAN JUAN COUNTY, UTAH Set @ 1175' in 12-1/4" Hole w/ 1000 SXS CMT SPUD 7/13/56 CMT Circ. DF 4558 7-0", 20 & 23#, J-55 CSG **DESERT CREEK 5633'** Set @ 5854' in 8-3/4" Hole. w/ 500 SXS CMT TOC @ 4265' 40' section milled out 5555' to 5595' KOP @ 5595' MD=6656' TVD=5689' NORTHWEST LATERAL **SOUTHEAST LATERAL** 887' HORIZONTAL DISPLACEMENT 1090' HORIZONTAL DISPLACEMENT PBTD (CMT RET @ 5489') BHL 1277' FSL & 1210' FEL SEC 23

TD 5854'

BHL 100' FNL & 37' FEL SEC 26

MD=6466' TVD=5645'



Chevron U.S.A. Production Company Mid-Continent Business Unit P.O. Box 36366 Houston, TX 77236 Phone 713 754 2000

April 9, 2002

Mr. John Baza, Associate Director of Oil and Gas Utah Department of Natural Resources Division of Oil, Gas & Mining 1594 W. North Temple St., Suite 1210 Salt Lake City, UT 84114-5801 MEGENCO

ATR 12 2002

DIVISION OF JE, GAS AND MINING

Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.

However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,

Don R. Sellars

Sr. Environmental Specialist

#### Name / Operatorship Change Texaco Exploration and Production Inc. to Chevron U.S.A. Inc.

nevron U.S.A. Ir Injection Wells

Account Number	Section	Township	Range	API Number	Well Name	l l	Well Status Main	Well Type Main
N5700	11	400S	230E	4303716034	MESA 1 (ANETH C411)	1	1	WI
N5700	12	400S	230E	4303716272	BURTON 23-12 (ANETH B312)	1	Α	WI
N5700	12	400S	230E	4303716274	BURTON 31-12 (ANETH C-112)	1	1	WI
N5700	12	400S	230E	4303716278	BURTON 42-12 (ANETH D212)	1	Α	WI
N5700	12	400S	230E	4303730049	ANETH UNIT D-412	1	Α	WI
N5700	12	400S	230E	4303730112	ANETH UNIT C-312	1	Α	WI
N5700	13	400S	230E	4303715825	BURTON 22-13 (ANETH B-213)	1	Α	WI
N5700	13	400S	230E	4303715827	BURTON 31-13 (ANETH C-113)	1	Α	WI
N5700	13	400S	230E	4303715828	BURTON 33-13 (ANETH C-313)	1	Α	WI
N5700	13	400S	230E	4303715830	BURTON 42-13 (D213)	1	Α	WI
N5700	13	400S	230E	4303716279	BURTON 44-13 (ANETH D-413)	1	Α	WI
N5700	13	400S	230E	4303730119	ANETH UNIT A-113	1	Α	WI
N5700	13	400S	230E	4303730174	ANETH UNIT D113	1	Α	WI
N5700	13	400S	230E	4303730297	ANETH B-413	1	Α	WI
N5700	13	400S	230E	4303730299	ANETH UNIT A-313	1	A	WI
N5700	14	400S	230E	4303716032	ARROWHEAD 6 (ANETH B-114)	1	A	WI
N5700	14	400S	230E	4303716033	ARROWHEAD 3 (ANETH C-214)	1	A	WI
N5700	14	400S	230E	4303716035	ARROWHEAD 5 (ANETH C-414)	1	A	WI
<b>V</b> 5700	14	400S	230E	4303716038	ARROWHEAD 4 (ANETH D-314)	1		WI
<b>V</b> 5700	14	400S	230E	4303716273	ARROWHEAD 2 (ANETH B-314)	1		WI
<b>N</b> 5700	14	400S	230E	4303716277	ARROWHEAD 1 (ANETH D-114)	1		WI
	23	400S	230E	4303716271	A W RICE 2 (ANETH B-123)	1		WI
	23	400S	230E	4303716276	A W RICE 3 (ANETH C-223)	1		WI
	24	400S	230E	4303716270	FEDERAL A-1 (ANETH A-124)	1		WI
	24	400S	230E	4303716275	FEDERAL 1 (ANETH C-124)	1		WI
	07	400S	240E	4303715412	W ISMY FED 3 (ANETH E307)	1		WI
	07	400S	240E	4303715415	W ISMAY FED 2 (ANETH F-407)	+i		WI
	07	400S	240E	4303716100	NAVAJO FED 6-1 (ANETH G-307)	1		WI
<b>\5</b> 700	07	400S	240E	4303716118	NAVAJO FED 7-1 (ANETH H-207)	1		WI
<b>\</b> 5700	07	400S	240E	4303716283	GULF-AZTEC FED 7 (ANETH E-207)	1		WI
<b>\</b> 5700	07	400S	240E	4303716322	NAVAJO TRIBE FED 5-1 (ANETH H-407)	2		WI

Account Number		Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	07	400S	240E	4303730175	ANETH U E407	1	A	WI
N5700	08	400S	240E	4303716060	NAVAJO TRIBE E-15 (ANETH E-308)	2	Α	WI
N5700	08	400S	240E	4303716076	NAVAJO FED 8-1 (ANETH F-208)	2	А	WI
N5700	08	400S	240E	4303716101	NAVAJO TRIBE L-6 (ANETH G-308)	2	Α	WI
N5700	08	400S	240E	4303716119	NAVAJO TRIBE E-16 (ANETH H-208)	2	Α	WI
N5700	08	400S	240E	4303716284	NAVAJO FED 9-1 (ANETH E-208)	2	Α	WI
N5700	08	400S	240E	4303716298	NAVAJO TRIBE E-13 (ANETH F-408)	2	Α	WI
N5700	08	400S	240E	4303716323	NAVAJO TRIBE L-3 (ANETH H-408)	2	Α	WI
N5700	09	400S	240E	4303716061	NAVAJO TRIBE E-14 (ANETH E-309)	2	Α	WI
N5700	09	400S	240E	4303716082	NAVAJO TRIBE E-4 (ANETH F-409)	2	Α	WI
N5700	10	400S	240E	4303716125	NAVAJO TRIBE E-7 (ANETH H-410)	2	1	WI
N5700	11	400S	240E	4303715940	ANETH UNIT E-411	2	Α	WI
N5700	11	400S	240E	4303715944	NAVAJO A-10/34-11 (ANETH G-411)	2	Α	WI
N5700	11	400S	240E	4303716295	NAVAJO A-12/23-11 (ANETH F-311)	2	Α	WI
N5700	13	400S	240E	4303715938	NAV TRIBE A-13 (ANETH E-213)	2	A	WI
N5700	13	400S	240E	4303715941	NAVAJO A-4 (ANÈTH E-413)	2	A	WI
N5700	14	400S	240E	4303715939	NAVAJO A-6 (ANETH E-214)	2	A	WI
N5700	14	400S	240E	4303715942	ANETH F-314	2	A	WI
N5700	14	400S	240E	4303715943	NAVAJO A-7/32-14 (ANETH G-214)	2	A	WI
N5700	14	400S	240E	4303715945	NAVAJO A-1/34-14 (ANETH G-414)	2	A	WI
N5700	14	400S	240E	4303716310	NAVAJO A-9/41-14 (ANETH H-114)	2	A	WI
<b>\</b> 5700	14	400S	240E	4303716421	ANETH UNIT E414	2	A	WI
N5700	14	400S	240E	4303716422	ANETH UNIT F-114	2	A	WI
N5700	14	400S	240E	4303731381	ANETH UNIT H314X	2	1	WI
<b>\</b> 5700	15	400S	240E	4303716116	ANETH G-415	2	A	WI
<b>V</b> 5700	15	400S	240E	4303716296	NAVAJO TRIBAL E-8 (ANETH F-315)	2		WI
<b>V</b> 5700	15	400S	240E	4303730213	ANETH E-315	2		WI
<b>V</b> 5700	15	400S	240E	4303730312	ANETH H-315	2		WI
N5700	16	400S	240E	4303715832	STATE THREE 11-16 (ANETH E-116)			WI
N5700	16	400S	240E	4303716285	ST THREE 21-16 (ANETH F-116)			WI
<b>1</b> 5700	16	400S	240E	4303716297	ST THREE 23-16 (ANETH F-316)			WI

Account Number	Section	Township	Range	API Number	Well Name		Well Status	• •
N5700	16	400S	240E	4303716312		Type	Main	Main
N5700	16	400S	240E	4303710312	STATE THREE 42-16 (ANETH H-216) ANETH H-416	3	Α	WI
N5700	16	400S	240E	4303720230		3	A	WI
N5700	16	400S	240E		ANETH C 216	3	A	WI
N5700	16	400S	240E	4303730107	ANETH G-316	3	A	WI
N5700	16	400S		4303730333	ANETH F-416	3	Α	WI
N5700	17		240E	4303730344	ANETH G-116	3	A	WI
N5700		400S	240E	4303716049	ANETH UNIT E-117	2	Α	WI
	17	400S	240E	4303716062	NAVAJO TRIBAL G-7 (ANETH E317)	2	Α	WI
N5700	17	400S	240E	4303716089	NAVAJO TRIBAL G-3 (ANETH G-117)	2	Α	WI
N5700	17	400S	240E	4303716103	NAVAJO TRIBAL 1-X-G (ANETH G-317)	2	Α	WI
N5700	17	400S	240E	4303716286	NAVAJO TRIBAL G-8 (ANETH F-217)	2	Α	WI
N5700	17	400S	240E	4303716299	NAVAJO TRIBAL G-6 (ANETH F-417)	2	Α	WI
N5700	17	400S	240E	4303716313	NAV TRIBAL L-4 (ANETH H-217)	2	Α	WI
N5700	17	400S	240E	4303716326	NAVAJO TRIBAL L-1 (ANETH H-417)	2	Α	WI
N5700	18	400S	240E	4303715083	NAVAJO TRIBAL FED U 3	2	А	WI
N5700	18	400S	240E	4303715413	ANETH U E-118 (W ISMY FED 1)	1	Α	WI
N5700	18	400S	240E	4303716063	NAVAJO TRIBAL 4 (ANETH E-318)	1	Α	WI
N5700	18	400S	240E	4303716090	NAVAJO TRIBE 2 (ANETH G-118)	2	Α	WI
N5700	18	400S	240E	4303716104	NAVAJO TRIBE G-4 (ANETH G-318)	2	Α	WI
N5700	18	400S	240E	4303716120	NAVAJO TRIBAL G-5 (ANETH H-218)	2	Α	WI
N5700	18	400S	240E	4303716287	NAVAJO FED U 1 (ANETH F-218)	2	Α	WI
N5700	18	400S	240E	4303716327	NAVAJO TRIBAL G-2 (ANETH H-418)	2	Α	WI
N5700	18	400S	240E	4303730137	ANETH U E218	1	Α	WI
N5700	18	400S	240E	4303730155	ANETH U F118	1	Α	WI
N5700	19	400S	240E	4303716077	NAVAJO TRIBE D-26 (ANETH F-219)	2	Α	WI
N5700	19	400S	240E	4303716091	NAVAJO TRIBE D-16 (ANETH G-119)	2	Α	WI
N5700	19	400S	240E	4303716121	NAVAJO TRIBE D-3 (ANETH H-219)	2	· · · · · · · · · · · · · · · · · · ·	WI
N5700	19	400S	240E	4303716280	NAVAJO FED U B-1 (ANETH E-119)	2		WI
N5700	19	400S	240E	4303716309	NAVAJO TRIBE D-25 (ANETH G-319)	2		WI
N5700	19	400S	240E	4303716328	NAVAJO TRIBE D-27 (ANETH H-419)	2		WI
N5700	20	400S	240E	4303716050	NAVAJO TRIBE D-10 (ANETH E-120)	2	A	WI

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	20	400S	240E	4303716065	NAVAJO TRIBE D-17 (ANETH E-320)	2	A	WI
N5700	20	400S	240E	4303716092	NAVAJO TRIBE L-5 (ANETH G-120)	2	A	WI
N5700	20	400S	240E	4303716105	NAVAJO TRIBE D-12 (ANETH G-320)	2	A	WI
N5700	20	400S	240E	4303716288	NAVAJO TRIBE D-8 (ANETH F-220)	2	A	WI
N5700	20	400S	240E	4303716300	NAVAJO TRIBE D-20 (ANETH F-420)	2	A	WI
N5700	20	400S	240E	4303716314	NAVAJO TRIBE L-2 (ANETH H-220)	2	A	WI
N5700	20	400S	240E	4303716329	NAVAJO TRIBE D-13 (ANETH H-420)	2	A	WI
N5700	21	400S	240E	4303716051	NAVAJO TRIBE D-4 (ANETH E-121)	2	A	WI
N5700	21	400S	240E	4303716066	NAVAJO TRIBE D-14 (ANETH E-321)	2	A	WI
N5700	21	400S	240E	4303716078	NAVAJO TRIBE D-6 (ANETH F-221)	2	A	WI
N5700	21	400S	240E	4303716084	NAVAJO TRIBE D-21 (ANETH F-421)	2	A	WI
N5700	21	400S	240E	4303716122	NAVAJO TRIBE D-7 (ANETH H-221)	2	A	WI
N5700	21	400S	240E	4303716330	NAVAJO TRIBE D-24 (ANETH H-421)	2	A	WI
N5700	21	400S	240E	4303730095	ANETH G-321X	2	A	WI
N5700	21	400S	240E	4303730335	ANETH G-121X	2	A	WI
N5700	22	400S	240E	4303716067	NAVAJO TRIBE D-19 (ANETH E-322)	2	A	WI
N5700	22	400S	240E	4303716085	NAVAJO TRIBE D-23 (ANETH F-422)	2	A	WI
V5700	22	400S	240E	4303716117	NAVAJO TRIBE D-2 (ANETH H-122)	2	A	WI
<b>V</b> 5700	22	400S	240E	4303716127	NAVAJO TRIBE D-22 (ANETH H-422)	2	1	WI
<b>V</b> 5700	22	400S	240E	4303720231	ANETH G-322X	2	A	WI
<b>V</b> 5700	22	400S	240E	4303730215	ANETH E-122	2	A	WI
<b>\</b> 5700	22	400S	240E	4303730242	ANETH H-222	2	A	WI
<b>V</b> 5700	22	400S	240E	4303730373	ANETH F-222	2		WI
N5700	22	400S	240E	4303730425	ANETH G-122	2		WI
<b>N</b> 5700	23	400S	240E	4303716068	NAVAJO TRIBE C-12 (ANETH E-323)	2		WI
<b>\</b> 5700	23	400S	240E	4303716079	NAVAJO TRIBE C-7 (ANETH F-223)	2		WI
<b>1</b> 5700	23	400S	240E	4303716086	NAVAJO TRIBE C-17 (ANETH F-423)	2		WI
<b>N</b> 5700	23	400S	240E	4303716123	NAVAJO TRIBE C-8 (ANETH H-223)	2		WI
<b>1</b> 5700	23	400S	240E	4303716128	NAVAJO TRIBE C-3 (ANETH H-423)	2		WI
N5700	23	400S	240E	4303716306	NAVAJO TRIBE C-1 (ANETH G-123)	2		WI
15700	23	400S	240E	4303730235	ANETH F-123	2		WI

## Name / Operatorship Change Texaco Exploration and Production Inc.

Chevron U.S.A. Inc.
Injection Wells

Account Number	Section	Township	Range	API Number	Well Name		Well Status Main	• •
N5700	24	400S	240E	4303716069	NAVAJO TRIBE C-10 (ANETH E-324)	Type	A	<b>M</b> ain ∣WI
N5700	24	400S	240E	4303716087	NAVAJO TRIBE C-13 (ANETH F-424)	2	A	.L.,
N5700	24	400S	240E	4303716111	NAVAJO TRIBE C-15 (ANETH T-424)	2	A	WI
N5700	24	400S	240E	4303716289	NAVAJO TRIBE C-16 (ANETH F-224)	2	A	WI
N5700	24	400S	240E	4303716331	NAVAJO TRIBE C-28 (ANETH H-424)	2	A	WI
N5700	25	400S	240E	4303716070	NAVAJO TRIBE C-21 (ANETH E-325)	2	A	WI
N5700	25	400S	240E	4303716080	NAVAJO TRIBE C-20 (F225)	2	A	WI
N5700	25	400S	240E	4303716095	ANETH UNIT G125	2	A	WI
N5700	25	400S	240E	4303716124	NAVAJO TRIBE C-11 (ANETH H-225)	2	A	WI
N5700	25	400S	240E	4303716129	NAVAJO TRIBE C-24 (ANETH H-425)	2	A	WI
N5700	25	400S	240E	4303716301	NAVAJO TRIBE C-32 (ANETH F-425)	2	A	WI
<b>V5700</b>	26	400S	240E	4303716054	NAVAJO TRIBE C-29 (ANETH E-126)	2	A	WI
N5700	26	400S	240E	4303716071	NAVAJO TRIBE C-30 (ANETH E-326)	2	A	WI
<b>V</b> 5700	26	400S	240E	4303716113	NAVAJO TRIBE C-27 (ANETH G-326)	2	A	WI
<b>V</b> 5700	26	400S	240E	4303716290	NAVAJO TRIBE C-23 (ANETH F-226)	2		WI
<b>V</b> 5700	26	400S	240E	4303716302	NAVAJO TRIBE C-4 (ANETH F-426)	2		WI
N5700	26	400S	240E	4303716316	NAVAJO TRIBE C-19 (ANETH H-226)		A	WI
N5700	26	400S	240E	4303716332	NAVAJO TRIBE C-31 (ANETH H-426)	2	A	WI
<b>\</b> 5700	26	400S	240E	4303730372	ANETH G-126X	2		WI
15700	27	400S	240E	4303716223	ANETH 27-B2 (ANETH F-227)			WI
15700	27	400S	240E	4303716307	ANETH 27-C-1 (ANETH G-127)	2		WI
15700	27	400S	240E	4303716317	ANETH 27-D2 (ANETH H-227)			WI
15700	27	400S	240E	4303716333	ANETH 27-D-4 (ANETH H-427)	2		WI
	27	400S	240E	4303716782	ANETH 27-A-1 (ANETH E-127)	2		WI
15700	28	400S	240E	4303716222	ANETH 28-A-1 (ANETH E-128)			WI
	28	400S	240E	4303716224	ANETH 28-C-1 (ANETH G-128)			WI
	28	400S	240E	4303716228	ANETH H-228			WI
	29	400S	240E	4303716055	NAVAJO TRIBE S-2 (ANETH E-129)			WI
	29	400S	240E	4303716097	NAVAJO TRIBE S-1 (ANETH G-129)			WI
	29	400S	240E	4303716292	NAVAJO TRIBE S-4 (ANETH F-229)	2		WI
15700	29	400S	240E	4303716318	NAVAJO TRIBE S-3 (ANETH H-229)			WI

Account Number	Section	Township	Range	API Number	Well Name		Well Status Main	Well Type Main
N5700	34	400S	240E	4303716303	ANETH 34-B-4 (ANETH F-434)	Type 2	1	
N5700	34	400S	240E	4303716319	ANETH 34-D2 (ANETH H-234)	2	Α	WI
N5700	35	400S	240E	4303716293	NAVAJO TRIBE Q-5 (ANETH F-235)	2	A	WI
N5700	35	400S	240E	4303716304	NAVAJO TRIBE Q-8 (ANETH F-435)	2	A	WI
N5700	35	400S	240E	4303716320	NAVAJO TRIBE Q-4 (ANETH H-235)	2	A	WI
N5700	36	400S	240E	4303715485	NAVAJO 4 (ANETH E-136)	2	A	WI
N5700	36	400S	240E	4303715486	NAV TRB 2-A (G136)	2	A	WI
N5700	36	400S	240E	4303715487	NAVAJO 1 (ANETH H-236)	2	A	WI
N5700	36	400S	240E	4303716294	NAVAJO 3 (ANETH F-236)	2	A	WI
N5700	19	400S	250E	4303716140	ANETH UNIT L-419	2	A	WI
N5700	29	400S	250E	4303716131	NAVAJO TRIBE F-8 (ANETH J-129)	2	A	WI
N5700	30	400S	250E	4303716132	NAVAJO TRIBE F-9 (ANETH J-130)	2	A	WI
N5700	30	400S	250E	4303716134	NAVAJO TRIBE F-5 (ANETH J-330)	2	A	WI
N5700	30	400S	250E	4303716135	NAVAJO TRIBE F-2 (ANETH K-230)	2	A	WI
N5700	30	400S	250E	4303716137	NAVAJO TRIBE F-7 (ANETH K-430)	2	A	WI
N5700	30	400S	250E	4303716139	NAVAJO TRIBE F-6 (ANETH L-330)	2	A	WI
N5700	30	400S	250E	4303716141	NAVAJO TRIBE F-10 (ANETH M-230)	2	A	WI
N5700	30	400S	250E	4303716337	NAVAJO TRIBE F-11 (ANETH M-430)	2	A	WI
N5700	31	400S	250E	4303715946	NAVAJO TRIBE C11-31 (J131)	2	A	WI
N5700	31	400S	250E	4303716335	NAVAJO TRIBE C-22-31 (ANETH K-231)	ļI	A	WI



TRANSFER	OF AUTHORITY TO INJE	ECT
Well Name and Number Orangeville & Huntington, Emery County, Utah (See	· · · · · · · · · · · · · · · · · · ·	API Number
Footage: See attached well locations	County : Emery	Field or Unit Name See Attached Well List
QQ, Section, Township, Range:	State: UTAH	Lease Designation and Number See Attached Well List

EFFECTIVE DATE OF TRANSFER: 5/1/2002

CURRENT OPERATOR	
Company: Texaco Exploration and Production Inc	Name: Althen S. Robinson
Address: 3300 North Butler, Suite 100	Name: Athen S. Robinson Signature:
city Farmington state NM zip 87401	Title: Attorney-In-Fact

Phone: (505) 325-4397 Date: April 30, 2002 Comments:

**NEW OPERATOR** Chevron U.S.A. Inc. Company: Name: P.O. Box 36366 Address: Signature: city Houston state TX zip 79702 Title: (915) 687-2000 Phone: Date: May 1, 2002 Comments:

(This space for State use only)

Transfer approved by: 4 Hours Many Page 1

Comments:

Approval Date: 10/21/02

RECEIVED

MAY 0 6 2002

DIVISION OF OIL, GAS AND MINING

# STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

	See Attached List of Wells
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	BLM & State of Utah  7. UNIT OF CA AGREEMENT NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.  1. TYPE OF WELL	Orangeville & Huntington
OIL WELL GAS WELL OTHER Operator Name Change	8. WELL NAME and NUMBER:
2. NAME OF OPERATOR:	See Attached List of Wells  9. API NUMBER:
Chevron U.S.A. Inc.  3. ADDRESS OF OPERATOR:	
P.O. Box 36366 CITY Houston STATE TX 7/10 77236 (281) 561-3443	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL  FOOTAGES AT SURFACE: See Attached List of Wells	
FOOTAGES AT SURFACE: See Attached List of Wells	COUNTY: Emery
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE:
	HATU
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT (Submit in Duplicate)  ACIDIZE  DEEPEN  DEEPEN	REPERFORATE CURRENT FORMATION
Approximate delicate the A	SIDETRACK TO REPAIR WELL
New Construction	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS  OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON  SUBSEQUENT REPORT CHANGE WELL NAME  CHANGE WELL NAME  CHANGE TUBING  PLUG AND ABANDON	VENT OR FLARE
(Submit Original Form Only)	WATER DISPOSAL
Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER: Operator Name
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	Change (Merger)
Tayana Evalanatian ( Data )	wells and leases that were North of Orangeville and North nds:
OIL,	DIVISION OF GAS AND MINING
NAME (PLEASE PRIOR) Attorney-In-Fa	CL
SIGNATURE Uffle April 30, 2002	

(This space for State use only)



MINERALS DEPARTMENT
Post Office Box 1910
Window Rock, Arizona 86515
Phone: (928) 871-6587 • Fax: (928) 871-7095

KELSEY A. BEGAYE PRESIDENT TAYLOR McKENZIE, M.D. VICE PRESIDENT

October 11, 2002

Mr. Don Sellars Regulatory Specialist ChevronTexaco 11111 S. Wilcrest Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

I)	I-149-IND-8834	6)	I-149-IND-8839	11)	14-20-603-4035
2)	I-149-IND-8835		14-20-603-2057		14-20-603-4037
3)	I-149-IND-8836	_:	14-20-603-2059		14-20-603-5043-A
•	••		14-20-603-4030-A	•	14-20-603-5446
5)	I-149-IND-8839-A		14-20-603-4032	- ',	17-20-003-34-0

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

Akhtar Zaman, Director Minerals Department

Attachments AZ/GLB/cab

### **OPERATOR CHANGE WORKSHEET**

#### ROUTING

1. GLH	
2. CDW	
3. FILE	

Change of Operator (Well Sold)

5. If **NO**, the operator was contacted contacted on:

Designation of Agent

Operator Name Change

X Merger

The operator of the well(s) listed below has changed,	effective:	05-01-2002				
FROM: (Old Operator):		TO: (New On	perator):			
TEXACO EXPLORATION & PRODUCTION INC	1	CHEVRON US				
Address: 3300 NORTH BUTLER, STE 100	]	Address: P O B				
EAD MYCEON AD COMO						
FARMINGTON, NM 87401	4	HOUSTON,TX				
Phone: 1-(505)-325-4397	4	Phone: 1-(915)				
Account No. N5700	<u> </u>	Account No.				
CA No.		Unit:	ANETH			
WELL(S)						
		API NO	ENTITY	4		WELL
NAME	RNG		NO	TYPE	TYPE	STATUS
NAVAJO TRIBE D-21 (ANETH F-421)		43-037-16084		INDIAN	WIW	A
NAVAJO TRIBE D-7 (ANETH H-221)		43-037-16122		INDIAN	WIW	A
NAVAJO TRIBE D-24 (ANETH H-421)		43-037-16330		INDIAN	WIW	A
ANETH G-321X	21-40S-24E	43-037-30095	99990	INDIAN	WIW	A
ANETH G-121X	21-40S-24E	43-037-30335	99990	INDIAN	WIW	A
NAVAJO TRIBE D-19 (ANETH E-322)	22-40S-24E	43-037-16067	99990	INDIAN	WIW	A
NAVAJO TRIBE D-23 (ANETH F-422)	22-40S-24E	43-037-16085	99990	INDIAN	WIW	A
NAVAJO TRIBE D-2 (ANETH H-122)	22-40S-24E	43-037-16117	99990	INDIAN	WIW	A
NAVAJO TRIBE D-22 (ANETH H-422)	22-40S-24E	43-037-16127	7000	INDIAN	WIW	I
ANETH G-322X	22-40S-24E	43-037-20231	99990	INDIAN	WIW	A
ANETH E-122		43-037-30215		INDIAN	WIW	A
ANETH H-222		43-037-30242		INDIAN	WIW	A
ANETH F-222		43-037-30373		INDIAN	WIW	A
ANETH G-122		43-037-30425		INDIAN	WIW	A
NAVAJO TRIBE C-3 (ANETH H-423)		43-037-16128		INDIAN	WIW	A
NAVAJO TRIBE C-12 (ANETH E-323)		43-037-16068		INDIAN	WIW	A
NAVAJO TRIBE C-7 (ANETH F-223)		43-037-16079		INDIAN	WIW	A
NAVAJO TRIBE C-17 (ANETH F-423)		43-037-16086		INDIAN	WIW	A
NAVAJO TRIBE C-8 (ANETH H-223)		43-037-16123		INDIAN	WIW	A
NAVAJO TRIBE C-1 (ANETH G-123)		43-037-16306		INDIAN	WIW	A
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-2-10) Sundry or legal documentation was received	from the FOR	MER operator	on:	05/06/2002	2_	
<ol> <li>(R649-2-10) Sundry or legal documentation was received</li> <li>The new company has been checked through the Departm</li> </ol>		_	04/12/2002	-	oase on:	10/16/20
4. Is the new operator registered in the State of Utah:		Business Numb	_	564408-014		10.10.

N/A

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE
7. <b>Federal and Indian Lease Wells:</b> The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 10/11/2002
8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on:  10/11/2002
9. Federal and Indian Communization Agreements ("CA"):  The BLM or BIA has approved the operator for all wells listed within a CA on:  N/A
10. Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:  10/21/2002
DATA ENTRY:
1. Changes entered in the Oil and Gas Database on: 10/24/2002
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 10/24/2002
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on:  N/A
STATE WELL(S) BOND VERIFICATION:
1. State well(s) covered by Bond Number:  N/A
FEDERAL WELL(S) BOND VERIFICATION:  1. Federal well(s) covered by Bond Number:  N/A
INDIAN WELL(S) BOND VERIFICATION:  1. Indian well(s) covered by Bond Number:  8975810026
FEE WELL(S) BOND VERIFICATION:
1. (R649-3-1) The <b>NEW</b> operator of any fee well(s) listed covered by Bond Number N/A
2. The <b>FORMER</b> operator has requested a release of liability from their bond on:  The Division sent response by letter on:  N/A  N/A
LEASE INTEREST OWNER NOTIFICATION:  3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:  N/A
COMMENTS: Chevron USA Inc merged with Texaco Exploration & Production Inc to form ChevronTexaco Inc although all the Utah operations will be operated by Chevron USA Inc.

.

E OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

	THOUSAND OIL,		ING		5. LEASE DESIGNATION AND SERIAL NUMBER:  See attached exhibit.
SUNDRY	Y NOTICES AND	REPORTS	ON WEL	LS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill drill horizontal t	new wells, significantly deepen ex	istina wells below curre	of hottom halo days		Navajo 7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL		TEMMIT TO DRILL ION	n for such propose	ls.	Aneth Unit
OIL WELL  2. NAME OF OPERATOR:	GAS WELL [	J OTHER S	e attached	exhibit.	8. WELL NAME and NUMBER: See attached exhibit.
Resolute Natural Resource	ces Company				9. API NUMBER:
3. ADDRESS OF OPERATOR:		· · · · · · · · · · · · · · · · · · ·		PHONE NUMBER:	See attached exhibit.  10. FIELD AND POOL, OR WILDCAT:
1675 Broadway, Suite 1950 4. LOCATION OF WELL	-y Denver	STATE CO ZIP 8	0202	(303) 534-4600	Aneth
FOOTAGES AT SURFACE:					COLINITY COMPANY
QTR/QTR, SECTION, TOWNSHIP, RAN	NGE MEDIMANI				county: San Juan
	IGE, MERIDIAN:				STATE: <b>UTAH</b>
11. CHECK APPI	ROPRIATE BOXES	TO INDICATE	NATURE	OF NOTICE REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION				PE OF ACTION	OKT, OK OTHER DATA
NOTICE OF INTENT (Submit in Duplicate)	ACIDIZE		DEEPEN		REPERFORATE CURRENT FORMATION
Approximate date work will start:	ALTER CASING		FRACTURE	TREAT	SIDETRACK TO REPAIR WELL
The state was was an attack.	CASING REPAIR	[	NEW CONS		TEMPORARILY ABANDON
	CHANGE TO PREVIOUS CHANGE TUBING	S PLANS	OPERATOR		TUBING REPAIR
SUBSEQUENT REPORT	CHANGE WELL NAME	Ĺ	PLUG AND A	BANDON	VENT OR FLARE
(Submit Original Form Only)	CHANGE WELL STATUS	L	PLUG BACK		WATER DISPOSAL
Date of work completion:	COMMINGLE PRODUCII	L	_	N (START/RESUME)	WATER SHUT-OFF
	CONVERT WELL TYPE		_	ON OF WELL SITE  E - DIFFERENT FORMATION	other: Change of operator
12. DESCRIBE PROPOSED OR CO		Clearly show all nod			
As of December 1, 2004, has been elected the succ	Chevron U.S.A. Inc. i	resigned as or	erator of th	e Aneth Unit. Reso	es, etc. lute Natural Resources Company
					RECEIVED
					DEC 2 2 2004
					DIV. OF OIL, GAS & MINING
•					
NAME (PLEASE PRINT) Chevron U	J.S.A. Inc.	NOZIO	TITLE	A. E. Wacker, Att	Orney-in-Fact
SIGNATURE Q. E. C	Vacter			12/20/2004	omoj mri dot
			DATE		<b>v</b> .,
This space for State use only)				APPROV	ED 12/29/ 2004

Division of Oil, Gas and Mining Earlene Russell, Engineering Technician

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURC
DIVISION OF OIL, GAS AND MINING

	TRANSFER OF AU	THORITY TO INJEC	?T
Well Name and See attache Location of We	d Number ed exhibit.	TO MOE	API Number See attached exhibit.
Footage:	11		Field or Unit Name  Aneth Unit
	n, Township, Range:	County: San Juan State: UTAH	Lease Designation and Number See attached exhibit.
EFFECTIVE	DATE OF TRANSFER: 12/1/2004		
CURRENT O	PERATOR NO210		
Company:	Chevron U.S.A. Inc.	_ Name: A. E.	Wacker
Address:	1111 Bagby St.	_ Signature: _ C	1.E. Wacker
	city Houston state TX zip 77002		ney-in-Fact
Phone:	(713) 752-6000		0/2004
Comments	:		
			RECEIVED
NEW OPERA	TOR		DEC 2 2 2004
THE CITY	N270	00	DIV. OF OIL, GAS & MINING
Company:	Resolute Natural Resources Company	–	anet Pasque Xt
Address:	1675 Broadway, Suite 1950		t / / X
	city Denver state CO zip 80202	Signature:	and from
Phone:	(303) 534-4600 X/-	Date:	o lailou
Comments:		Date,	2   2/  09
This space for Stansfer ap  Comm		Approval Date:  Into the Ana a corrective acts of failed 5 year liked 5 year test	12-29-04 The CZIH and Aneth BIY in plan for test on 10/13/2004 t on Aneth BIY.

									Status			
NUM	API_NUM	Q1	Q2		TWSP		LEGAL	Lease	12/1/04	NNEPA Well List	USEPA Well List	UIC Program
H222	4303730242	SE	NW	22	40S	24E		I-149-IND-8836	Active	H222	H222	Navajo Nation
F418	4303715083	SE	SW	18	T40S		650' FSL/1825' FWL	I-149-IND-8835	Active	F418	F418	Navajo Natior
E307	4303715412	NW		7	T40S		1980' FSL/660' FWL	SL-067807	Active	E307	E307	Navajo Nation
E118	4303715413	NW		18	T40S		660' FNL/660' FWL	SL-067807	Active	E118	E118	Navajo Nation
F407	4303715415	SE	SW	7	T40S		660' FSL/1980' FWL	SL-067807	Active	F407	F407	Navajo Nation
E136	4303715485	NW		36	T40S		660' FNL/660' FWL	14-20-603-5444	Active	E136	E136	Navajo Nation
G136	4303715486	NW	NE	36	T40S		785' FNL/2040' FEL	14-20-603-5443		G136	G136	Navajo Nation
H236	4303715487		NE	36	T40S	R24E		14-20-603-5443	P/A			Navajo Nation
B213 C113	4303715825	SE	NW	13	T40S		3300' FSL/3300' FEL	SL-070968-A	Active			State of Utah
C313	4303715827	NW	NE	13	T40S		4602' FSL/1993' FEL	SL-070968-A	Active			State of Utah
D213	4303715828	NW	SE	13	T40S		1949' FSL/1991' FEL	SL-070968-A	Active			State of Utah
E116	4303715830	SE	NE	13	T40S		3263' FSL/660' FEL	SL-070968-A	Active			State of Utah
E213	4303715832	NW			T40S		601' FNL/550' FWL	ML-3156	Active	E116	E116	Navajo Nation
E213 E214	4303715938	SW			T40S		2140' FNL/740' FWL	I-IND-149-8837	Active	E213	E213	Navajo Nation
E411	4303715939	SW			T40S		1940' FNL/650' FWL	I-149-IND-8837	Active	E214		Navajo Nation
E413	4303715940	SW			T40S		500' FSL/820' FWL	I-149-IND-8837	Active	E411		Navajo Nation
	4303715941	SW					660' FSL/660' FWL	IND-149-8837	Active	E413		Navajo Nation
F314	4303715942	NE					1980' FSL/1980'FWL	I-149-IND-8837		F314		Navajo Nation
G214	4303715943	SW	NE	14	T40S		2140' FNL/2010' FEL	I-149-IND-8839	P/A			Navajo Nation
G411 G414	4303715944	SW					680' FSL/1950' FEL	I-149-IND-8837	Active	G411	G411	Navajo Nation
J131	4303715945	SW					660' FSL/1980' FEL	I-149-IND-8837	Active	G414		Navajo Nation
3114	4303715946	NW					660' FNL/638' FWL	14-20-603-372		J131 .		Navajo Nation
C214	4303716032	NE						SL-070968	Shut-In			State of Utah
2411	4303716033	SW						SL-070968	Shut-In			State of Utah
2414	4303716034						600' FSL/2010' FEL	SL-070968-B	P/A	***		State of Utah
)314	4303716035						760' FSL/2000' FEL	SL-070968	Active			State of Utah
2314 2117	4303716038							SL-070968	Active			State of Utah
120	4303716049						20' FNL/645' FWL	I-149-IND-8835	Active 1	E117		Navajo Nation
121	4303716050						660' FNL/660' FWL	I-149-IND-8836	Active I	E120 ]		Navajo Nation
	4303716051						60' FNL/760' FWL	I-149-IND-8836	Active I	E121		Navajo Nation
126	4303716054							I-149-IND-8838	Active I	E126 I		Navajo Nation
129	4303716055							14-20-603-4030	Active I			Navajo Nation
	4303716060		SW 8	-			820' FSL/645' FWL	I-149-IND-8833	Active I			Vavajo Nation
	4303716061		SW 9						P/A			Navajo Nation
	4303716062							I-149-IND-8835	Active E	E317		Vavajo Nation
318	4303716063		SW 1					SL-067807	Active E			Vavajo Nation
	4303716064	NW							P/A		********	Vavajo Nation
	4303716065	NW					140' FSL/820' FWL	I-149-IND-8836	Active E	2320 E		Vavajo Nation
	4303716066	NW :					140' FSL/720' FWL					lavajo Nation
	4303716067	NW S						-149-IND-8836				Vavajo Nation
	4303716068	NW S					980' FSL/510' FWL					lavajo Nation
	4303716069	NW S			40S R	24E 19	980' FSL/660'FWL					lavajo Nation
	4303716070	NW S		-			980' FSL/660' FWL   I					lavajo Nation
	4303716071	NW S					980' FSL/660' FWL I					lavajo Nation
15	4303716074	NE 1	<b>VW</b> 1:	5 T	40S R	24E 69						avajo Nation

F208	4303716076	SE	INV	V 8	T40S	P24E	2140' EN	JI /2050! EU	L I-149-IND-883	2 4 4	15000		
F219	4303716077	SE			T40S	POAR	1820' EN	VL/2140' FW	L 1-149-1ND-883.			F208	Navajo Nation
F221	4303716078	SE	NV		T40S			VL/1980' FW				F219	Navajo Nation
F223	4303716079	SE	NW		T40S			NL/1820' FW				F221	Navajo Nation
F225	4303716080	SE	NW		T40S			NL/2080' FW				F223	Navajo Nation
F409	4303716082	SE	SW		T40S			/1980' FWL	I-149-IND-8834			F225	Navajo Nation
F421	4303716084	SE	SW		T40S			/1990'FWL	I-149-IND-8836			F409	Navajo Nation
F422	4303716085	SE	SW		T40S			/1980' FWL	I-149-IND-8836			F421	Navajo Nation
F423	4303716086	SE	SW		T40S			/1955' FWL	I-149-IND-8838			F422	Navajo Nation
F424	4303716087	SE	SW		T40S			/2100' FWL	I-149-IND-8838		<del></del>	F423	Navajo Nation
G117	4303716089	NW		17	T40S			/1980' FEL	I-149-IND-8835			F424	Navajo Nation
G118	4303716090	NW		18	T40S			/1910' FEL	I-149-IND-8835		G117	G117	Navajo Nation
G119	4303716091	NW		19	T40S			/2140' FEL	I-149-IND-8836		G119	G118	Navajo Nation
G120	4303716092	NW		20	T40S			/1980' FEL	I-149-IND-8833		G120	G119 G120	Navajo Nation
G125	4303716095	NW	NE	25	T40S			/2140' FEL	I-149-IND-8838		G125	G120 G125	Navajo Nation
G129	4303716097	NW	NE	29	T40S			/1905' FEL	14-20-603-4030		G129	G125 G129	Navajo Nation
G307	4303716100	NW	SE	7	T40S			L/1995' FEL	SL-067807	Active	G307	G307	Navajo Nation
G308	4303716101	NW	SE	8	T40S			L/1830' FEL	I-149-IND-8834	Active	G308	G308	Navajo Nation
G317	4303716103	NW	SE	17	T40S			L/1900' FEL	I-149-IND-8835	Active	G317	G317	Navajo Nation
G318	4303716104	NW	SE	18	T40S	R24E	2125' FSI	_/1980' FEL	I-149-IND-8835	Active	G318	G318	Navajo Nation
G320	4303716105	NW	SE	20	T40S	R24E	1980' FSI	_/1980' FEL	I-149-IND-8836	Active	G320	G320	Navajo Nation
G324	4303716111	NW	SE	24	T40S			/1980' FEL	I-149-IND-8838	Active	G324	G324	Navajo Nation
G326	4303716113	NW	SE	26	T40S			/1980' FEL	I-149-IND-8838	Active	G326	G326	Navajo Nation
G415	4303716116	SW	SE	15	T40S	R24E	820' FSL/	2400' FEL	I-149-IND-8834	Active	G415	G415	Navajo Nation
H122	4303716117	NE	NE	22	T40S		660' FNL/		I-149-IND-8836	Active	H122	H122	Navajo Nation
H207	4303716118	SE	NE	7	T40S			_/820' FEL	SL-067807	T/A	1442	11122	Navajo Nation
H208	4303716119	SE	NE	8				/660' FEL	I-149-IND-8833	Active	H208	H208	State of Utah
H218	4303716120	SE	NE	18				/660' FEL	I-149-IND-8835	Active	H218	H218	Navajo Nation
H219	4303716121	SE	NE	19				/607' FEL	I-149-IND-8836	Active	H219	H219	Navajo Nation
H221	4303716122	SE	NE	21	T40S	R24E 1	1980' FNL	/660' FEL	I-149-IND-8836	Active	H221	H221	Navajo Nation
H223	4303716123	SE	NE	23	T40S	R24E 1	820' FNL	/730' FEL	I-149-IND-8838	Active	H223	H223	Navajo Nation
H225	4303716124	SE	NE	25	T40S	R24E 1	980' FNL	/660' FEL	I-149-IND-8838	Active	H225	H225	Navajo Nation Navajo Nation
H410	4303716125	SE	SE	10		R24E 6	525' FSL/5	545' FEL	I-149-IND-8834	P/A			Navajo Nation
H422	4303716127	SE		22			660' FSL		I-149-IND-8836	P/A			Navajo Nation
H423	4303716128	SE		23			20' FSL/4		I-149-IND-8838	Active	H423	H423	Navajo Nation
H425	4303716129			25			60' FSL/6		I-149-IND-8838	Active	H425	H425	Navajo Nation
J129	4303716131			29			20' FNL/6		I-149-IND-8839	P/A			Navajo Nation
J130	4303716132			30			20' FNL/5		I-149-IND-8839	Shut-In	J130	J130	Navajo Nation
J330	4303716134	NW						'800' FWL	I-149-IND-8839		J330	J330	Navajo Nation
K230 K430	4303716135							2140' FWL	I-149-IND-8839	Shut-In	K230	K230	Navajo Nation
L330	4303716137							980' FWL	I-149-IND-8839		K430	K430	Navajo Nation
L330 L419	4303716139	<del></del>			T40S   1	R25E 2	120' FSL/		I-149-IND-8839	Active	L330	L330	Navajo Nation
M230	4303716140						60' FSL/1		I-149-IND-8839	Active	L419		Navajo Nation
E128	4303716141								I-149-IND-8839	Active	M230	*	Navajo Nation
F227	4303716222						60' FNL/6		14-20-603-2056		E128		Navajo Nation
G128	4303716223								14-20-603-2056	T/A			Navajo Nation
G120	4303716224	NW	NE 2	28	T40S   F	(24E 66	60' FNL/1	980' FEL	14-20-603-2056	Shut-In	G128		Navajo Nation

H22	8  4303716228	G	7 1277	D 100	Image					· · · · · · · · · · · · · · · · · · ·				
A124									/560' FEL	14-20-603-205				Navajo Nation
B123									00'FWL	SL-0701010-C	Active	•		State of Utah
		N							140' FWL		Active			State of Utah
B312									'3348' FEI		Active	B312	B312	Navajo Nation
B314		N							2030' FW	L SL-070968	Active	,		State of Utah
C112		N'							974' FEL	SL-070968-A	P/A			State of Utah
C124		N			T40S	R23E			980' FEL	SL-0701010-C	P/A			State of Utah
C223		SV			T40S				1980' FEL	SL-0701010	P/A		-	State of Utah
D114		NI			T40S				60' FEL	SL-070968	Active			State of Utah
D212		SE			T40S				656' FEL	SL-070968-A	Shut-I	n D212	D212	Navajo Nation
D413		SE			T40S				1' FEL	SL-070968-A	Active			State of Utah
E119	4303716280	NV			T40S				20' FWL	I-149-IND-883	6 Active	E119	E119	Navajo Nation
E207	4303716283	SW		_	T40S				750 FWL		T/A	E207	E207	Travajo Tration
E208	4303716284	SW			T40S	R24E	1930'	FNL/S	00' FWL	I-149-IND-883:	3 T/A			Navajo Nation
F116	4303716285	NE			T40S				980' FWL	ML-3156	Active	F116	F116	Navajo Nation
F217	4303716286	SE	NW		T40S	R24E	1890'	FNL/1	930' FWI	I-149-IND-883	5 Active	F217	F217	Navajo Nation
F218	4303716287	SE	NW		T40S	R24E	1970'	FNL/2	060' FWL	I-149-IND-8835	5 Active	F218	F218	Navajo Nation
F220	4303716288	SE	NW		T40S	R24E	1980'	FNL/1	980' FWL	I-149-IND-8836	6 Active	F220	F220	Navajo Nation
F224	4303716289	SE	NW		T40S	R24E	1980'	FNL/1	980' FWL	I-149-IND-8838	Active	F224	F224	Navajo Nation
F226	4303716290	SE	NW		T40S	R24E	1950' 1	FNL/1	900' FWL	I-149-IND-8838	Active	F226	F226	Navajo Nation
F229 F235	4303716292	SE	NW		T40S				930' FWL		P/A	F229	F229	Navajo Nation
	4303716293	SE	NW		T40S	R24E	1825' I	FNL/2	010' FWL	14-20-603-2059	Active	F235	F235	Navajo Nation
F236	4303716294	SE	NW		T40S	R24E	1980' I	FNL/1	980' FWL	14-20-603-5444	Active	F236	F236	Navajo Nation
F311 F315	4303716295	NE	SW	11	T40S				980'FWL	I-149-IND-8837	P/A			Navajo Nation
F316	4303716296	NE	SW	15	T40S				)10' FWL	I-149-IND-8834	Active	F315	F315	Navajo Nation
F408	4303716297	NE	SW	16	T40S					ML-3156	Active	F316	F316	Navajo Nation
F417	4303716298	SE	SW	8	T40S				0' FWL	I-149-IND-8833	Active	F408	F408	Navajo Nation
F420	4303716299	SE	SW	17	T40S	R24E	500' FS	SL/214	0' FWL	I-149-IND-8835	Active	F417	F417	Navajo Nation
F425	4303716300	SE	SW	20	T40S	R24E	660' FS	SL/198	0' FWL	I-149-IND-8836	Active	F420	F420	Navajo Nation
F426	4303716301	SE	SW	25	T40S	R24E 7				I-149-IND-8838	Active	F425	F425	Navajo Nation
F434	4303716302	SE	SW	26	T40S	R24E 6	32' FS	SL/186	7' FWL	I-149-IND-8838	P/A			Navajo Nation
F435	4303716303	SE	SW	34	T40S	R24E 8				14-20-603-2056	P/A		· · · · · · · · · · · · · · · · · · ·	Navajo Nation
	4303716304	SE		35	T40S	R24E 8	20' FS	L/193	0' FWL	14-20-603-2059	T/A			Navajo Nation
G123 G127	4303716306	NW		23	T40S	R24E 6	60' FN	IL/153	0' FEL	I-149-IND-8838	Active	G123	G123	Navajo Nation
G319	4303716307	NW		27	T40S	R24E 6	60' FN	JL/198	0' FEL	14-20-603-2056	Active	G127	G127	Navajo Nation
H216	4303716309	NW	SE	19	T40S	R24E 1				I-149-IND-8836	Active	G319	G319	Navajo Nation
H217	4303716312	SE	NE	16		R24E 3				ML-3156	Active	H216	H216	Navajo Nation
H220	4303716313	SE		17		R24E 2				I-149-IND-8833	Active	H217	H217	Navajo Nation
H226	4303716314					R24E 2				I-149-IND-8833	Active	H220	H220	Navajo Nation
H227	4303716316					R24E 1				I-149-IND-8838	Active	H226	H226	Navajo Nation
H229	4303716317					R24E 1				14-20-603-2056		H227	H227	Navajo Nation
	4303716318				T40S	R24E 1	820' FN	NL/660		14-20-603-4030		H229	H229	Navajo Nation
	4303716319				T40S	R24E 19	980' FN	NL/660	O' FEL	14-20-603-2056		H234	H234	Navajo Nation
	4303716320				T40S	R24E 20	000' FN	VL/77(	) FEL	4-20-603-2059		H235	H235	Navajo Nation
	4303716322					R24E 64				-149-IND-8835		H407	H407	Navajo Nation
	4303716323					R24E 50				-149-IND-8834		H408	H408	Navajo Nation
1171/	4303716326	SE	SE	17	T40S	R24E 50	00' FSL	/690'	FEL I	-149-IND-8833		H417	H417	Navajo Nation
														Inavajo Nation

TT410	1420271 6227	lan	la-	14.0	1-1							
H418 H419	4303716327	SE	SE	18	T40S		660' FSL/660' FEL	I-149-IND-8835		H418	H418	Navajo Nation
<del></del>	4303716328	SE	SE	19	T40S		570' FSL/450' FEL	I-149-IND-8836				Navajo Nation
H420	4303716329	SE	SE	20	T40S		660' FSL/660' FEL	I-149-IND-8836	Active	H420	H420	Navajo Nation
H421	4303716330	SE	SE	21	T40S		500' FSL/750' FEL	I-149-IND-8836	Active	H421	H421	Navajo Nation
H424	4303716331	SE	SE	24	T40S		820' FSL/610' FEL	I-149-IND-8838	Active	H424	H424	Navajo Nation
H426	4303716332	SE	SE	26	T40S		710' FSL/510' FEL	I-149-IND-8838	Active	H426	H426	Navajo Nation
H427	4303716333	SE	SE	27	T40S			14-20-603-2056	Active	H427	H427	Navajo Nation
K231	4303716335	SE	NW		T40S	R25E	2014' FNL/2054' FW	L 14-20-603-372A	Active	K231	K231	Navajo Nation
M430	4303716337	SE	SE	30	T40S		670' FSL/790' FEL	I-149-IND-8839	Active	M430	M430	Navajo Nation
E414	4303716421	SW	SW	14	T40S			I-149-IND-8837	Active	E414	E414	Navajo Nation
F114	4303716422	NE	NW	14	40S		720' FNL/1870' FWL	I-149-IND-8839	Active	F114	F114	Navajo Nation
E127	4303716782	NW	NW	27	T40S			14-20-603-2056	P/A			Navajo Nation
H416	4303720230	SE	SE	16	T40S		150' FSL/660' FEL	ML-3156	Active	H416	H416	Navajo Nation
G322X	4303720231	NW	SE	22	T40S		1550' FSL/1720' FEL	I-149-IND-8836	Active	G322X	G322X	Navajo Nation
D412	4303730049	SE	SE	12	T40S		500' FSL/150' FEL	SL-070968-A	Active	D412	D412	Navajo Nation
E316	4303730094	NW	SW	16	T40S		2190' FSL/128' FWL	ML-3156	Active	E316	E316	Navajo Nation
G321X	4303730095	NW	SE	21	T40S		1900' FSL/1755' FEL	I-149-IND-8836	Shut-In	G321X	G321X	Navajo Nation
G316	4303730107	NW	SE	16	T40S		2320' FSL/1745' FEL	ML-3156	Active	G316	G316	Navajo Nation
C312	4303730112	NW	SE	12	T40S		1610' FSL/1800' FEL	SL-070968-A	Active	C312	C312	Navajo Nation
A113	4303730119	NW	NW	13	T40S		700' FNL/650' FWL	SL-070968-A	Active			State of Utah
E218	4303730137	SW	NW	18	T40S		1860' FNL/660' FWL	SL-067807	Active	E218	E218	Navajo Nation
F118	4303730155	NE	NW	18	T40S		619' FNL/2184' FWL	SL-067807	Active	F118	F118	Navajo Nation
D113	4303730174	NE	NE	13	T40S		578' FNL/619' FEL	SL-070968-A	Active			State of Utah
E407	4303730175	SW	SW	7	T40S	R24E	618' FSL/577' FWL	SL-067807	Active	E407	E407	
E315	4303730213	NW		15	T40S	R24E 2	2212' FSL/591' FWL	I-149-IND-8834	Active	E315	E315	Navajo Nation
E122	4303730215	NW		22	T40S	R24E 5	528' FNL/660' FWL	I-149-IND-8836	Active	E122	E122	Navajo Nation
F123	4303730235	NE		23	T40S	R24E 6	660' FNL/2046' FWL	I-149-IND-8838	<del></del>	F123	F123	Navajo Nation
B413	4303730297	SE		13	T40S	R23E 6	660' FSL/1980' FWL	SL-070968-A	Active		1123	Navajo Nation
A313	4303730299			13	T40S	R23E 1	1840' FSL/470' FWL	SL-070968-A	Active			State of Utah
	4303730312	NE		15	T40S	R24E 1	1980' FSL/660' FEL	I-149-IND-8834		H315	H315	State of Utah
	4303730333			16	T40S	R24E 1	1000' FSL/1980' FWL	ML-3156	Active	F416	F416	Navajo Nation
	4303730335		NE	21			790' FNL/1780' FEL		Active	G121X	G121X	Navajo Nation
	4303730344			16			660' FNL/1980' FEL	ML-3156		G116	G121A G116	Navajo Nation
	4303730372			26	T40S	R24E 8				G126X	G116 G126X	Navajo Nation
	4303730373		NW	22	T40S	R24E 1		<u> </u>		F222	F222	Navajo Nation
	4303730425			22						G122	G122	Navajo Nation
H314X	4303731381	NE	SE	14						H314X	H314X	Navajo Nation
								- 1.2 1110 0037	2100176	115177	П314Х	Navajo Nation

# STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

- CONTROL WINNING	5. LEASE DESIGNATION AND SERIAL NUMBER: See Attachment
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT OF CA AGREEMENT NAME: Aneth Unit
OIL WELL GAS WELL OTHER Injection wells  2. NAME OF OPERATOR:	8. WELL NAME and NUMBER: See Attachment
Resolute Natural Resources Company (1.2700)	9. API NUMBER: See Attach
1675 Broadway, Suite 1950 Depicer PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL	Desert Creek
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	COUNTY: San Juan STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORTING TYPE OF SUBMISSION	T, OR OTHER DATA
TYPE OF ACTION	
NOTICE OF INTENT (Submit in Duplicate)  Approximate date work will start:  CASING REPAIR  CASING REPAIR  CHANGE TO PREVIOUS PLANS  CHANGE TUBING  CHANGE TUBING  CHANGE WELL NAME  CHANGE WELL STATUS  DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, As of December 1, 2004, Chevron U.S.A. Inc. resigned as Operator of the Aneth Unit. The sunatural Resources Company.	REPERFORATE CURRENT FORMATION  SIDETRACK TO REPAIR WELL  TEMPORARILY ABANDON  TUBING REPAIR  VENT OR FLARE  WATER DISPOSAL  WATER SHUT-OFF  OTHER: Change of Operator  etc.  ICCCESSOR OPERATOR IS RESOLUTE
NAME (PLEASE PRINT) Janet Pagge TITLE Vice Press.  SIGNATURE DATE 11/30/04	ideA

APPROVED 12/29/2004 ER

Division of Oil, Gas and Mining Earlene Russell, Engineering Technician

## **OPERATOR CHANGE WORKSHEET**

ROUTING 1. GLH

2. CDW 3. FILE

Designation of Agent/Operator

X Change of Operator (Well Sold)

Operator Name Change

Merger

The operator of the well(s) listed below has c	mangeu,	CHECL	ve.	ibin n (A cm		2/1/2004	L	
FROM: (Old Operator):				<b>TO:</b> ( New (	Operator):			,
N0210-Chevron USA, Inc.	N2700-Resolu	ite Natural R	esources C	Company				
PO Box 4791	1675 1	Broadway, S	uite 1950	1 2				
Houston, TX 77210-4791				Denve	r, CO 80202			
Phone: 1-(713) 752-7431				Phone: 1-(303				
CA N	lo.	-		Unit:	7551 1000	AN	ETH	
WELL(S)				Carre.		Al	EIH	
NAME	SEC	TW	N RNG	API NO	ENTITY	TEACE	Tax renar w	T
					NO	TYPE		WELL
NAVAJO TRIBE E-16 (ANETH H-208)	08	400S	240E	4303716119		Indian	TYPE WI	STATUS
NAVAJO TRIBE E-7 (ANETH H-410)	10			4303716125		Indian		A
NAVAJO TRIBAL G-5 (ANETH H-218)	18			4303716120		Indian	WI WI	<del>                                     </del>
NAVAJO TRIBE D-3 (ANETH H-219)	19	400S		4303716121		Indian	WI	A
IAVAJO TRIBE D-7 (ANETH H-221)	21			4303716122	99990		WI	A
IAVAJO TRIBE D-2 (ANETH H-122)	22	400S		4303716117	99990		WI	A
IAVAJO TRIBE D-22 (ANETH H-422)	22	400S	+	4303716127		Indian	WI	A
IAVAJO TRIBE C-8 (ANETH H-223)	23	400S		4303716123	99990		WI	<u> </u>
AVAJO TRIBE C-3 (ANETH H-423)	23	400S		4303716128		Indian	WI	A
AVAJO TRIBE C-11 (ANETH H-225)	25	400S		4303716124	11883		WI	A A
AVAJO TRIBE C-24 (ANETH H-425)	25	400S		4303716129	99990		WI	A
NETH 27-B2 (ANETH F-227)	27	400S		4303716223		Indian	WI	A T
NETH 28-A-1 (ANETH E-128)	28	400S		4303716222		Indian	WI	A
NETH 28-C-1 (ANETH G-128)	28	400S		4303716224		Indian	WI	
NETH UNIT L-419	19	400S		4303716140	99990		WI	A A
AVAJO TRIBE F-8 (ANETH J-129)	29	400S		4303716131	99990			A
AVAJO TRIBE F-9 (ANETH J-130)	30			4303716132	99990			A A
AVAJO TRIBE F-5 (ANETH J-330)	30	400S		4303716134	99990			A A
AVAJO TRIBE F-2 (ANETH K-230)		400S	250E	4303716135	99990			A
AVAJO TRIBE F-7 (ANETH K-430)		400S	250E	4303716137	99990		+	A
AVAJO TRIBE F-6 (ANETH L-330)		400S	250E	4303716139	99990			A
AVAJO TRIBE F-10 (ANETH M-230)	30	400S	250E	4303716141	99990		+	A
DED A TOP					·		1.,,	4.3
PERATOR CHANGES DOCUMEN	TATI	ON						
nter date after each listed item is completed								
(R649-8-10) Sundry or legal documentation	was rece	eived fi	om the i	FORMER one	rator on	12/22/2004		
				NEW operator	тави ОП'	1 <i>7.17.71.</i> /UK)/3		

5.	The new company was checked on the Department of Commerce, Division of Corporations Database on:	11/00/00
1	Table 1 Compositions Database on:	11/22/200

Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143 If NO, the operator was contacted contacted on:

6a. (R649-9-2)Waste Management Plan has been received on: requested

6b. Inspections of LA PA state/fee well sites complete on: 12/20/2004

7.	Federal and Indian Lease Wells: The BLM and or the BIA has approved the merger, name change,
	or operator change for all wells listed on Federal or Indian leases on:  BLM_ not yet BIA_ not yet
	not yet
8.	Federal and Indian Units:
	The BLM or BIA has approved the successor of unit operator for wells listed on:
9.	Federal and Indian Communization Agreements ("CA"):
<u> </u>	The BLM or BIA has approved the operator for all wells listed within a CA on:
10	Authority to
	Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:
DA	ATA ENTRY:
1.	Changes entered in the Oil and Gas Database on:  12/29/2004
2.	Changes have been entered on the Monthly Operator Change Spread Sheet on: 12/29/2004
3.	Bond information entered in RBDMS on:
4.	Fee/State wells attached to bond in RBDMS on:
5.	Injection Projects to new operator in RBDMS on:  separate list
6.	Receipt of Acceptance of Drilling Procedures for APD/New on: n/a
FE	DERAL WELL(S) BOND VERIFICATION:
	Federal well(s) covered by Bond Number:  B001263
IN	DIAN WELL(S) BOND VERIFICATION:
1.	Indian well(s) covered by Bond Number:  B001264
FE	E & STATE WELL(S) BOND VERIFICATION:
1.	(R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number  B001262
2. [	The FORMER operator has requested a release of liability from their bond on: not yet
	The Division sent response by letter on:
LE	ASE INTEREST OWNER NOTIFICATION:
3. (	R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:
СО	MMENTS: